


## Table Of Contents

|                                               |    |                                                      |     |
|-----------------------------------------------|----|------------------------------------------------------|-----|
| Main Frame - Standard Pickup .....            | 4  | Wide Pickup Feed Rake & Augers .....                 | 58  |
| Main Frame - Standard Pickup .....            | 6  | Wide Pickup Feed Rake & Augers .....                 | 60  |
| Main Frame - Wide Pickup .....                | 8  | Wide Pickup Feed Rake & Augers .....                 | 62  |
| Main Frame - Wide Pickup .....                | 10 | Gauge Wheels - Pneumatic .....                       | 64  |
| Main Frame - Wide Pickup .....                | 12 | Standard Pickup Drum .....                           | 66  |
| Drawbar & Twine Box .....                     | 14 | Wide Pickup Drum .....                               | 68  |
| Drawbar & Twine Box .....                     | 16 | Wide Pickup Baffle Plate & Compressing Rake .....    | 70  |
| Axle & Tires .....                            | 18 | Wide Pickup Baffle Plate & Compressing Rake .....    | 72  |
| Axle Beam & Bale Ramp - Standard Pickup ..... | 20 | Single Twine Tying Mechanism .....                   | 74  |
| Axle Beam & Bale Ramp - Wide Pickup .....     | 22 | Single Twine Drive & Cutting Mechanism .....         | 76  |
| Jack .....                                    | 24 | Single Twine Manual Starter .....                    | 78  |
| Elevator Chain - Standard Pickup .....        | 26 | Single Twine Manual Starter .....                    | 80  |
| Elevator Chain - Standard Pickup .....        | 28 | Double Twine Tying Mechanism .....                   | 82  |
| Elevator Chain - Wide Pickup .....            | 30 | Double Twine Tying Cutting Unit .....                | 84  |
| Elevator Chain - Wide Pickup .....            | 32 | Double Twine Manual Starter .....                    | 86  |
| Elevator Chain Tensioner .....                | 34 | Double Twine Manual Starter .....                    | 88  |
| Gearbox (with Dog Clutch) .....               | 36 | Net Wrap Unit - Standard Pickup .....                | 90  |
| Gearbox (without Dog Clutch) .....            | 38 | Net Wrap Unit - Wide Pickup .....                    | 94  |
| Gearbox (without Dog Clutch) .....            | 40 | Net Wrap Brake .....                                 | 98  |
| Dog Clutch .....                              | 42 | Hydraulics - Standard Pickup .....                   | 100 |
| Dog Clutch .....                              | 44 | Hydraulics - Standard Pickup .....                   | 102 |
| Roller Drive (with Dog Clutch) .....          | 46 | Hydraulics - Wide Pickup .....                       | 104 |
| Lower Roller - Standard Pickup .....          | 48 | Hydraulics - Wide Pickup .....                       | 106 |
| Lower Roller - Wide Pickup .....              | 50 | Hydraulic Starter .....                              | 108 |
| Lower Roller - Wide Pickup .....              | 52 | Tailgate Lock & Filling Indicators .....             | 110 |
| Standard Pickup Mounting .....                | 54 | Tailgate Lock & Filling Indicators .....             | 112 |
| Standard Pickup Mounting .....                | 56 | Front & Rear Guards - KR-130 - Standard Pickup ..... | 114 |

## Table Of Contents

|                                                      |     |                                     |     |
|------------------------------------------------------|-----|-------------------------------------|-----|
| Front & Rear Guards - KR-130 - Standard Pickup ..... | 116 | Lighting .....                      | 130 |
| Front & Rear Guards - KR-130 - Wide Pickup .....     | 118 | Comfort Control Electronics .....   | 132 |
| Front & Rear Guards - KR-130 - Wide Pickup .....     | 120 | Comfort Control Hydraulics .....    | 134 |
| Front & Rear Guards - KR-160 - Standard Pickup ....  | 122 | Bale Monitor .....                  | 136 |
| Front & Rear Guards - KR-160 - Standard Pickup ....  | 124 | PTO Shaft - Bondioli Standard ..... | 138 |
| Front & Rear Guards - KR-160 - Wide Pickup .....     | 126 | PTO Shaft - Bondioli CV .....       | 140 |
| Front & Rear Guards - KR-160 - Wide Pickup .....     | 128 | PTO Shaft - Bondioli 80° CV .....   | 142 |






445 664 9

**Main Frame - Standard Pickup**

## Main Frame - Standard Pickup


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|---------------|
| 1    | 274.495.2   | Front Frame         |                 | X       |            |         |            |               |
| 2    | 275.475.2   | Front Frame         |                 |         |            | X       |            |               |
| 2    | 280.299.1   | Pin R/H             |                 | X       |            | X       |            |               |
| 3    | 275.046.2   | Hinge Pin           |                 | X       |            | X       |            |               |
| 4    | 912.608.0   | Roll Pin            |                 | X       |            | X       |            | 5 X 20        |
| 5    | 275.048.1   | Hinge               |                 | X       |            | X       |            |               |
| 6    | 908.210.0   | Hex Nut             |                 | X       |            | X       |            | M8            |
| 7    | 905.231.0   | Flat Round Bolt     |                 | X       |            | X       |            | M8 X 20       |
| 8    | 219.034.3   | Bushing Housing     |                 | X       |            | X       |            |               |
| 9    | 910.035.0   | Spring Washer       |                 | X       |            | X       |            | B 12          |
| 10   | 908.215.0   | Hex Nut             |                 | X       |            | X       |            | M12           |
| 11   | 441.190.0   | Bushing             |                 | X       |            | X       |            |               |
| 12   | 919.003.0   | Grease Fitting      |                 | X       |            | X       |            | H1/S M8 X 1   |
| 13   | 900.658.0   | Hex Head Bolt       |                 | X       |            | X       |            | M12 X 40      |
| 14   | 274.734.2   | Rear Housing        |                 | X       |            |         |            |               |
| 15   | 275.606.2   | Rear Housing        |                 |         |            | X       |            |               |
| 15   | 280.298.2   | Pin L/H             |                 | X       |            | X       |            |               |
| 16   | 900.617.0   | Hex Head Bolt       |                 | X       |            | X       |            | M8 X 30       |
| 17   | 912.145.1   | Cotter Pin          |                 | X       |            | X       |            | 10 X 50       |
| 18   | 274.339.2   | Chain               |                 | X       |            |         |            |               |
| 19   | 275.346.1   | Chain               |                 |         |            | X       |            |               |
| 19   | 274.851.1   | Bale Ejector Wedge  |                 | X       |            | X       |            |               |
| 20   | 906.800.1   | Self-Tapping Screw  |                 | X       |            | X       |            | B 2.9 X 9.5   |
| 21   | 274.340.0   | Bale Counter        |                 | X       |            | X       |            |               |
| 22   | 900.612.0   | Hex Head Bolt       |                 | X       |            | X       |            | M8 X 16       |
| 23   | 911.522.0   | Circlip             |                 | X       |            | X       |            | 20 X 1.2      |
| 24   | 909.410.1   | Wing Nut            |                 | X       |            | X       |            | M8            |
| 25   | 274.949.0   | Compression Spring  |                 | X       |            | X       |            |               |
| 26   | 280.222.3   | Twine Brake Plate   |                 | X       |            | X       |            |               |
| 27   | 274.344.4   | Twine Brake Support |                 | X       |            | X       |            |               |
| 28   | 908.706.0   | Hex Nut             |                 | X       |            | X       |            | NM8           |
| 29   | 938.974.2   | Twine Guide         |                 | X       |            | X       |            |               |
| 30   | 280.400.1   | Eye Bolt            |                 | X       |            | X       |            | M8 X 30       |
| 31   | 274.376.2   | Fitting Plate       |                 | X       |            | X       |            |               |
| 32   | 280.497.0   | Shim                |                 | X       |            | X       |            |               |
| 33   | 910.619.1   | Washer              |                 | X       |            | X       |            | 13.0 X 35 X 8 |
| 34   | 900.657.0   | Hex Head Bolt       |                 | X       |            | X       |            | M12 X 35      |
| 35   | 910.413.0   | Washer              |                 | X       |            | X       |            | A 8.4         |



**Main Frame - Standard Pickup**

## Main Frame - Standard Pickup

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                  |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|------------------------|
| 36   | 910.033.0   | Spring Washer       |                 | X       |            | X       |            | B 8<br>8.4 X 25 X 2    |
| 37   | 910.603.0   | Washer              |                 | X       |            | X       |            |                        |
| 38   | 274.940.0   | Twine Guard         |                 | X       |            | X       |            |                        |
| 42   | 925.014.0   | Wheel Chock         |                 | X       |            | X       |            |                        |
| 43   | 280.430.0   | Wheel Chock Holder  |                 | X       |            | X       |            |                        |
| 44   | 274.643.0   | Reinforcement Brace |                 | X       |            | X       |            | M8 X 30<br><br>M8 X 55 |
| 45   | 924.250.1   | Holding Cam         |                 | X       |            | X       |            |                        |
| 46   | 904.813.0   | Flat Round Bolt     |                 | X       |            | X       |            |                        |
| 47   | 280.548.2   | Tongue Mount        |                 | X       |            | X       |            |                        |
| 48   | 904.818.0   | Flat Round Bolt     |                 | X       |            | X       |            |                        |
| 49   | 280.750.0   | Fitting Plate       |                 | X       |            |         |            | Includes Items 50-52   |
|      | 280.751.0   | Fitting Plate       |                 |         |            | X       |            | Includes Items 50-52   |
| 50   | 904.044.0   | Countersunk Screw   |                 | X       |            | X       |            | M10 X 20               |
| 51   | 910.111.1   | Spring Washer       |                 | X       |            | X       |            | B 10                   |
| 52   | 908.212.0   | Hex Nut             |                 | X       |            | X       |            | M10                    |
| 53   | 910.609.0   | Washer              |                 | X       |            | X       |            | 13 X 40 X 3            |
| 54   | 908.515.0   | Hex Nut             |                 | X       |            | X       |            | M12                    |




**Main Frame - Wide Pickup**



## Main Frame - Wide Pickup


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes            |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|------------------|
| 1    | 908.210.0   | Hex Nut            |                 |         | X          |         | X          | M8               |
| 2    | 280.430.0   | Wheel Chock Holder |                 |         | X          |         | X          |                  |
| 3    | 900.612.0   | Hex Head Bolt      |                 |         | X          |         | X          | M8 X 16          |
| 4    | 925.014.0   | Wheel Chock        |                 |         | X          |         | X          |                  |
| 5    | 274.800.1   | Front Housing      |                 |         | X          |         |            |                  |
|      | 275.677.1   | Front Housing      |                 |         |            |         | X          |                  |
| 6    | 275.742.1   | Washer             |                 |         | X          |         | X          |                  |
| 7    | 911.535.0   | Circlip            |                 |         | X          |         | X          | 30 X 1.5         |
| 8    | 910.863.0   | Shim               |                 |         | X          |         | X          | 30 X 42 X .5     |
| 9    | 275.741.1   | Wheel              |                 |         | X          |         | X          |                  |
| 10   | 910.894.0   | Shim               |                 |         | X          |         | X          | 45 X 55 X .3     |
|      | 910.898.0   | Shim               |                 |         | X          |         | X          | 45 X 55 X .5     |
| 11   | 905.745.0   | Set Screw          |                 |         | X          |         | X          | M8 X 16          |
| 12   | 903.077.1   | Allen Screw        |                 |         | X          |         | X          | M8 X 25          |
| 13   | 910.033.0   | Spring Washer      |                 |         | X          |         | X          | B 8              |
| 14   | 275.743.1   | Disc               |                 |         | X          |         | X          |                  |
| 15   | 930.566.0   | Bearing            |                 |         | X          |         | X          | 6306 2RS         |
| 16   | 275.745.0   | Shaft              |                 |         | X          |         | X          |                  |
| 17   | 275.744.1   | Ring               |                 |         | X          |         | X          |                  |
| 18   | 912.645.0   | Roll Pin           |                 |         | X          |         | X          | 6 X 45           |
| 19   | 275.659.1   | Spacer Tube        |                 |         | X          |         | X          |                  |
| 20   | 912.714.0   | Roll Pin           |                 |         | X          |         | X          | 10 X 40          |
| 21   | 930.506.0   | Bearing            |                 |         | X          |         | X          | 6006 2RS         |
| 22   | 911.653.0   | Circlip            |                 |         | X          |         | X          | 55 X 2.0         |
| 23   | 275.739.2   | Lock Collar        |                 |         | X          |         | X          |                  |
| 24   | 274.953.1   | Guide Wheel        |                 |         | X          |         | X          |                  |
| 25   | 905.745.0   | Set Screw          |                 |         | X          |         | X          | M8 X 16          |
| 26   | 274.376.2   | Bale Ejector       |                 |         | X          |         | X          |                  |
| 27   | 919.003.0   | Grease Fitting     |                 |         | X          |         | X          | H1/S M8 X 1      |
| 28   | 908.704.1   | Hex Nut            |                 |         | X          |         | X          | NM 6             |
| 29   | 904.703.0   | Flat Round Bolt    |                 |         | X          |         | X          | M6 X 25          |
| 30   | 274.817.0   | Chain Guide        |                 |         | X          |         | X          |                  |
| 31   | 219.034.3   | Bushing Housing    |                 |         | X          |         | X          | Includes Item 36 |
| 32   | 908.215.0   | Hex Nut            |                 |         | X          |         | X          | M12              |
| 33   | 908.212.0   | Hex Nut            |                 |         | X          |         | X          | M10              |
| 34   | 910.619.1   | Washer             |                 |         | X          |         | X          | 13.0 X 35 X 8    |
| 35   | 280.497.0   | Shim               |                 |         | X          |         | X          |                  |
| 36   | 441.190.0   | Bushing            |                 |         | X          |         | X          |                  |



**Main Frame - Wide Pickup**

## Main Frame - Wide Pickup


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                  |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|------------------------------------------------------------------------|
| 37   | 274.337.3   | Angle for Bale Counter |                 |         | X          |         | X          | M12 X 40<br>M8 X 20                                                    |
| 38   | 900.658.0   | Hex Head Bolt          |                 |         | X          |         | X          |                                                                        |
| 39   | 905.231.0   | Flat Round Bolt        |                 |         | X          |         | X          |                                                                        |
| 40   | 274.863.1   | Rear Housing           |                 |         | X          |         |            |                                                                        |
|      | 275.678.1   | Rear Housing           |                 |         |            |         | X          |                                                                        |
| 41   | 275.658.1   | Pin                    |                 |         | X          |         | X          | 10 X 50<br>M8 X 30<br>M8 X 30                                          |
| 42   | 912.145.1   | Cotter Pin             |                 |         | X          |         | X          |                                                                        |
| 43   | 900.617.0   | Hex Head Bolt          |                 |         | X          |         | X          |                                                                        |
| 44   | 904.813.0   | Flat Round Bolt        |                 |         | X          |         | X          |                                                                        |
| 45   | 274.851.1   | Bale Ejector           |                 |         | X          |         | X          |                                                                        |
| 46   | 922.607.0   | Chain                  |                 |         | X          |         |            | B 2.9 X 9.5                                                            |
|      | 275.346.1   | Chain                  |                 |         |            |         | X          |                                                                        |
| 47   | 906.800.1   | Self-Tapping Screw     |                 |         | X          |         | X          |                                                                        |
| 48   | 274.340.0   | Bale Counter           |                 |         | X          |         | X          |                                                                        |
| 49   | 924.250.1   | Holding Cam            |                 |         | X          |         | X          |                                                                        |
| 50   | 900.655.0   | Hex Head Bolt          |                 |         | X          |         | X          | M12 X 25<br>14<br><br>20 X 1.2                                         |
| 51   | 910.506.0   | Washer                 |                 |         | X          |         | X          |                                                                        |
| 52   | 274.653.1   | Bracket                |                 |         | X          |         | X          |                                                                        |
| 53   | 938.974.2   | Twine Guide            |                 |         | X          |         | X          |                                                                        |
| 54   | 911.522.0   | Circlip                |                 |         | X          |         | X          |                                                                        |
| 55   | 280.548.2   | Tongue Mount           |                 |         | X          |         | X          | M8                                                                     |
| 56   | 274.344.4   | Twine Brake Support    |                 |         | X          |         | X          |                                                                        |
| 57   | 909.410.1   | Wing Nut               |                 |         | X          |         | X          |                                                                        |
| 58   | 274.949.0   | Pressure Spring        |                 |         | X          |         | X          |                                                                        |
| 59   | 280.222.3   | Twine Brake Plate      |                 |         | X          |         | X          |                                                                        |
| 60   | 904.818.0   | Flat Round Bolt        |                 |         | X          |         | X          | M8 X 55<br>NM8<br>A 8.4<br><br>6.5 X 35 X 2.5                          |
| 61   | 908.706.0   | Hex Nut                |                 |         | X          |         | X          |                                                                        |
| 62   | 910.413.0   | Washer                 |                 |         | X          |         | X          |                                                                        |
| 63   | 274.643.0   | Reinforcement Brace    |                 |         | X          |         | X          |                                                                        |
| 64   | 910.602.0   | Washer                 |                 |         | X          |         | X          |                                                                        |
| 65   | 274.940.0   | Twine Guide            |                 |         | X          |         | X          | M8 X 45/30<br>Includes Items 68-70<br>Includes Items 68-70<br>M10 X 20 |
| 66   | 280.400.1   | Eye Bolt               |                 |         | X          |         | X          |                                                                        |
| 67   | 280.750.0   | Fitting Plate          |                 |         | X          |         |            |                                                                        |
|      | 280.751.0   | Fitting Plate          |                 |         |            |         | X          |                                                                        |
| 68   | 904.044.0   | Countersunk Screw      |                 |         | X          |         | X          |                                                                        |
| 69   | 910.111.1   | Spring Washer          |                 |         | X          |         | X          | B 10<br>M10<br>13 X 40 X 3                                             |
| 70   | 908.212.0   | Hex Nut                |                 |         | X          |         | X          |                                                                        |
| 71   | 910.609.0   | Washer                 |                 |         | X          |         | X          |                                                                        |



**Main Frame - Wide Pickup**

## Main Frame - Wide Pickup

| Item | Part Number | Description   | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes        |
|------|-------------|---------------|-----------------|---------|------------|---------|------------|--------------|
| 72   | 900.657.0   | Hex Head Bolt |                 |         | X          |         | X          | M12 X 35     |
| 73   | 908.515.0   | Hex Nut       |                 |         | X          |         | X          | M12          |
| 74   | 910.603.0   | Washer        |                 |         | X          |         | X          | 8.4 X 24 X 2 |




447 021 3

**Drawbar & Twine Box**

## Drawbar & Twine Box

| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                |
|------|-------------|-------------------------|-----------------|---------|------------|---------|------------|----------------------|
| 1    | 905.230.0   | Flat Round Bolt         |                 | X       | X          | X       | X          | M8 X 16              |
| 2    | 911.522.0   | Circlip                 |                 | X       | X          | X       | X          | 20 X 1.2             |
| 3    | 274.648.0   | Twine Guide Bracket     |                 | X       | X          | X       | X          |                      |
| 4    | 910.603.0   | Washer                  |                 | X       | X          | X       | X          | A 8.4                |
| 5    | 908.706.0   | Hex Nut                 |                 | X       | X          | X       | X          | NM 8                 |
| 6    | 924.919.2   | Twine Guide             |                 | X       | X          | X       | X          |                      |
| 7    | 908.716.1   | Hex Nut                 |                 | X       | X          | X       | X          | NM 16                |
| 8    | 925.111.0   | Edge Protection         |                 | X       | X          | X       | X          | 160mm Long           |
| 9    | 280.766.0   | Twine Box Bottom        |                 | X       | X          | X       | X          |                      |
| 10   | 280.550.2   | Drawbar Bracket Left    |                 | X       | X          | X       | X          |                      |
| 11   | 900.612.0   | Hex Head Bolt           |                 | X       | X          | X       | X          | M8 X 16              |
| 12   | 901.484.0   | Hex Head Bolt           |                 | X       | X          | X       | X          | M16 X 70             |
| 13   | 924.262.0   | Rubber Grommet          |                 | X       | X          | X       | X          |                      |
| 14   | 280.763.0   | Twine Box Guard         |                 | X       | X          | X       | X          |                      |
| 15   | 905.230.0   | Flat Round Bolt         |                 | X       | X          | X       | X          | M8 X 16              |
| 16   | 280.771.0   | Cross Beam              |                 | X       | X          | X       | X          |                      |
| 17   | 900.617.0   | Hex Head Bolt           |                 | X       | X          | X       | X          | M8 X 30              |
| 18   | 908.210.0   | Hex Nut                 |                 | X       | X          | X       | X          | M8                   |
| 19   | 274.459.0   | Twine Retainer          |                 | X       | X          | X       | X          |                      |
| 20   | 924.251.0   | Retaining Washer        |                 | X       | X          | X       | X          |                      |
| 21   | 924.249.0   | Knob                    |                 | X       | X          | X       | X          |                      |
| 22   | 910.643.0   | Washer                  |                 | X       | X          | X       | X          | R 14                 |
| 23   | 275.452.2   | Guard for Cross Carrier |                 | X       | X          | X       | X          | For Single Twine Tie |
|      | 275.636.1   | Guard for Cross Carrier |                 | X       | X          | X       | X          | For Double Twine Tie |
| 24   | 910.362.0   | Washer                  |                 | X       | X          | X       | X          | 17                   |
| 25   | 908.008.0   | Hex Nut                 |                 | X       | X          | X       | X          | M6                   |
| 26   | 917.623.0   | Clamping Jaw            |                 | X       | X          | X       | X          |                      |
| 27   | 280.552.2   | Drawbar                 |                 | X       | X          | X       | X          | Dia.=40mm            |
|      | 280.594.1   | Drawbar                 |                 | X       | X          | X       | X          | Dia.=50mm            |
|      | 275.407.1   | Drawbar                 |                 | X       | X          | X       | X          | USA                  |
|      | 275.600.1   | Drawbar                 |                 | X       | X          | X       | X          | Dia.=35mm - Italy    |
| 28   | 928.200.0   | Bushing                 |                 | X       | X          | X       | X          | EG 40/50 X 30        |
| 29   | 280.584.0   | PTO Shaft Holder        |                 | X       | X          | X       | X          |                      |
| 33   | 910.411.1   | Washer                  |                 | X       | X          | X       | X          | A 6.4                |
| 34   | 901.028.0   | Hex Head Bolt           |                 | X       | X          | X       | X          | M6 X 30              |
| 36   | 346.376.1   | Hose Holder             |                 | X       | X          | X       | X          |                      |
| 37   | 280.549.2   | Drawbar Bracket Right   |                 | X       | X          | X       | X          |                      |
| 38   | 910.506.0   | Washer                  |                 | X       | X          | X       | X          | 14 X 24 X 2.5        |




447 021 3

**Drawbar & Twine Box**



## Drawbar & Twine Box

| Item | Part Number | Description       | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                 |
|------|-------------|-------------------|-----------------|---------|------------|---------|------------|-----------------------|
| 39   | 276.438.0   | Twine Ball Holder |                 | X       | X          | X       | X          | 4 X 16<br><br>M8 X 20 |
| 40   | 912.509.0   | Roll Pin          |                 | X       | X          | X       | X          |                       |
| 41   | 015.145.0   | Pressure Spring   |                 | X       | X          | X       | X          |                       |
| 42   | 276.437.0   | Spacer Tube       |                 | X       | X          | X       | X          |                       |
| 43   | 900.614.0   | Hex Head Bolt     |                 | X       | X          | X       | X          |                       |
| 44   | 910.413.0   | Washer            |                 | X       | X          | X       | X          | 8.4 X 17 X 1.6        |
| 45   | 276.436.0   | Rod               |                 | X       | X          | X       | X          |                       |




447 019 3

## Axle & Tires

## Axle & Tires


| Item | Part Number | Description    | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                |
|------|-------------|----------------|-----------------|---------|------------|---------|------------|--------------------------------------|
| 1    | 910.256.0   | Stud           |                 | X       | X          | X       | X          | M18 X 1.5 X 46                       |
| 2    | 952.254.0   | Hub            |                 | X       | X          | X       | X          |                                      |
| 3    | 910.225.0   | Lug Nut        |                 | X       | X          | X       | X          | A 18 X 1.5                           |
| 4    | 932.212.0   | Bearing        |                 | X       | X          | X       | X          | L 44610/49                           |
| 5    | 908.827.0   | Castle Nut     |                 | X       | X          | X       | X          | M24 X 1.5                            |
| 6    | 952.310.1   | Wheel Cap      |                 | X       | X          | X       | X          |                                      |
| 8    | 912.077.0   | Cotter Pin     |                 | X       | X          | X       | X          | 4.5 X 40                             |
| 9    | 952.320.0   | Ring           |                 | X       | X          | X       | X          |                                      |
| 10   | 952.330.0   | Ring           |                 | X       | X          | X       | X          |                                      |
| 11   | 932.222.0   | Bearing        |                 | X       | X          | X       | X          | LM 501310/49                         |
| 12   | 953.210.0   | Tire           |                 | X       | X          | X       | X          | 10.0/75-15.3 Impl 8 Ply              |
|      | 953.215.0   | Tire           |                 | X       | X          | X       | X          | 11.5/80-15.3 Impl 8 Ply              |
|      | 953.230.0   | Tire           |                 | X       | X          | X       | X          | 15.0/55-17 Impl 10 Ply               |
| 13   | 953.308.1   | Inner Tube     |                 | X       | X          | X       | X          | 10.0/75-15 / 11.5/80-15              |
|      | 953.324.1   | Inner Tube     |                 | X       | X          | X       | X          | 15.0/55-17 / 19.0/45-17 / 17.0-17    |
| 14   | 953.108.0   | Rim            |                 | X       | X          | X       | X          | 9.00 X 15.3 - 6 Hole                 |
|      | 953.112.1   | Rim            |                 | X       | X          | X       | X          | 13.00 X 17 - 6 Hole                  |
| 25   | 953.010.0   | Wheel Complete |                 | X       | X          | X       | X          | 10.0/75-15.3 Impl 8 PR - Items 12-14 |
|      | 953.015.0   | Wheel Complete |                 | X       | X          | X       | X          | 11.5/80-15.3 Impl 8 PR - Items 12-14 |
|      | 953.030.0   | Wheel Complete |                 | X       | X          | X       | X          | 15.0/55-17 Impl 10 PR - Items 12-14  |
| 26   | 274.551.3   | Axle Complete  |                 | X       | X          | X       | X          | Excludes Item 25                     |



**Axle Beam & Bale Ramp - Standard Pickup**

## Axle Beam & Bale Ramp - Standard Pickup


| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes    |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|----------|
| 1    | 274.550.3   | Axle Cross Beam |                 | X       |            |         |            |          |
| 2    | 275.655.2   | Axle Cross Beam |                 |         |            | X       |            |          |
| 3    | 910.033.0   | Spring Washer   |                 | X       |            | X       |            | B 8      |
| 4    | 908.210.0   | Hex Nut         |                 | X       |            | X       |            | M8       |
| 5    | 912.613.0   | Roll Pin        |                 | X       |            | X       |            | 5 X 30   |
| 6    | 274.983.1   | Pin             |                 | X       |            | X       |            |          |
| 7    | 274.962.1   | Holder Right    |                 | X       |            | X       |            |          |
| 8    | 901.452.0   | Hex Head Bolt   |                 | X       |            | X       |            | M12 X 50 |
| 9    | 901.504.0   | Hex Head Bolt   |                 | X       |            | X       |            | M20 X 65 |
| 10   | 910.640.1   | Washer          |                 | X       |            | X       |            | A 14     |
| 11   | 910.035.0   | Spring Washer   |                 | X       |            | X       |            | B 12     |
| 12   | 908.215.0   | Hex Nut         |                 | X       |            | X       |            | M12      |
| 13   | 274.984.1   | Bale Ramp       |                 | X       |            | X       |            |          |
| 14   | 274.968.0   | Threaded Rod    |                 | X       |            | X       |            |          |
| 15   | 910.356.0   | Washer          |                 | X       |            | X       |            | R 18     |
| 16   | 274.976.0   | Rubber Pad      |                 | X       |            | X       |            |          |
| 17   | 274.985.0   | Pressure Spring |                 | X       |            | X       |            |          |
| 18   | 908.540.0   | Hex Nut         |                 | X       |            | X       |            | M30      |
| 19   | 274.965.0   | Tensioner       |                 | X       |            | X       |            |          |
| 20   | 274.961.1   | Holder Left     |                 | X       |            | X       |            |          |
| 21   | 910.016.0   | Spring Washer   |                 | X       |            | X       |            | B 20     |
| 22   | 908.225.0   | Hex Nut         |                 | X       |            | X       |            | M20      |
| 23   | 908.008.0   | Hex Nut         |                 | X       |            | X       |            | M6       |
| 24   | 274.556.2   | Cover Plate     |                 | X       |            | X       |            |          |
| 25   | 905.230.0   | Flat Round Bolt |                 | X       |            | X       |            | M8 X 16  |
| 26   | 274.542.0   | Rubber Strip    |                 | X       |            | X       |            |          |
| 27   | 274.543.1   | Securing Strip  |                 | X       |            | X       |            |          |
| 28   | 905.111.2   | Flat Round Bolt |                 | X       |            | X       |            | M6 X 20  |



**Axle Beam & Bale Ramp - Wide Pickup**

## Axle Beam & Bale Ramp - Wide Pickup

| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes    |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|----------|
| 1    | 274.550.3   | Axle Cross Beam |                 |         | X          |         |            |          |
|      | 275.655.2   | Axle Cross Beam |                 |         |            |         | X          |          |
| 2    | 274.959.0   | Strip           |                 |         | X          |         | X          |          |
| 3    | 274.956.0   | Rubber Strip    |                 |         | X          |         | X          |          |
| 4    | 274.543.1   | Securing Strip  |                 |         | X          |         | X          |          |
| 5    | 912.613.0   | Roll Pin        |                 |         | X          |         | X          | 5 X 30   |
| 6    | 274.983.1   | Pin             |                 |         | X          |         | X          |          |
| 7    | 274.962.1   | Holder Right    |                 |         | X          |         | X          |          |
| 8    | 274.984.1   | Bale Ramp       |                 |         | X          |         | X          |          |
| 9    | 274.968.0   | Threaded Rod    |                 |         | X          |         | X          |          |
| 10   | 910.362.0   | Washer          |                 |         | X          |         | X          | 17       |
| 11   | 274.976.0   | Rubber Pad      |                 |         | X          |         | X          |          |
| 12   | 274.985.0   | Pressure Spring |                 |         | X          |         | X          |          |
| 13   | 908.540.0   | Hex Nut         |                 |         | X          |         | X          | M30      |
| 14   | 274.965.0   | Tensioner       |                 |         | X          |         | X          |          |
| 15   | 274.961.1   | Holder Left     |                 |         | X          |         | X          |          |
| 16   | 900.608.0   | Hex Head Bolt   |                 |         | X          |         | X          | M6 X 20  |
| 17   | 908.704.1   | Hex Nut         |                 |         | X          |         | X          | NM6      |
| 18   | 908.215.0   | Hex Nut         |                 |         | X          |         | X          | M12      |
| 19   | 910.016.0   | Spring Washer   |                 |         | X          |         | X          | B 20     |
| 20   | 908.225.0   | Hex Nut         |                 |         | X          |         | X          | M20      |
| 21   | 910.035.0   | Spring Washer   |                 |         | X          |         | X          | B 12     |
| 22   | 910.640.1   | Washer          |                 |         | X          |         | X          | A 14     |
| 23   | 905.314.0   | Flat Round Bolt |                 |         | X          |         | X          | M20 X 65 |
| 24   | 901.452.0   | Hex Head Bolt   |                 |         | X          |         | X          | M12 X 50 |




445 299 2

Jack



## Jack


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                           |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|-------------------------------------------------|
| 1    | 954.043.0   | Weld-In Nut         |                 | X       | X          | X       | X          | M10 X 100                                       |
| 2    | 280.380.0   | Pin                 |                 | X       | X          | X       | X          |                                                 |
| 3    | 903.790.0   | Stud Bolt           |                 | X       | X          | X       | X          |                                                 |
| 4    | 919.509.0   | Ball Knob           |                 | X       | X          | X       | X          |                                                 |
| 5    | 280.385.0   | Pressure Spring     |                 | X       | X          | X       | X          |                                                 |
| 6    | 954.017.0   | Crank Handle        |                 | X       | X          | X       | X          | 6 X 36                                          |
| 7    | 912.643.0   | Roll Pin            |                 | X       | X          | X       | X          |                                                 |
| 8    | 952.620.0   | Outer Tube          |                 | X       | X          | X       | X          |                                                 |
| 9    | 933.504.0   | Thrust Ball Bearing |                 | X       | X          | X       | X          |                                                 |
| 10   | 952.621.0   | Spindle             |                 | X       | X          | X       | X          |                                                 |
| 11   | 912.586.0   | Roll Pin            |                 | X       | X          | X       | X          | 4 X 36<br><br>H1/S M8 X 1<br>Excludes Items 2-5 |
| 12   | 954.066.1   | Inner Tube          |                 | X       | X          | X       | X          |                                                 |
| 14   | 919.003.0   | Grease Fitting      |                 | X       | X          | X       | X          |                                                 |
| 20   | 280.395.6   | Jack Complete       |                 | X       | X          | X       | X          |                                                 |



**Elevator Chain - Standard Pickup**

## Elevator Chain - Standard Pickup


| Item | Part Number | Description                | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                  |
|------|-------------|----------------------------|-----------------|---------|------------|---------|------------|------------------------|
| 1    | 908.711.1   | Hex Nut                    |                 | X       |            | X       |            | NM 12                  |
| 2    | 934.019.0   | Flange Bearing Housing     |                 | X       |            | X       |            | RA 45                  |
| 3    | 900.655.0   | Hex Head Bolt              |                 | X       |            | X       |            | M12 X 25               |
| 4    | 280.595.1   | Sprocket                   |                 | X       |            | X       |            |                        |
| 5    | 905.933.0   | Set Screw                  |                 | X       |            | X       |            | M10 X 12               |
| 6    | 911.324.0   | Lock Collar                |                 | X       |            | X       |            | A 45                   |
| 7    | 911.541.0   | Circlip                    |                 | 72      |            | 90      |            | A 35 X 1.5             |
| 8    | 911.901.0   | Ring                       |                 | 72      |            | 90      |            | SB 38                  |
| 9    | 930.537.0   | Roller Bearing             |                 | 72      |            | 90      |            | 6207 2RS               |
|      | 930.542.0   | Roller Bearing             |                 | 72      |            | 90      |            | Special Grease         |
| 10   | 922.010.0   | Roller Chain               |                 | 72      |            | 90      |            |                        |
| 11   | 274.673.1   | Front Cover                |                 | X       |            | X       |            |                        |
| 12   | 274.436.1   | Cover                      |                 | X       |            | X       |            |                        |
| 13   | 919.203.0   | Grease Fitting             |                 | X       |            | X       |            | H3/S M8 X 1            |
| 14   | 275.409.2   | Elevator Bar               |                 | 36      |            | 45      |            | Rd. 35 X 1362          |
| 15   | 904.025.0   | Countersunk Screw          |                 | X       |            | X       |            | M8 X 25                |
| 16   | 910.413.0   | Washer                     |                 | X       |            | X       |            | 8.4 X 17 X 1.6         |
| 17   | 908.706.0   | Hex Nut                    |                 | X       |            | X       |            | NM 8                   |
| 18   | 346.414.0   | Bushing                    |                 | X       |            | X       |            |                        |
| 19   | 280.361.1   | Bearing Complete           |                 | X       |            | X       |            | Includes Items 18 & 23 |
| 20   | 915.203.0   | Key                        |                 | X       |            | X       |            | A 14 X 9 X 40          |
| 21   | 915.206.0   | Key                        |                 | X       |            | X       |            | A 14 X 9 X 50          |
| 22   | 275.240.2   | Elevator Chain Drive Shaft |                 | X       |            | X       |            | 1510mm Long            |
| 23   | 919.003.0   | Grease Fitting             |                 | X       |            | X       |            | H1/S M8 X 1            |
| 24   | 280.583.1   | Sprocket                   |                 | X       |            | X       |            | 1" X 30 Teeth          |
| 25   | 922.007.0   | Chain Lock                 |                 | 72      |            | 90      |            |                        |
| 26   | 905.937.0   | Set Screw                  |                 | X       |            | X       |            | M10 X 20               |
| 27   | 280.781.0   | Chain Limiter              |                 | X       |            | X       |            |                        |
| 28   | 900.634.0   | Hex Head Bolt              |                 | X       |            | X       |            | M10 X 20               |
| 29   | 910.111.1   | Spring Washer              |                 | X       |            | X       |            | B 10                   |
| 30   | 910.414.0   | Washer                     |                 | X       |            | X       |            | 10.5 X 21 X 2          |
| 31   | 910.657.0   | Washer                     |                 | 72      |            | 90      |            | 35 X 50 X 2            |
| 32   | 274.903.0   | Bearing Housing            |                 | X       |            | X       |            |                        |
| 33   | 934.625.0   | Bearing                    |                 | X       |            | X       |            | GYE 45 KRRB-210        |
| 34   | 900.656.0   | Hex Head Bolt              |                 | X       |            | X       |            | M12 X 30               |
| 35   | 900.634.0   | Hex Head Bolt              |                 | X       |            | X       |            | M10 X 20               |
| 36   | 910.111.1   | Spring Washer              |                 | X       |            | X       |            | B 10                   |
| 37   | 910.414.0   | Washer                     |                 | X       |            | X       |            | 10.5 X 21 X 2          |



**Elevator Chain - Standard Pickup**

## Elevator Chain - Standard Pickup


| Item | Part Number            | Description                                        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                              |
|------|------------------------|----------------------------------------------------|-----------------|---------|------------|---------|------------|--------------------------------------------------------------------|
| 40   | 275.755.0<br>275.756.0 | Elevator Chain Complete<br>Elevator Chain Complete |                 | X       |            | X       |            | Includes Items 7-10, 14, 25, 31<br>Includes Items 7-10, 14, 25, 31 |



**Elevator Chain - Wide Pickup**

## Elevator Chain - Wide Pickup

| Item | Part Number | Description                | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                  |
|------|-------------|----------------------------|-----------------|---------|------------|---------|------------|------------------------|
| 1    | 908.711.1   | Hex Nut                    |                 |         | X          |         | X          | NM 12                  |
| 2    | 934.019.0   | Flange Bearing Housing     |                 |         | X          |         | X          | RA 45                  |
| 3    | 900.655.0   | Hex Head Bolt              |                 |         | X          |         | X          | M12 X 25               |
| 4    | 280.595.1   | Sprocket                   |                 |         | X          |         | X          |                        |
| 5    | 905.933.0   | Set Screw                  |                 |         | X          |         | X          | M10 X 12               |
| 6    | 911.324.0   | Lock Collar                |                 |         | X          |         | X          | A 45                   |
| 7    | 911.541.0   | Circlip                    |                 |         | 72         |         | 90         | A 35 X 1.5             |
| 8    | 911.901.0   | Ring                       |                 |         | 72         |         | 90         | SB 38                  |
| 9    | 930.537.0   | Roller Bearing             |                 |         | 72         |         | 90         | 6207 2RS               |
|      | 930.542.0   | Roller Bearing             |                 |         | 72         |         | 90         | Special Grease         |
| 10   | 922.010.0   | Roller Chain               |                 |         | 72         |         | 90         |                        |
| 11   | 274.673.1   | Front Cover                |                 |         | X          |         | X          |                        |
| 12   | 274.436.1   | Cover                      |                 |         | X          |         | X          |                        |
| 13   | 919.203.0   | Grease Fitting             |                 |         | X          |         | X          | H3/S M8 X 1            |
| 14   | 274.750.1   | Elevator Bar               |                 |         | 36         |         | 45         | Rd. 35 X 1362          |
| 15   | 904.025.0   | Countersunk Screw          |                 |         | X          |         | X          | M8 X 25                |
| 16   | 910.413.0   | Washer                     |                 |         | X          |         | X          | 8.4 X 17 X 1.6         |
| 17   | 908.706.0   | Hex Nut                    |                 |         | X          |         | X          | NM 8                   |
| 18   | 346.414.0   | Bushing                    |                 |         | X          |         | X          |                        |
| 19   | 280.361.1   | Bearing Complete           |                 |         | X          |         | X          | Includes Items 18 & 23 |
| 20   | 915.203.0   | Key                        |                 |         | X          |         | X          | A 14 X 9 X 40          |
| 21   | 915.206.0   | Key                        |                 |         | X          |         | X          | A 14 X 9 X 50          |
| 22   | 274.779.1   | Elevator Chain Drive Shaft |                 |         | X          |         | X          | 45 X 1520              |
| 23   | 919.003.0   | Grease Fitting             |                 |         | X          |         | X          | H1/S M8 X 1            |
| 24   | 280.583.1   | Sprocket                   |                 |         | X          |         | X          | 1" X 30 Teeth          |
| 25   | 922.007.0   | Chain Lock                 |                 |         | 72         |         | 90         |                        |
| 26   | 905.937.0   | Set Screw                  |                 |         | X          |         | X          | M10 X 20               |
| 27   | 280.781.0   | Chain Limiter              |                 |         | X          |         | X          |                        |
| 28   | 900.634.0   | Hex Head Bolt              |                 |         | X          |         | X          | M10 X 20               |
| 29   | 910.111.1   | Spring Washer              |                 |         | X          |         | X          | B 10                   |
| 30   | 910.414.0   | Washer                     |                 |         | X          |         | X          | 10.5 X 21 X 2          |
| 31   | 910.657.0   | Washer                     |                 |         | 72         |         | 90         | 35 X 50 X 2            |
| 32   | 274.903.0   | Bearing Housing            |                 |         | X          |         | X          |                        |
| 33   | 934.625.0   | Bearing                    |                 |         | X          |         | X          | GYE 45 KRRB-210        |
| 34   | 900.656.0   | Hex Head Bolt              |                 |         | X          |         | X          | M12 X 30               |
| 35   | 900.634.0   | Hex Head Bolt              |                 |         | X          |         | X          | M10 X 20               |
| 36   | 910.111.1   | Spring Washer              |                 |         | X          |         | X          | B 10                   |
| 37   | 910.414.0   | Washer                     |                 |         | X          |         | X          | 10.5 X 21 X 2          |




**Elevator Chain - Wide Pickup**



## Elevator Chain - Wide Pickup

| Item | Part Number            | Description                                        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                              |
|------|------------------------|----------------------------------------------------|-----------------|---------|------------|---------|------------|--------------------------------------------------------------------|
| 40   | 275.757.0<br>275.758.0 | Elevator Chain Complete<br>Elevator Chain Complete |                 |         | X          |         | X          | Includes Items 7-10, 14, 25, 31<br>Includes Items 7-10, 14, 25, 31 |




445 369 4

**Elevator Chain Tensioner**

## Elevator Chain Tensioner


| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|---------------|
| 1    | 911.653.0   | Circlip         |                 | X       | X          | X       | X          | I 55 X 2.0    |
| 2    | 280.596.1   | Sprocket        |                 | X       | X          | X       | X          |               |
| 3    | 930.506.0   | Bearing         |                 | X       | X          | X       | X          | 6006 2RS      |
| 4    | 910.863.0   | Shim            |                 | X       | X          | X       | X          | 30 X 42 X .5  |
| 5    | 910.866.0   | Shim            |                 | X       | X          | X       | X          | 30 X 55 X 2.0 |
| 6    | 905.922.0   | Set Screw       |                 | X       | X          | X       | X          | M8 X 10       |
| 7    | 911.317.0   | Lock Collar     |                 | X       | X          | X       | X          | A 30          |
| 8    | 908.706.0   | Hex Nut         |                 | X       | X          | X       | X          | NM 8          |
| 9    | 280.273.1   | Spacer Tube     |                 | X       | X          | X       | X          |               |
| 10   | 275.045.2   | Shaft           |                 | X       | X          | X       | X          | 1372mm Long   |
| 11   | 910.864.0   | Shim            |                 | X       | X          | X       | X          | 30 X 42 X 1.0 |
| 12   | 280.364.2   | Guide Piece     |                 | X       | X          | X       | X          |               |
| 13   | 912.676.0   | Roll Pin        |                 | X       | X          | X       | X          | 8 X 50        |
|      | 912.618.0   | Roll Pin        |                 | X       | X          | X       | X          | 5 X 50        |
| 14   | 280.267.2   | Bracket         |                 | X       | X          | X       | X          |               |
| 15   | 910.014.0   | Spring Washer   |                 | X       | X          | X       | X          | B 16          |
| 16   | 280.532.0   | Chain Tensioner |                 | X       | X          | X       | X          |               |
| 18   | 900.674.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M16 X 35      |
| 19   | 904.001.0   | Allen Screw     |                 | X       | X          | X       | X          | M8 X 80       |
| 20   | 275.044.3   | Cover Plate     |                 | X       | X          | X       | X          |               |
| 21   | 280.534.2   | Adjusting Screw |                 | X       | X          | X       | X          |               |
| 22   | 280.531.1   | Pressure Spring |                 | X       | X          | X       | X          |               |
| 23   | 274.678.2   | Spacer Tube     |                 | X       | X          | X       | X          | 44 X 2 X 280  |



## Gearbox (with Dog Clutch)

## Gearbox (with Dog Clutch)

| Item | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes               |
|------|-------------|------------------|-----------------|---------|------------|---------|------------|---------------------|
| 1    | 900.634.0   | Hex Head Bolt    |                 | X       | X          | X       | X          | M10 X 20            |
| 2    | 910.353.0   | Washer           |                 | X       | X          | X       | X          | R 11                |
| 3    | 270.193.2   | Protecting Cup   |                 | X       | X          | X       | X          |                     |
| 4    | 908.212.0   | Hex Nut          |                 | X       | X          | X       | X          | M10                 |
| 5    | 936.339.0   | Radial Seal      |                 | X       | X          | X       | X          | B2 35 X 80 X 13     |
| 6    | 911.673.0   | Circlip          |                 | X       | X          | X       | X          | I 80 X 2.5          |
| 7    | 910.964.0   | Shim             |                 | X       | X          | X       | X          | 63 X 80 X 1.0       |
|      | 910.963.0   | Shim             |                 | X       | X          | X       | X          | 63 X 80 X .5        |
|      | 910.962.0   | Shim             |                 | X       | X          | X       | X          | 63 X 80 X .3        |
| 8    | 930.167.0   | Bearing          |                 | X       | X          | X       | X          | 6307                |
| 9    | 280.436.5   | Pinion Shaft     |                 | X       | X          | X       | X          | Z=16, M=5           |
| 10   | 280.435.1   | Gearbox Housing  |                 | X       | X          | X       | X          |                     |
| 12   | 906.040.1   | Plug             |                 | X       | X          | X       | X          | M18 X 1.5           |
| 13   | 915.126.0   | Key              |                 | X       | X          | X       | X          | A 10 X 8 X 50       |
| 14   | 280.551.1   | Bevel Gear       |                 | X       | X          | X       | X          | Z=30, M=5           |
| 15   | 280.004.2   | Drive Shaft      |                 | X       | X          | X       | X          |                     |
| 16   | 910.891.0   | Shim             |                 | X       | X          | X       | X          | 40 X 50 X 1.0       |
|      | 910.890.0   | Shim             |                 | X       | X          | X       | X          | 40 X 50 X .5        |
|      | 910.889.0   | Shim             |                 | X       | X          | X       | X          | 40 X 50 X .3        |
| 17   | 932.107.0   | Bearing          |                 | X       | X          | X       | X          | 30208 A             |
| 18   | 151.042.0   | Gasket           |                 | X       | X          | X       | X          | .5mm Thick          |
| 19   | 910.111.1   | Spring Washer    |                 | X       | X          | X       | X          | B 10                |
| 20   | 900.636.0   | Hex Head Bolt    |                 | X       | X          | X       | X          | M10 X 25            |
| 21   | 280.437.0   | Gearbox Cover    |                 | X       | X          | X       | X          |                     |
| 22   | 911.668.0   | Circlip          |                 | X       | X          | X       | X          | I 72 X 2.5          |
| 23   | 930.137.0   | Bearing          |                 | X       | X          | X       | X          | 6207                |
| 24   | 910.727.0   | Washer           |                 | X       | X          | X       | X          | S 35 X 45           |
|      | 911.134.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X 1.0       |
|      | 911.133.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X .5        |
|      | 911.132.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X .3        |
|      | 911.130.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X .1        |
| 25   | 911.541.0   | Circlip          |                 | X       | X          | X       | X          | A 35 X 1.5          |
| 26   | 936.337.0   | Radial Seal      |                 | X       | X          | X       | X          | B2 35 X 72 X 12     |
| 27   | 900.673.0   | Hex Head Bolt    |                 | X       | X          | X       | X          | M16 X 25            |
| 28   | 910.014.0   | Spring Washer    |                 | X       | X          | X       | X          | B 16                |
| 35   | 280.005.4   | Gearbox Complete |                 | X       | X          | X       | X          | Includes Items 5-28 |
|      | 926.101.0   | Gearbox Oil      |                 | X       | X          | X       | X          | SAE 90              |




447 621 1

**Gearbox (without Dog Clutch)**

## Gearbox (without Dog Clutch)

| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                          |
|------|-------------|----------------------|-----------------|---------|------------|---------|------------|--------------------------------|
| 1    | 900.634.0   | Hex Head Bolt        |                 | X       | X          | X       | X          | M10 X 20                       |
| 2    | 910.353.0   | Washer               |                 | X       | X          | X       | X          | 11 X 34 X 3                    |
| 3    | 270.193.2   | Protecting Cup       |                 | X       | X          | X       | X          |                                |
| 4    | 908.212.0   | Hex Nut              |                 | X       | X          | X       | X          | M10                            |
| 5    | 274.778.1   | Friction Wheel       |                 | X       | X          | X       | X          |                                |
| 6    | 936.339.0   | Radial Seal          |                 | X       | X          | X       | X          | 35 X 80 X 13 B2                |
| 7    | 911.673.0   | Circlip              |                 | X       | X          | X       | X          | 1 80 X 2.5                     |
| 8    | 910.964.0   | Shim                 |                 | X       | X          | X       | X          | 63 X 80 X 1.0                  |
|      | 910.963.0   | Shim                 |                 | X       | X          | X       | X          | 63 X 80 X .5                   |
|      | 910.962.0   | Shim                 |                 | X       | X          | X       | X          | 63 X 80 X .3                   |
|      | 910.965.0   | Shim                 |                 | X       | X          | X       | X          | 63 X 80 X 2.0                  |
| 9    | 930.167.0   | Bearing              |                 | X       | X          | X       | X          | 6307                           |
| 10   | 280.436.5   | Pinion Shaft         |                 | X       | X          | X       | X          | Z=16                           |
| 11   | 274.777.0   | Spacer Tube          |                 | X       | X          | X       | X          |                                |
| 12   | 280.435.1   | Gearbox Housing      |                 | X       | X          | X       | X          |                                |
| 13   | 906.040.1   | Screw Plug           |                 | X       | X          | X       | X          | M18 X 1.5                      |
| 14   | 275.253.1   | Lock Plate           |                 | X       | X          | X       | X          |                                |
| 15   | 910.648.0   | Washer               |                 | X       | X          | X       | X          | 20.5 X 50 X 2.5                |
| 16   | 280.164.0   | Spacer Bushing       |                 | X       | X          | X       | X          |                                |
| 17   | 910.826.0   | Shim                 |                 | X       | X          | X       | X          | 20 X 28 X 1.0                  |
| 18   | 922.322.0   | Sprocket             |                 | X       | X          | X       | X          | Z=12                           |
| 19   | 920.602.0   | Drive Chain Complete |                 | X       | X          | X       | X          | 1" X 78 Ro. - Includes Item 21 |
| 20   | 901.509.0   | Hex Head Bolt        |                 | X       | X          | X       | X          | M20 X 90                       |
| 21   | 921.985.0   | Chain Lock           |                 | X       | X          | X       | X          | 1"                             |
|      | 921.995.0   | Offset Link          |                 | X       | X          | X       | X          | 1"                             |
| 22   | 905.933.0   | Set Screw            |                 | X       | X          | X       | X          | M10 X 12                       |
| 23   | 274.679.0   | Sprocket             |                 | X       | X          | X       | X          | 1" - Z=18                      |
| 24   | 900.636.0   | Hex Head Bolt        |                 | X       | X          | X       | X          | M10 X 25                       |
| 25   | 908.758.0   | Hex Nut              |                 | X       | X          | X       | X          | NM10                           |
| 26   | 915.122.0   | Key                  |                 | X       | X          | X       | X          | A 10 X 8 X 40                  |
| 27   | 280.551.1   | Bevel Gear           |                 | X       | X          | X       | X          | Z=30                           |
| 28   | 915.126.0   | Key                  |                 | X       | X          | X       | X          | A 10 X 8 X 50                  |
| 29   | 274.776.2   | Shaft                |                 | X       | X          | X       | X          |                                |
| 30   | 915.542.0   | Gib-Head Key         |                 | X       | X          | X       | X          | 10 X 8 X 40                    |
| 31   | 910.891.0   | Shim                 |                 | X       | X          | X       | X          | 40 X 50 X 1.0                  |
|      | 910.890.0   | Shim                 |                 | X       | X          | X       | X          | 40 X 50 X .5                   |
|      | 910.889.0   | Shim                 |                 | X       | X          | X       | X          | 40 X 50 X .3                   |
| 32   | 932.107.0   | Bearing              |                 | X       | X          | X       | X          | 30208 A                        |




**Gearbox (without Dog Clutch)**



## Gearbox (without Dog Clutch)

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                          |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|--------------------------------|
| 33   | 151.042.0   | Gasket                 |                 | X       | X          | X       | X          |                                |
| 34   | 910.111.1   | Spring Washer          |                 | X       | X          | X       | X          | B 10                           |
| 35   | 900.636.0   | Hex Head Bolt          |                 | X       | X          | X       | X          | M10 X 25                       |
| 36   | 911.668.0   | Circlip                |                 | X       | X          | X       | X          | I 72 X 2.5                     |
| 37   | 930.137.0   | Bearing                |                 | X       | X          | X       | X          | 6207                           |
| 38   | 910.727.0   | Washer                 |                 | X       | X          | X       | X          | S 35 X 45                      |
|      | 911.134.0   | Shim                   |                 | X       | X          | X       | X          | 35 X 45 X 1.0                  |
|      | 911.133.0   | Shim                   |                 | X       | X          | X       | X          | 35 X 45 X .5                   |
|      | 911.132.0   | Shim                   |                 | X       | X          | X       | X          | 35 X 45 X .3                   |
|      | 911.130.0   | Shim                   |                 | X       | X          | X       | X          | 35 X 45 X .1                   |
| 39   | 911.541.0   | Circlip                |                 | X       | X          | X       | X          | 35 X 1.5                       |
| 40   | 936.337.0   | Radial Seal            |                 | X       | X          | X       | X          | 35 X 72 X 12 B2                |
| 41   | 900.673.0   | Hex Head Bolt          |                 | X       | X          | X       | X          | M16 X 25                       |
| 42   | 910.014.0   | Spring Washer          |                 | X       | X          | X       | X          | B 16                           |
| 43   | 280.437.0   | Gearbox Cover          |                 | X       | X          | X       | X          |                                |
| 44   | 910.016.0   | Spring Washer          |                 | X       | X          | X       | X          | B 20                           |
| 45   | 280.752.0   | Flange Bearing Housing |                 | X       | X          | X       | X          |                                |
| 46   | 934.009.0   | Bearing                |                 | X       | X          | X       | X          | UC 307                         |
| 50   | 274.775.0   | Gearbox Complete       |                 | X       | X          | X       | X          | Includes Items 5-13, 27-40, 43 |
|      | 926.101.0   | Gearbox Oil            |                 | X       | X          | X       | X          | 1 Liter SAE 90                 |




447 023 1

**Dog Clutch**

## Dog Clutch

| Item | Part Number | Description    | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes           |
|------|-------------|----------------|-----------------|---------|------------|---------|------------|-----------------|
| 1    | 908.711.1   | Hex Nut        |                 | X       | X          | X       | X          | NM12            |
| 2    | 280.149.2   | Roller         |                 | X       | X          | X       | X          |                 |
| 3    | 275.253.1   | Lock Plate     |                 | X       | X          | X       | X          |                 |
| 4    | 280.164.0   | Spacer Bushing |                 | X       | X          | X       | X          |                 |
| 5    | 922.322.0   | Sprocket       |                 | X       | X          | X       | X          | 1" X 12 Tooth   |
| 6    | 917.505.1   | Cable Eye      |                 | X       | X          | X       | X          | A 4             |
| 7    | 917.602.0   | Cable Clamp    |                 | X       | X          | X       | X          | 5               |
| 8    | 900.614.0   | Hex Head Bolt  |                 | X       | X          | X       | X          | M8 X 20         |
| 9    | 275.467.1   | Pulley         |                 | X       | X          | X       | X          |                 |
| 10   | 908.210.0   | Hex Nut        |                 | X       | X          | X       | X          | M8              |
| 11   | 918.310.0   | Eye Bolt       |                 | X       | X          | X       | X          | M8 X 80         |
| 12   | 910.603.0   | Washer         |                 | X       | X          | X       | X          | A 8.4           |
| 13   | 908.706.0   | Hex Nut        |                 | X       | X          | X       | X          | NM8             |
| 14   | 275.498.0   | Cable          |                 | X       | X          |         |            | 5 X 2050        |
|      | 275.496.0   | Cable          |                 |         |            | X       | X          | 5 X 2300        |
| 15   | 927.110.0   | Clevis         |                 | X       | X          | X       | X          |                 |
| 16   | 908.758.0   | Hex Nut        |                 | X       | X          | X       | X          | NM10            |
| 17   | 275.457.0   | Plate          |                 | X       | X          | X       | X          |                 |
| 18   | 901.452.0   | Hex Head Bolt  |                 | X       | X          | X       | X          | M12 X 50        |
| 19   | 900.637.0   | Hex Head Bolt  |                 | X       | X          | X       | X          | M10 X 30        |
| 20   | 270.468.0   | Bushing        |                 | X       | X          | X       | X          |                 |
| 21   | 937.952.0   | Roller         |                 | X       | X          | X       | X          |                 |
| 22   | 275.460.0   | Pivot Arm      |                 | X       | X          | X       | X          |                 |
| 23   | 910.826.0   | Shim           |                 | X       | X          | X       | X          | 20 X 28 X 1.0   |
| 24   | 911.522.0   | Circlip        |                 | X       | X          | X       | X          | 20 X 1.2        |
| 25   | 919.003.0   | Grease Fitting |                 | X       | X          | X       | X          | H1/S M8 X 1     |
| 26   | 340.439.2   | Tension Spring |                 | X       | X          | X       | X          |                 |
| 27   | 905.338.0   | Eye Bolt       |                 | X       | X          | X       | X          | M10 X 110       |
| 28   | 908.212.0   | Hex Nut        |                 | X       | X          | X       | X          | M10             |
| 29   | 905.933.0   | Set Screw      |                 | X       | X          | X       | X          | M10 X 12        |
| 30   | 274.679.0   | Sprocket       |                 | X       | X          | X       | X          | 1" X 18 Tooth   |
| 31   | 900.636.0   | Hex Head Bolt  |                 | X       | X          | X       | X          | M10 X 25        |
| 32   | 934.017.0   | Flange Bearing |                 | X       | X          | X       | X          | RA 35           |
| 33   | 901.509.0   | Hex Head Bolt  |                 | X       | X          | X       | X          | M20 X 90        |
| 34   | 910.016.0   | Spring Washer  |                 | X       | X          | X       | X          | B 20            |
| 35   | 915.122.0   | Key            |                 | X       | X          | X       | X          | A 10 X 8 X 40   |
| 36   | 910.648.0   | Washer         |                 | X       | X          | X       | X          | 20.5 X 50 X 2.5 |
| 37   | 275.038.2   | Drive Shaft    |                 | X       | X          | X       | X          | 535mm Long      |




447 023 1

**Dog Clutch**

## Dog Clutch


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                       |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|-----------------------------|
| 38   | 910.826.0   | Shim               |                 | X       | X          | X       | X          | 20 X 28 X 1.0               |
| 39   | 920.602.0   | Roller Chain       |                 | X       | X          | X       | X          | 1" X 78 - Includes Item 40  |
| 40   | 921.985.0   | Chain Lock         |                 | X       | X          | X       | X          | 1"                          |
| 41   | 912.648.0   | Roll Pin           |                 | X       | X          | X       | X          | 6 X 60                      |
| 42   | 910.663.0   | Washer             |                 | X       | X          | X       | X          | 45 X 59 X 7.0               |
| 43   | 035.195.1   | Pressure Spring    |                 | X       | X          | X       | X          |                             |
| 44   | 280.166.3   | Dog Clutch         |                 | X       | X          | X       | X          |                             |
| 45   | 911.659.0   | Circlip            |                 | X       | X          | X       | X          | 1 62 X 2.0                  |
| 46   | 930.536.1   | Bearing            |                 | X       | X          | X       | X          | 6206 2RS                    |
| 48   | 280.165.3   | Dog Clutch         |                 | X       | X          | X       | X          |                             |
| 49   | 908.512.0   | Hex Nut            |                 | X       | X          | X       | X          | M10                         |
| 50   | 902.434.1   | Hex Head Bolt      |                 | X       | X          | X       | X          | BM10 X 35                   |
| 51   | 903.137.1   | Allen Screw        |                 | X       | X          | X       | X          | M12 X 25                    |
| 52   | 912.584.0   | Roll Pin           |                 | X       | X          | X       | X          | 4 X 30                      |
| 53   | 280.316.0   | Release Lever      |                 | X       | X          | X       | X          |                             |
| 55   | 275.495.1   | Pivot Arm Complete |                 | X       | X          | X       | X          | Includes Items 1, 18, 20-22 |



**Roller Drive (with Dog Clutch)**

## Roller Drive (with Dog Clutch)

| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                               |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|-------------------------------------|
| 1    | 280.414.1   | Sprocket        |                 | X       | X          | X       | X          | 3/4", Z=15                          |
| 2    | 910.111.1   | Spring Washer   |                 | X       | X          | X       | X          | B 10                                |
| 3    | 934.017.0   | Flange Bearing  |                 | X       | X          | X       | X          | RA 35                               |
| 4    | 915.112.0   | Key             |                 | X       | X          | X       | X          | A 10 X 8 X 32                       |
| 5    | 912.676.0   | Roll Pin        |                 | X       | X          | X       | X          | 8 X 50                              |
| 6    | 280.349.1   | Chain Guide     |                 | X       | X          | X       | X          |                                     |
| 7    | 901.046.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M8 X 55                             |
| 8    | 921.708.2   | Roller Chain    |                 | X       | X          | X       | X          | 3/4" X 152 - Includes Items 15 & 24 |
| 9    | 901.048.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M8 X 65                             |
| 10   | 275.388.0   | Guard           |                 | X       | X          | X       | X          |                                     |
| 11   | 908.210.0   | Hex Nut         |                 | X       | X          | X       | X          | M8                                  |
| 12   | 901.204.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M20 X 75                            |
| 13   | 910.016.0   | Spring Washer   |                 | X       | X          | X       | X          | B 20                                |
| 14   | 910.648.0   | Washer          |                 | X       | X          | X       | X          | 20.5 X 5 X 2.5                      |
| 15   | 921.980.0   | Chain Lock      |                 | X       | X          | X       | X          | 3/4"                                |
| 16   | 274.590.0   | Cover           |                 | X       | X          | X       | X          |                                     |
| 17   | 274.589.1   | Chain Guard     |                 | X       | X          | X       | X          |                                     |
| 18   | 910.826.0   | Shim            |                 | X       | X          | X       | X          | 20 X 28 X 1.0                       |
| 19   | 280.363.1   | Sprocket        |                 | X       | X          | X       | X          |                                     |
| 20   | 910.512.2   | Washer          |                 | X       | X          | X       | X          | B 21                                |
| 21   | 908.215.0   | Hex Nut         |                 | X       | X          | X       | X          | M12                                 |
| 22   | 910.360.0   | Washer          |                 | X       | X          | X       | X          | 21                                  |
| 23   | 274.303.0   | Adjusting Strap |                 | X       | X          | X       | X          |                                     |
| 24   | 921.992.0   | Offset Link     |                 | X       | X          | X       | X          | 3/4"                                |
| 25   | 275.245.1   | Spacer Plate    |                 | X       | X          | X       | X          |                                     |
| 26   | 908.706.0   | Hex Nut         |                 | X       | X          | X       | X          | NM8                                 |
| 27   | 901.049.1   | Hex Head Bolt   |                 | X       | X          | X       | X          | M8 X 70                             |
| 28   | 949.218.2   | Clutch          |                 | X       | X          | X       | X          |                                     |
| 29   | 910.413.0   | Washer          |                 | X       | X          | X       | X          | A 8.4                               |
| 30   | 912.777.0   | Roll Pin        |                 | X       | X          | X       | X          | 13 X 55                             |
| 31   | 275.033.4   | Drive Shaft     |                 | X       | X          | X       | X          |                                     |
| 32   | 900.636.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M10 X 25                            |
| 33   | 905.922.0   | Set Screw       |                 | X       | X          | X       | X          | M8 X 10                             |
| 34   | 908.212.0   | Hex Nut         |                 | X       | X          | X       | X          | M10                                 |




**Lower Roller - Standard Pickup**



## Lower Roller - Standard Pickup


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes           |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|-----------------|
| 1    | 274.722.2   | Sprocket            |                 | X       |            | X       |            | 3/4" X 33 Tooth |
| 2    | 911.659.0   | Circlip             |                 | X       |            | X       |            | 1 62 X 2.0      |
| 3    | 930.536.1   | Bearing             |                 | X       |            | X       |            | 6206 2RS        |
| 4    | 910.864.0   | Shim                |                 | X       |            | X       |            | 30 X 42 X 1.0   |
| 5    | 274.724.3   | Shaft               |                 | X       |            | X       |            |                 |
| 6    | 915.116.0   | Key                 |                 | X       |            | X       |            | A 10 X 8 X 36   |
| 7    | 274.562.1   | Lower Roller        |                 | X       |            | X       |            |                 |
| 8    | 274.265.2   | Sprocket            |                 | X       |            | X       |            | 3/4" X 19 Tooth |
| 9    | 911.570.0   | Circlip             |                 | X       |            | X       |            | 75 X 2.5        |
| 10   | 910.516.1   | Washer              |                 | X       |            | X       |            | 33              |
| 11   | 274.608.0   | Roller Support      |                 | X       |            | X       |            |                 |
| 12   | 908.225.0   | Hex Nut             |                 | X       |            | X       |            | M20             |
| 13   | 910.014.0   | Spring Washer       |                 | X       |            | X       |            | B 16            |
| 14   | 900.673.0   | Hex Head Bolt       |                 | X       |            | X       |            | M16 X 25        |
| 15   | 910.016.0   | Spring Washer       |                 | X       |            | X       |            | B 20            |
| 16   | 900.637.0   | Hex Head Bolt       |                 | X       |            | X       |            | M10 X 30        |
| 17   | 274.388.6   | Anti-Wrap Plate L/H |                 | X       |            |         |            |                 |
|      | 274.389.5   | Anti-Wrap Plate R/H |                 | X       |            |         |            |                 |
|      | 275.297.5   | Anti-Wrap Plate L/H |                 |         |            | X       |            |                 |
|      | 275.298.5   | Anti-Wrap Plate R/H |                 |         |            | X       |            |                 |
| 18   | 910.414.0   | Washer              |                 | X       |            | X       |            | A 10.5          |
| 19   | 910.111.1   | Spring Washer       |                 | X       |            | X       |            | B 10            |
| 20   | 908.212.0   | Hex Nut             |                 | X       |            | X       |            | M10             |
| 21   | 900.636.0   | Hex Head Bolt       |                 | X       |            | X       |            | M10 X 25        |
| 22   | 274.702.1   | Input Plate L/H     |                 | X       |            | X       |            |                 |
| 23   | 274.704.1   | Input Plate R/H     |                 | X       |            | X       |            |                 |
| 24   | 910.865.0   | Shim                |                 | X       |            | X       |            | 30 X 42 X 2.0   |
|      | 280.749.0   | Washer              |                 | X       |            | X       |            |                 |



Lower Roller - Wide Pickup

## Lower Roller - Wide Pickup

| Item | Part Number | Description           | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                        |
|------|-------------|-----------------------|-----------------|---------|------------|---------|------------|------------------------------|
| 1    | 910.611.0   | Washer                |                 |         | X          |         | X          | 22 X 37 X 1                  |
| 2    | 345.432.1   | Tension Spring        |                 |         | X          |         | X          |                              |
| 3    | 905.338.0   | Eye Bolt              |                 |         | X          |         |            | 10 X 110                     |
|      | 905.341.0   | Eye Bolt              |                 |         |            |         | X          | 10 X 195                     |
| 4    | 908.212.0   | Hex Nut               |                 |         | X          |         | X          | M10                          |
| 6    | 922.313.0   | Sprocket              |                 |         | X          |         | X          | Z=13                         |
| 7    | 915.201.0   | Key                   |                 |         | X          |         | X          | A 14 X 9 X 32                |
| 8    | 910.014.0   | Spring Washer         |                 |         | X          |         | X          | B 16                         |
| 9    | 274.987.0   | Sprocket              |                 |         | X          |         | X          | Z=24, T=3/4"                 |
| 10   | 910.899.0   | Washer                |                 |         | X          |         | X          | 45 X 55 X 1.0                |
| 11   | 905.922.0   | Set Screw             |                 |         | X          |         | X          | M8 X 10                      |
| 13   | 900.674.0   | Hex Head Bolt         |                 |         | X          |         | X          | M16 X 35                     |
| 14   | 921.980.0   | Master Link           |                 |         | X          |         | X          | 3/4"                         |
| 15   | 921.852.1   | Roller Chain Complete |                 |         | X          |         | X          | 3/4" X 93 - Includes Item 14 |
| 16   | 915.116.0   | Key                   |                 |         | X          |         | X          | A 10 X 8 X 36                |
| 17   | 910.111.1   | Spring Washer         |                 |         | X          |         | X          | B 10                         |
| 18   | 274.760.0   | Anti-Wrap Plate Left  |                 |         | X          |         |            |                              |
|      | 274.761.0   | Anti-Wrap Plate Right |                 |         | X          |         |            |                              |
|      | 274.771.0   | Anti-Wrap Plate Left  |                 |         |            |         | X          |                              |
|      | 274.772.0   | Anti-Wrap Plate Right |                 |         |            |         | X          |                              |
| 19   | 910.414.0   | Washer                |                 |         | X          |         | X          | A 10.5                       |
| 20   | 900.637.0   | Hex Head Bolt         |                 |         | X          |         | X          | M10 X 30                     |
| 21   | 280.728.0   | Sprocket              |                 |         | X          |         | X          | Z=50, T=3/4"                 |
| 22   | 911.570.0   | Circlip               |                 |         | X          |         | X          | 75 X 2.5                     |
| 23   | 910.865.0   | Shim                  |                 |         | X          |         | X          | 30 X 42 X 2.0                |
| 24   | 910.516.1   | Washer                |                 |         | X          |         | X          | 33                           |
| 25   | 910.016.0   | Spring Washer         |                 |         | X          |         | X          | B 20                         |
| 26   | 908.225.0   | Hex Nut               |                 |         | X          |         | X          | M20                          |
| 27   | 900.673.0   | Hex Head Bolt         |                 |         | X          |         | X          | M16 X 25                     |
| 28   | 274.608.0   | Roller Support        |                 |         | X          |         | X          |                              |
| 29   | 900.636.0   | Hex Head Bolt         |                 |         | X          |         | X          | M10 X 25                     |
| 30   | 275.691.0   | Guide L/H             |                 |         | X          |         | X          |                              |
|      | 275.693.0   | Guide R/H             |                 |         | X          |         | X          |                              |
| 31   | 921.821.0   | Roller Chain          |                 |         | X          |         | X          | 3/4" X 66 - Includes Item 14 |
| 32   | 910.864.0   | Shim                  |                 |         | X          |         | X          | 30 X 42 X 1.0                |
| 33   | 911.659.0   | Circlip               |                 |         | X          |         | X          | I 62 X 2.0                   |
| 34   | 930.536.1   | Bearing               |                 |         | X          |         | X          | 6206 2RS                     |
| 35   | 275.640.1   | Lower Roller          |                 |         | X          |         | X          |                              |




447 425 2

**Lower Roller - Wide Pickup**

## Lower Roller - Wide Pickup

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes            |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|------------------|
| 36   | 274.724.3   | Shaft for Lower Roller |                 |         | X          |         | X          |                  |
| 37   | 274.725.0   | Sprocket               |                 |         | X          |         | X          | Z=40, T=3/4"     |
| 38   | 910.512.2   | Washer                 |                 |         | X          |         | X          | B 21             |
| 39   | 274.994.0   | Chain Tensioner        |                 |         | X          |         | X          | Includes Item 44 |
| 40   | 912.670.0   | Roll Pin               |                 |         | X          |         | X          | 8 X 40           |
| 41   | 275.728.0   | Pin                    |                 |         | X          |         | X          |                  |
| 42   | 280.749.0   | End Washer             |                 |         | X          |         | X          |                  |




447 247 2

**Standard Pickup Mounting**

## Standard Pickup Mounting

| Item | Part Number | Description                    | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                           |
|------|-------------|--------------------------------|-----------------|---------|------------|---------|------------|-------------------------------------------------|
| 1    | 274.483.1   | Tension Spring                 |                 | X       |            | X       |            | M10 X 110<br>M10<br>B 10<br>M10                 |
| 2    | 905.338.0   | Eye Bolt                       |                 | X       |            | X       |            |                                                 |
| 3    | 908.212.0   | Hex Nut                        |                 | X       |            | X       |            |                                                 |
| 4    | 910.111.1   | Spring Washer                  |                 | X       |            | X       |            |                                                 |
| 5    | 908.212.0   | Hex Nut                        |                 | X       |            | X       |            |                                                 |
| 6    | 274.312.1   | Compression Rake Bracket Right |                 | X       |            | X       |            | 10 X 45                                         |
| 7    | 280.746.0   | Tines for Compression Rake     |                 | X       |            | X       |            |                                                 |
| 8    | 280.748.0   | Compression Rake               |                 | X       |            | X       |            |                                                 |
| 9    | 917.011.0   | Lynch Pin                      |                 | X       |            | X       |            |                                                 |
| 10   | 274.523.3   | Pickup Holder Right            |                 | X       |            | X       |            |                                                 |
| 11   | 274.563.4   | Standard Pickup                |                 | X       |            | X       |            | NM 8<br>8.4 X 17 X 1.6<br><br>M8 X 20           |
| 12   | 908.706.0   | Hex Nut                        |                 | X       |            | X       |            |                                                 |
| 13   | 910.413.0   | Washer                         |                 | X       |            | X       |            |                                                 |
| 14   | 274.706.1   | Input Plate R/H                |                 | X       |            | X       |            |                                                 |
| 15   | 905.231.0   | Flat Round Bolt                |                 | X       |            | X       |            |                                                 |
| 16   | 910.414.0   | Washer                         |                 | X       |            | X       |            | 10.5 X 21 X 2<br><br>M8 X 16<br>8.4 X 24 X 2    |
| 17   | 274.705.1   | Input Plate L/H                |                 | X       |            | X       |            |                                                 |
| 18   | 900.612.0   | Hex Head Bolt                  |                 | X       |            | X       |            |                                                 |
| 19   | 910.603.0   | Washer                         |                 | X       |            | X       |            |                                                 |
| 20   | 274.683.2   | Guard                          |                 | X       |            | X       |            |                                                 |
| 21   | 900.614.0   | Hex Head Bolt                  |                 | X       |            | X       |            | M8 X 20                                         |
| 22   | 274.517.1   | Cylinder Mount Left            |                 | X       |            |         |            |                                                 |
|      | 274.518.1   | Cylinder Mount Right           |                 | X       |            |         |            |                                                 |
|      | 274.480.0   | Cylinder Mount Left            |                 |         |            | X       |            |                                                 |
|      | 274.485.2   | Cylinder Mount Right           |                 |         |            | X       |            |                                                 |
| 23   | 910.035.0   | Spring Washer                  |                 | X       |            | X       |            | B 12<br>M12 X 25<br><br>5 X 30<br>16 X 28 X 2.5 |
| 24   | 900.655.0   | Hex Head Bolt                  |                 | X       |            | X       |            |                                                 |
| 25   | 274.565.0   | Strap                          |                 | X       |            | X       |            |                                                 |
| 26   | 912.613.0   | Roll Pin                       |                 | X       |            | X       |            |                                                 |
| 27   | 910.510.1   | Washer                         |                 | X       |            | X       |            |                                                 |
| 29   | 910.353.0   | Washer                         |                 | X       |            | X       |            | 11 X 34 X 3<br><br>M20<br><br>NM10              |
| 30   | 274.559.0   | Tension Bracket                |                 | X       |            | X       |            |                                                 |
| 31   | 908.225.0   | Hex Nut                        |                 | X       |            | X       |            |                                                 |
| 32   | 344.527.0   | Spacer Tube                    |                 | X       |            | X       |            |                                                 |
| 33   | 908.758.0   | Hex Nut                        |                 | X       |            | X       |            |                                                 |
| 34   | 908.500.0   | Hex Nut                        |                 | X       |            | X       |            | M10<br>M10 X 35<br>M10 X 40                     |
| 35   | 900.638.0   | Hex Head Bolt                  |                 | X       |            | X       |            |                                                 |
| 36   | 901.431.0   | Hex Head Bolt                  |                 | X       |            | X       |            |                                                 |




**Standard Pickup Mounting**



## Standard Pickup Mounting


| Item | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                  |
|------|-------------|-------------------------------|-----------------|---------|------------|---------|------------|----------------------------------------|
| 37   | 274.696.0   | Adjusting Screw               |                 | X       |            | X       |            |                                        |
| 38   | 274.522.3   | Pickup Holder Left            |                 | X       |            | X       |            |                                        |
| 39   | 921.980.0   | Master Link                   |                 | X       |            | X       |            | 3/4"                                   |
| 40   | 921.992.0   | Offset Link                   |                 | X       |            | X       |            | 3/4"                                   |
| 41   | 921.804.0   | Roller Chain                  |                 | X       |            | X       |            | 3/4" X 60 Ro. - Includes Items 39 & 40 |
| 42   | 910.515.0   | Washer                        |                 | X       |            | X       |            | 30 X 50 X 4                            |
| 43   | 915.542.0   | Gib-Head Key                  |                 | X       |            | X       |            | 10 X 8 X 40                            |
| 44   | 274.682.0   | Sprocket                      |                 | X       |            | X       |            | Z=24, T=3/4"                           |
| 45   | 900.657.0   | Hex Head Bolt                 |                 | X       |            | X       |            | M12 X 35                               |
| 46   | 910.035.0   | Spring Washer                 |                 | X       |            | X       |            | B 12                                   |
| 47   | 910.506.0   | Washer                        |                 | X       |            | X       |            | 14 X 24 X 2.5                          |
| 48   | 275.418.3   | Guard                         |                 | X       |            | X       |            |                                        |
| 49   | 274.592.0   | Chain Hook L/H                |                 | X       |            | X       |            |                                        |
|      | 274.511.0   | Chain Hook R/H                |                 | X       |            | X       |            |                                        |
| 50   | 900.637.0   | Hex Head Bolt                 |                 | X       |            | X       |            | M10 X 30                               |
| 51   | 908.215.0   | Hex Nut                       |                 | X       |            | X       |            | M12                                    |
| 52   | 274.267.1   | Compression Rake Bracket Left |                 | X       |            | X       |            |                                        |
| 53   | 917.004.1   | Lynch Pin                     |                 | X       |            | X       |            | 5 X 32                                 |
| 54   | 917.802.1   | Hook                          |                 | X       |            | X       |            |                                        |
| 55   | 905.922.0   | Set Screw                     |                 | X       |            | X       |            | M8 X 10                                |
| 56   | 919.003.0   | Grease Fitting                |                 | X       |            | X       |            | H1/S M8 X 1                            |
| 57   | 911.317.0   | Lock Collar                   |                 | X       |            | X       |            | A 30                                   |
| 58   | 954.031.0   | Plastic Bushing               |                 | X       |            | X       |            | 30 X 37/42 X 25                        |
| 59   | 954.027.0   | Steel Gauge Wheel             |                 | X       |            | X       |            | 320 X 80                               |
| 60   | 274.482.1   | Gauge Wheel Mount             |                 | X       |            | X       |            |                                        |
| 61   | 900.335.1   | Hex Head Bolt                 |                 | X       |            | X       |            | M16 X 30                               |
| 62   | 910.362.0   | Washer                        |                 | X       |            | X       |            | 17 X 40 X 6                            |
| 63   | 274.666.2   | Compressing Rake              |                 | X       |            | X       |            |                                        |
| 64   | 912.067.1   | Cotter Pin                    |                 | X       |            | X       |            | 4 X 32                                 |
| 65   | 274.671.0   | Strap                         |                 | X       |            | X       |            |                                        |
| 66   | 900.636.0   | Hex Head Bolt                 |                 | X       |            | X       |            | M10 X 25                               |
| 67   | 337.746.1   | Cylinder End Piece            |                 | X       |            | X       |            |                                        |
| 70   | 274.567.0   | Gauge Wheel Complete          |                 | X       |            | X       |            | Includes Items 56, 57, 59, 60          |



Wide Pickup Feed Rake & Augers

## Wide Pickup Feed Rake & Augers


| Item | Part Number | Description                | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes        |
|------|-------------|----------------------------|-----------------|---------|------------|---------|------------|--------------|
| 1    | 908.220.0   | Hex Nut                    |                 |         | X          |         | X          | M16          |
| 2    | 922.313.0   | Sprocket                   |                 |         | X          |         | X          | Z=13         |
| 3    | 938.207.0   | Guide R/H                  |                 |         | X          |         | X          |              |
|      | 938.214.0   | Guide L/H                  |                 |         | X          |         | X          |              |
| 4    | 930.536.1   | Bearing                    |                 |         | X          |         | X          | 6206 2RS     |
| 5    | 280.650.0   | Feed Auger Bearing Housing |                 |         | X          |         | X          |              |
| 6    | 280.653.0   | Auger R/H                  |                 |         | X          |         | X          |              |
| 7    | 280.644.0   | Feed Rake Shaft            |                 |         | X          |         | X          |              |
| 8    | 904.850.1   | Flat Round Bolt            |                 |         | X          |         | X          | M10 X 25     |
| 9    | 934.017.0   | Flange Bearing             |                 |         | X          |         | X          | RA 35        |
| 10   | 938.213.1   | Auger Hood L/H             |                 |         | X          |         | X          |              |
|      | 938.206.1   | Auger Hood R/H             |                 |         | X          |         | X          |              |
| 11   | 280.645.0   | Feed Rake Bearing Shaft    |                 |         | X          |         | X          |              |
| 12   | 280.609.1   | Crank Arm                  |                 |         | X          |         | X          |              |
| 13   | 931.121.0   | Bearing                    |                 |         | X          |         | X          | 3205 2RS     |
| 14   | 280.643.1   | Feed Rake Strap            |                 |         | X          |         | X          |              |
| 15   | 280.716.0   | Bearing Plate L/H          |                 |         | X          |         | X          |              |
|      | 280.717.0   | Bearing Plate R/H          |                 |         | X          |         | X          |              |
| 16   | 280.642.0   | Drive Shaft                |                 |         | X          |         | X          |              |
| 17   | 938.234.0   | Feed Rake                  |                 |         | X          |         | X          |              |
| 18   | 900.636.0   | Hex Head Bolt              |                 |         | X          |         | X          | M10 X 25     |
| 19   | 280.772.0   | Sprocket                   |                 |         | X          |         | X          | Z=17, T=3/4" |
| 20   | 908.716.1   | Hex Nut                    |                 |         | X          |         | X          | NM16         |
| 21   | 280.610.0   | Eccentric                  |                 |         | X          |         | X          |              |
| 22   | 938.232.0   | Flange L/H                 |                 |         | X          |         | X          |              |
| 23   | 930.504.0   | Bearing                    |                 |         | X          |         | X          | 6004 2RS     |
| 24   | 280.649.0   | Threaded Bolt              |                 |         | X          |         | X          |              |
| 25   | 911.642.0   | Circlip                    |                 |         | X          |         | X          | I 42 X 1.75  |
| 26   | 910.510.1   | Washer                     |                 |         | X          |         | X          | 16           |
| 27   | 910.035.0   | Spring Washer              |                 |         | X          |         | X          | B 12         |
| 28   | 900.657.0   | Hex Head Bolt              |                 |         | X          |         | X          | M12 X 35     |
| 29   | 900.335.1   | Hex Head Bolt              |                 |         | X          |         | X          | M16 X 30     |
| 30   | 938.211.0   | Gauge Wheel Support L/H    |                 |         | X          |         | X          |              |
|      | 938.203.0   | Gauge Wheel Support R/H    |                 |         | X          |         | X          |              |
| 31   | 905.922.0   | Set Screw                  |                 |         | X          |         | X          | M8 X 10      |
| 32   | 911.319.0   | Lock Collar                |                 |         | X          |         | X          | A 30         |
| 33   | 954.031.0   | Plastic Bushing            |                 |         | X          |         | X          |              |
| 34   | 954.027.0   | Steel Gauge Wheel          |                 |         | X          |         | X          | 320 X 80     |



Wide Pickup Feed Rake & Augers

## Wide Pickup Feed Rake & Augers


| Item | Part Number | Description              | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|--------------------------|-----------------|---------|------------|---------|------------|---------------|
| 35   | 274.482.1   | Gauge Wheel Mount        |                 |         | X          |         | X          |               |
| 36   | 915.122.0   | Flat Key                 |                 |         | X          |         | X          | A 10 X 8 X 40 |
| 37   | 915.108.0   | Flat Key                 |                 |         | X          |         | X          | A 10 X 8 X 30 |
| 38   | 280.608.0   | Sprocket                 |                 |         | X          |         | X          | Z=40, T=3/4"  |
| 39   | 280.773.0   | Sprocket                 |                 |         | X          |         | X          | Z=17, T=3/4"  |
| 40   | 275.687.0   | Tensioner                |                 |         | X          |         | X          |               |
| 41   | 921.980.0   | Master Link              |                 |         | X          |         | X          | 3/4"          |
| 42   | 938.215.1   | Lower Chain Guard L/H    |                 |         | X          |         | X          |               |
| 43   | 938.208.0   | Compression Rake Support |                 |         | X          |         | X          |               |
| 44   | 900.255.1   | Hex Head Bolt            |                 |         | X          |         | X          | M8 X 16       |
| 45   | 921.714.0   | Roller Chain             |                 |         | X          |         | X          | 3/4" X 72 Ro. |
| 46   | 938.224.0   | Upper Chain Guard L/H    |                 |         | X          |         | X          |               |
| 47   | 938.022.1   | Wide Pickup Complete     |                 |         | X          |         | X          |               |
| 48   | 280.652.0   | Auger L/H                |                 |         | X          |         | X          |               |
| 49   | 904.732.1   | Flat Round Bolt          |                 |         | X          |         | X          | M8 X 25       |
| 50   | 921.821.0   | Roller Chain             |                 |         | X          |         | X          | 3/4" X 62 Ro. |
| 51   | 938.209.0   | Lower Chain Guard R/H    |                 |         | X          |         | X          |               |
| 52   | 938.230.1   | Chain Tensioner R/H      |                 |         | X          |         | X          |               |
| 53   | 938.231.0   | Chain Tensioner L/H      |                 |         | X          |         | X          |               |
| 54   | 938.225.0   | Upper Chain Guard R/H    |                 |         | X          |         | X          |               |
| 55   | 911.536.0   | Circlip                  |                 |         | X          |         | X          | 30 X 2.0      |
| 56   | 915.070.0   | Flat Key                 |                 |         | X          |         | X          | A 8 X 7 X 30  |
| 57   | 915.134.0   | Flat Key                 |                 |         | X          |         | X          | A 10 X 8 X 80 |
| 58   | 910.362.0   | Washer                   |                 |         | X          |         | X          | 17 X 40 X 6   |
| 59   | 938.233.0   | Lock Collar              |                 |         | X          |         | X          |               |
| 60   | 905.922.0   | Set Screw                |                 |         | X          |         | X          | M8 X 10       |
| 61   | 280.731.0   | Upper Guard L/H          |                 |         | X          |         | X          |               |
| 62   | 280.732.0   | Lower Guard L/H          |                 |         | X          |         | X          |               |
| 63   | 910.033.0   | Spring Washer            |                 |         | X          |         | X          | B 8           |
| 64   | 900.610.0   | Hex Head Bolt            |                 |         | X          |         | X          | M8 X 10       |
| 65   | 908.706.0   | Hex Nut                  |                 |         | X          |         | X          | NM8           |
| 66   | 908.758.0   | Hex Nut                  |                 |         | X          |         | X          | NM10          |
| 67   | 901.423.0   | Hex Head Bolt            |                 |         | X          |         | X          | M8 X 50       |
| 68   | 901.433.0   | Hex Head Bolt            |                 |         | X          |         | X          | M10 X 50      |
| 69   | 901.436.0   | Hex Head Bolt            |                 |         | X          |         | X          | M10 X 65      |
| 70   | 904.048.1   | Countersunk Screw        |                 |         | X          |         | X          | M10 X 40      |
| 71   | 015.420.2   | Tension Spring           |                 |         | X          |         | X          |               |
| 72   | 912.067.1   | Cotter Pin               |                 |         | X          |         | X          | 4 X 32        |



**Wide Pickup Feed Rake & Augers**

## Wide Pickup Feed Rake & Augers

| Item | Part Number | Description    | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes |
|------|-------------|----------------|-----------------|---------|------------|---------|------------|-------|
| 73   | 910.514.1   | Washer         |                 |         | X          |         | X          | 26    |
| 74   | 935.901.0   | Bushing        |                 |         | X          |         | X          |       |
| 75   | 270.181.0   | Tension Spring |                 |         | X          |         | X          |       |
| 76   | 922.611.0   | Chain Link     |                 |         | X          |         | X          |       |




447 561 0

**Gauge Wheels - Pneumatic**



## Gauge Wheels - Pneumatic


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                 |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|---------------------------------------|
| 1    | 901.152.2   | Hex Head Bolt       |                 | X       | X          | X       | X          | M16 X 220                             |
| 2    | 275.810.0   | Gauge Wheel Bracket |                 | X       | X          | X       | X          |                                       |
| 3    | 910.362.0   | Washer              |                 | X       | X          | X       | X          | 17 X 40 X 6                           |
| 4    | 910.014.0   | Spring Washer       |                 | X       | X          | X       | X          | B 16                                  |
| 5    | 900.335.1   | Hex Head Bolt       |                 | X       | X          | X       | X          | M16 X 30                              |
| 6    | 908.716.1   | Hex Nut             |                 | X       | X          | X       | X          | NM16                                  |
| 7    | 335.429.0   | Anti-Wrap Guard     |                 | X       | X          | X       | X          |                                       |
| 8    | 335.430.0   | Bushing             |                 | X       | X          | X       | X          | 33.7 X 5.6 X 21                       |
| 9    | 335.427.0   | Bushing             |                 | X       | X          | X       | X          | 26.9 X 5 X 37.5                       |
| 10   | 335.428.0   | Bushing             |                 | X       | X          | X       | X          | 33.7 X 5.6 X 31                       |
| 11   | 930.535.0   | Bearing             |                 | X       | X          | X       | X          | 6205 2RS                              |
| 12   | 335.426.0   | Bushing             |                 | X       | X          | X       | X          | 26.9 X 5 X 94                         |
| 13   | 938.831.0   | Spacer Tube         |                 | X       | X          | X       | X          | Rd. 30 X 1.5 X 34                     |
| 14   | 953.184.0   | Rim                 |                 | X       | X          | X       | X          | 4.50 A - 6                            |
| 15   | 953.330.0   | Inner Tube          |                 | X       | X          | X       | X          | 13 X 6.50-8 TR 13                     |
| 16   | 953.262.0   | Tire                |                 | X       | X          | X       | X          | 13 X 6.50-6 RT 2 Ply                  |
| 20   | 953.084.0   | Wheel Complete      |                 | X       | X          | X       | X          | 13 X 6.50-6 4 PR-RT - Items 11, 13-16 |



Standard Pickup Drum

## Standard Pickup Drum


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                      |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|----------------------------|
| 1    | 938.107.1   | Spacer Tube        |                 | X       |            | X       |            | 34 X 1 X 63<br>M8 X 16     |
| 2    | 900.255.1   | Hex Head Bolt      |                 | X       |            | X       |            |                            |
| 4    | 938.142.1   | Bearing Plate      |                 | X       |            | X       |            |                            |
| 5    | 938.158.0   | Spring Tine        |                 | 36      |            | 36      |            |                            |
| 6    | 938.159.0   | Tine Holder        |                 | 36      |            | 36      |            |                            |
| 7    | 908.706.0   | Hex Nut            |                 | 36      |            | 36      |            |                            |
| 8    | 908.512.0   | Hex Nut            |                 | X       |            | X       |            | NM8<br>M10<br>A 10.5       |
| 9    | 910.414.0   | Washer             |                 | X       |            | X       |            |                            |
| 10   | 937.928.0   | Protecting Cap     |                 | X       |            | X       |            |                            |
| 11   | 908.212.0   | Hex Nut            |                 | X       |            | X       |            | M10                        |
| 12   | 910.111.1   | Spring Washer      |                 | X       |            | X       |            | B 10                       |
| 13   | 938.160.0   | End Plate R/H      |                 | X       |            | X       |            | AELPFL 206<br><br>M10 X 35 |
| 14   | 934.006.1   | Flange Bearing     |                 | X       |            | X       |            |                            |
| 15   | 938.161.1   | Scraper Bar        |                 | X       |            | X       |            |                            |
| 16   | 900.638.0   | Hex Head Bolt      |                 | X       |            | X       |            |                            |
| 17   | 938.131.1   | Washer             |                 | 4       |            | 4       |            | 15.5 X 23 X 3              |
| 19   | 938.162.1   | End Plate L/H      |                 | X       |            | X       |            | 8 X 45                     |
| 22   | 912.452.0   | Roll Pin           |                 | 4       |            | 4       |            |                            |
| 23   | 938.080.1   | Bolt               |                 | 4       |            | 4       |            | LR 5202                    |
| 24   | 938.081.0   | Bearing            |                 | 4       |            | 4       |            |                            |
| 25   | 938.136.1   | Eccentric Arm      |                 | 4       |            | 4       |            | 14.5<br>M14                |
| 26   | 909.850.0   | Serrated Washer    |                 | 4       |            | 4       |            |                            |
| 27   | 908.518.1   | Hex Nut            |                 | 4       |            | 4       |            |                            |
| 29   | 937.982.0   | Clamping Bushing   |                 | 4       |            | 4       |            |                            |
| 30   | 935.900.0   | Tensioning Bushing |                 | 8       |            | 8       |            |                            |
| 31   | 938.156.0   | Tine Carrier       |                 | 4       |            | 4       |            | M8 X 55                    |
| 32   | 938.137.1   | Drive Shaft        |                 | X       |            | X       |            |                            |
| 33   | 901.046.0   | Hex Head Bolt      |                 | 36      |            | 36      |            |                            |
| 34   | 938.154.1   | Spring Saddle      |                 | 36      |            | 36      |            |                            |
| 36   | 938.157.0   | Scraper            |                 | 15      |            | 15      |            |                            |
|      | 938.163.0   | Scraper L/H        |                 | 1       |            | 1       |            | Includes Items 1-37        |
|      | 938.164.0   | Scraper R/H        |                 | 1       |            | 1       |            |                            |
| 37   | 938.068.0   | Collar Bushing     |                 | 4       |            | 4       |            |                            |
| 40   | 274.563.4   | Pickup Complete    |                 | X       |            | X       |            |                            |



Wide Pickup Drum

## Wide Pickup Drum

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes               |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|---------------------|
| 1    | 938.068.0   | Collar Bushing     |                 |         | 4          |         | 4          | 36 X 42/48 X 33     |
| 2    | 935.900.0   | Tensioning Bushing |                 |         | 8          |         | 8          | 30/36 X 30          |
| 3    | 938.199.0   | Tine Carrier       |                 |         | 4          |         | 4          |                     |
| 4    | 938.052.0   | Tine Holder        |                 |         | 48         |         | 48         |                     |
| 5    | 910.603.0   | Washer             |                 |         | 48         |         | 48         | 8.4 X 24 X 2        |
| 6    | 908.706.0   | Hex Nut            |                 |         | 48         |         | 48         | NM8                 |
| 7    | 938.201.1   | Scraper Bar        |                 |         | X          |         | X          |                     |
| 8    | 938.196.1   | End Plate L/H      |                 |         | X          |         | X          |                     |
| 9    | 900.636.0   | Hex Head Bolt      |                 |         | X          |         | X          | M10 X 25            |
| 10   | 910.035.0   | Spring Washer      |                 |         | X          |         | X          | B 12                |
| 11   | 900.657.0   | Hex Head Bolt      |                 |         | X          |         | X          | M12 X 35            |
| 12   | 934.006.1   | Flange Bearing     |                 |         | X          |         | X          | AELPFL 206          |
| 13   | 910.111.1   | Spring Washer      |                 |         | X          |         | X          | B 10                |
| 14   | 908.758.0   | Hex Nut            |                 |         | X          |         | X          | NM10                |
| 15   | 938.051.1   | Spacer Tube        |                 |         | X          |         | X          | 34 X 1 X 67         |
| 16   | 912.452.0   | Roll Pin           |                 |         | 4          |         | 4          | 8 X 45              |
| 17   | 938.135.0   | Eccentric Arm      |                 |         | 4          |         | 4          |                     |
| 18   | 938.080.1   | Bolt               |                 |         | 4          |         | 4          |                     |
| 19   | 938.081.0   | Bearing            |                 |         | 4          |         | 4          | LR 5202             |
| 20   | 909.850.0   | Serrated Washer    |                 |         | 4          |         | 4          | A 14.5              |
| 21   | 908.518.1   | Hex Nut            |                 |         | 4          |         | 4          | M14                 |
| 22   | 900.614.0   | Hex Head Bolt      |                 |         | X          |         | X          | M8 X 20             |
| 23   | 910.033.0   | Spring Washer      |                 |         | X          |         | X          | B 8                 |
| 24   | 937.953.0   | Bearing Plate      |                 |         | X          |         | X          |                     |
| 25   | 937.982.0   | Clamping Bushing   |                 |         | 4          |         | 4          | EP 43/37 X 30       |
| 26   | 901.425.0   | Hex Head Bolt      |                 |         | 48         |         | 48         | M8 X 60             |
| 27   | 900.255.1   | Hex Head Bolt      |                 |         | 92         |         | 92         | M8 X 16             |
| 28   | 938.197.1   | Scraper Outside    |                 |         | 8          |         | 8          |                     |
| 29   | 938.198.1   | Scraper Middle     |                 |         | 15         |         | 15         |                     |
| 30   | 938.200.0   | Drive Shaft        |                 |         | X          |         | X          |                     |
| 31   | 938.154.1   | Spring Saddle      |                 |         | 48         |         | 48         |                     |
| 32   | 938.040.3   | Double Tine        |                 |         | 48         |         | 48         |                     |
| 33   | 938.107.1   | Spacer Tube        |                 |         | X          |         | X          | 34 X 1 X 63         |
| 34   | 938.202.1   | End Plate R/H      |                 |         | X          |         | X          |                     |
| 40   | 938.022.1   | Pickup Complete    |                 |         | X          |         | X          | Includes Items 1-34 |




447 371 3

**Wide Pickup Baffle Plate & Compressing Rake**

## Wide Pickup Baffle Plate & Compressing Rake

| Item | Part Number | Description                  | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                        |
|------|-------------|------------------------------|-----------------|---------|------------|---------|------------|----------------------------------------------|
| 1    | 925.008.0   | Plastic Guard                |                 |         | X          |         | X          | 45 X 55 X 1.0<br>M10 X 110<br><br>4 X 20     |
| 2    | 910.899.0   | Shim                         |                 |         | X          |         | X          |                                              |
| 3    | 905.338.0   | Eye Bolt                     |                 |         | X          |         | X          |                                              |
| 4    | 345.432.1   | Tension Spring               |                 |         | X          |         | X          |                                              |
| 5    | 912.063.1   | Cotter Pin                   |                 |         | X          |         | X          |                                              |
| 6    | 910.315.3   | Washer                       |                 |         | X          |         | X          | A 13<br><br><br>10 X 55                      |
| 7    | 938.228.0   | Arm R/H                      |                 |         | X          |         | X          |                                              |
| 8    | 938.229.0   | Adjusting Bracket            |                 |         | X          |         | X          |                                              |
| 9    | 912.717.0   | Roll Pin                     |                 |         | X          |         | X          |                                              |
| 10   | 280.659.2   | Lever                        |                 |         | X          |         | X          |                                              |
| 11   | 922.605.1   | Connecting Link              |                 |         | X          |         | X          | 5 X 26                                       |
| 12   | 938.022.1   | Pickup Complete              |                 |         | X          |         | X          |                                              |
| 13   | 919.501.0   | Ball Knob                    |                 |         | X          |         | X          |                                              |
| 14   | 280.671.1   | Crank                        |                 |         | X          |         | X          |                                              |
| 15   | 912.611.1   | Roll Pin                     |                 |         | X          |         | X          |                                              |
| 16   | 911.903.0   | Snap Ring                    |                 |         | X          |         | X          | B 16 X 2.4<br>17.5 X 35 X 2<br><br>M8 X 25   |
| 17   | 910.621.0   | Washer                       |                 |         | X          |         | X          |                                              |
| 18   | 280.672.0   | Annular Nut                  |                 |         | X          |         | X          |                                              |
| 19   | 280.667.2   | Lift Tube                    |                 |         | X          |         | X          |                                              |
| 20   | 900.616.0   | Hex Head Bolt                |                 |         | X          |         | X          |                                              |
| 21   | 908.212.0   | Hex Nut                      |                 |         | X          |         | X          | M10<br><br><br>NM8                           |
| 22   | 275.695.0   | Cylinder Mount L/H           |                 |         | X          |         | X          |                                              |
|      | 275.697.1   | Cylinder Mount R/H           |                 |         | X          |         | X          |                                              |
| 23   | 908.706.0   | Hex Nut                      |                 |         | X          |         | X          |                                              |
| 24   | 274.877.0   | Limit Rod                    |                 |         | X          |         | X          |                                              |
|      | 275.720.0   | Limit Rod                    |                 |         |            |         | X          | 460mm Long<br>610mm Long<br>4 X 32           |
| 25   | 491.910.1   | Tension Spring               |                 |         | X          |         | X          |                                              |
| 26   | 275.735.0   | Tension Bracket              |                 |         | X          |         |            |                                              |
|      | 274.847.0   | Tension Bracket              |                 |         |            |         | X          |                                              |
| 27   | 912.583.1   | Roll Pin                     |                 |         | X          |         | X          | 17.5 X 35 X 2<br><br><br>6.3 X 50<br>M8 X 60 |
| 28   | 910.621.0   | Washer                       |                 |         | X          |         | X          |                                              |
| 29   | 938.227.0   | Arm L/H                      |                 |         | X          |         | X          |                                              |
| 30   | 274.327.2   | Tension Spring               |                 |         | X          |         | X          |                                              |
| 31   | 912.111.1   | Cotter Pin                   |                 |         | X          |         | X          |                                              |
| 32   | 904.819.0   | Flat Round Bolt              |                 |         | X          |         | X          | NM16                                         |
| 33   | 280.621.0   | Rear Compressing Rake Plate  |                 |         | X          |         | X          |                                              |
| 34   | 280.620.0   | Front Compressing Rake Plate |                 |         | X          |         | X          |                                              |
| 35   | 908.716.1   | Hex Nut                      |                 |         | X          |         | X          |                                              |






**Wide Pickup Baffle Plate & Compressing Rake**



## Wide Pickup Baffle Plate & Compressing Rake


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes    |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|----------|
| 36   | 938.226.0   | Compressing Rake       |                 |         | X          |         | X          |          |
| 37   | 280.746.0   | Compressing Rake Tines |                 |         | X          |         | X          |          |
| 38   | 280.748.0   | Tube                   |                 |         | X          |         | X          |          |
| 39   | 917.011.0   | Lynch Pin              |                 |         | X          |         | X          | 10 X 45  |
| 40   | 280.747.0   | Mounting Bracket       |                 |         | X          |         | X          |          |
| 41   | 900.656.0   | Hex Head Bolt          |                 |         | X          |         | X          | M12 X 30 |
| 42   | 908.711.1   | Hex Nut                |                 |         | X          |         | X          | NM12     |



Single Twine Tying Mechanism

## Single Twine Tying Mechanism

| Item | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                                               |
|------|-------------|-------------------------------|-----------------|---------|------------|---------|------------|-----------------------------------------------------------------------------------------------------|
| 1    | 280.579.1   | Pulley                        |                 | X       | X          | X       | X          | A 6 X 6 X 28<br><br>6004 2RS<br>I 42 X 1.75                                                         |
| 2    | 915.047.0   | Key                           |                 | X       | X          | X       | X          |                                                                                                     |
| 3    | 274.686.0   | Pinion Shaft                  |                 | X       | X          | X       | X          |                                                                                                     |
| 4    | 930.504.0   | Bearing                       |                 | X       | X          | X       | X          |                                                                                                     |
| 5    | 911.642.0   | Circlip                       |                 | X       | X          | X       | X          |                                                                                                     |
| 6    | 900.614.0   | Hex Head Bolt                 |                 | X       | X          | X       | X          | M8 X 20<br><br>A 20 X 1.2<br><br>NM8                                                                |
| 7    | 280.052.3   | Bearing Housing               |                 | X       | X          | X       | X          |                                                                                                     |
| 8    | 911.522.0   | Circlip                       |                 | X       | X          | X       | X          |                                                                                                     |
| 9    | 274.693.1   | Twine Mechanism Housing       |                 | X       | X          | X       | X          |                                                                                                     |
| 10   | 908.706.0   | Hex Nut                       |                 | X       | X          | X       | X          |                                                                                                     |
| 11   | 274.883.1   | Indicator Wheel               |                 | X       | X          | X       | X          | For Comfort Electronics<br>A 8.4<br>NM8                                                             |
| 12   | 910.413.0   | Washer                        |                 | X       | X          | X       | X          |                                                                                                     |
| 13   | 908.706.0   | Hex Nut                       |                 | X       | X          | X       | X          |                                                                                                     |
| 14   | 280.054.2   | Sprocket Shaft                |                 | X       | X          | X       | X          |                                                                                                     |
| 15   | 280.056.1   | Gear                          |                 | X       | X          | X       | X          |                                                                                                     |
| 16   | 915.043.0   | Key                           |                 | X       | X          | X       | X          | A 6 X 6 X 14<br>M6 X 50 - For Comfort Electronics<br><br>For Comfort Electronics                    |
| 17   | 900.244.0   | Hex Head Bolt                 |                 | X       | X          | X       | X          |                                                                                                     |
| 18   | 280.457.2   | Sprocket Shaft                |                 | X       | X          | X       | X          |                                                                                                     |
| 19   | 910.033.0   | Spring Washer                 |                 | X       | X          | X       | X          |                                                                                                     |
| 20   | 274.884.0   | Sensor Holder                 |                 | X       | X          | X       | X          |                                                                                                     |
| 21   | 910.603.0   | Washer                        |                 | X       | X          | X       | X          | A 8.4<br>M8 X 25<br><br>M8 X 16<br>NM6 - For Comfort Electronics                                    |
| 22   | 900.616.0   | Hex Head Bolt                 |                 | X       | X          | X       | X          |                                                                                                     |
| 23   | 280.423.1   | Twine Limiter                 |                 | X       | X          | X       | X          |                                                                                                     |
| 24   | 900.612.0   | Hex Head Bolt                 |                 | X       | X          | X       | X          |                                                                                                     |
| 25   | 908.704.1   | Hex Nut                       |                 | X       | X          | X       | X          |                                                                                                     |
| 26   | 274.676.1   | Guard                         |                 | X       | X          | X       | X          | Includes Items 1-27 on this page,<br>except 1, 2, 11, 15-17, 25<br>Includes Items 1-17 on next page |
| 27   | 280.051.1   | Guide                         |                 | X       | X          | X       | X          |                                                                                                     |
| *    | 274.433.4   | Single Tie Mechanism Complete |                 | X       | X          | X       | X          |                                                                                                     |




447 022 1

**Single Twine Drive & Cutting Mechanism**

## Single Twine Drive & Cutting Mechanism

| Item | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                                                |
|------|-------------|-------------------------------|-----------------|---------|------------|---------|------------|------------------------------------------------------------------------------------------------------|
| 1    | 921.983.0   | Chain Lock                    |                 | X       | X          | X       | X          | 5/8"                                                                                                 |
| 2    | 280.098.1   | Bushing                       |                 | X       | X          | X       | X          |                                                                                                      |
| 3    | 280.103.1   | Guide Block                   |                 | X       | X          | X       | X          |                                                                                                      |
| 4    | 274.307.1   | Plate                         |                 | X       | X          | X       | X          |                                                                                                      |
| 5    | 910.411.1   | Washer                        |                 | X       | X          | X       | X          | A 6.4                                                                                                |
| 6    | 910.032.0   | Spring Washer                 |                 | X       | X          | X       | X          | B 6                                                                                                  |
| 7    | 900.239.1   | Hex Head Bolt                 |                 | X       | X          | X       | X          | M6 X 25                                                                                              |
| 8    | 905.232.0   | Flat Round Bolt               |                 | X       | X          | X       | X          | M8 X 25                                                                                              |
| 9    | 900.617.0   | Hex Head Bolt                 |                 | X       | X          | X       | X          | M8 X 30                                                                                              |
| 10   | 908.210.0   | Hex Nut                       |                 | X       | X          | X       | X          | M8                                                                                                   |
| 11   | 908.706.0   | Hex Nut                       |                 | X       | X          | X       | X          | NM8                                                                                                  |
| 12   | 280.221.5   | Knife                         |                 | X       | X          | X       | X          |                                                                                                      |
| 13   | 280.234.3   | Knife Holder                  |                 | X       | X          | X       | X          |                                                                                                      |
| 14   | 280.321.2   | Twine Guide Plate             |                 | X       | X          | X       | X          |                                                                                                      |
| 15   | 910.033.0   | Spring Washer                 |                 | X       | X          | X       | X          | B 8                                                                                                  |
| 16   | 921.943.1   | Roller Chain                  |                 | X       | X          | X       | X          | 5/8" X 132                                                                                           |
| 17   | 921.999.0   | Link w/Pin                    |                 | X       | X          | X       | X          | 5/8"                                                                                                 |
| 20   | 274.433.4   | Single Tie Mechanism Complete |                 | X       | X          | X       | X          | Includes Items 1-17 on this page<br>Includes Items 1-27 on previous page, except 1, 2, 11, 15-17, 25 |




447 189 0 5

Single Twine Manual Starter

## Single Twine Manual Starter

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|---------------|
| 1    | 901.421.1   | Hex Head Bolt      |                 | X       | X          | X       | X          | M8 X 40       |
| 2    | 910.603.0   | Washer             |                 | X       | X          | X       | X          | A 8.4         |
| 3    | 052.053.1   | Compression Spring |                 | X       | X          | X       | X          |               |
| 4    | 930.100.0   | Bearing            |                 | X       | X          | X       | X          | 6001 2RS      |
| 5    | 910.807.0   | Shim               |                 | X       | X          | X       | X          | 12 X 18 X .3  |
|      | 910.802.0   | Shim               |                 | X       | X          | X       | X          | 12 X 18 X .5  |
|      | 910.803.0   | Shim               |                 | X       | X          | X       | X          | 12 X 18 X 1.0 |
| 6    | 910.033.0   | Spring Washer      |                 | X       | X          | X       | X          | B 8           |
| 7    | 900.610.0   | Hex Head Bolt      |                 | X       | X          | X       | X          | M8 X 10       |
| 8    | 938.974.2   | Guide              |                 | X       | X          | X       | X          |               |
| 9    | 275.408.6   | Starter Housing    |                 | X       | X          | X       | X          |               |
| 10   | 911.522.0   | Circlip            |                 | X       | X          | X       | X          | 20 X 1.2      |
| 11   | 275.432.4   | Drive Shaft        |                 | X       | X          | X       | X          |               |
| 12   | 930.101.0   | Bearing            |                 | X       | X          | X       | X          | 6002 2RS      |
| 13   | 910.804.0   | Shim               |                 | X       | X          | X       | X          | 15 X 21 X .3  |
|      | 910.805.0   | Shim               |                 | X       | X          | X       | X          | 15 X 21 X .5  |
|      | 910.806.0   | Shim               |                 | X       | X          | X       | X          | 15 X 21 X 1.0 |
| 14   | 911.513.0   | Circlip            |                 | X       | X          | X       | X          | 15 X 1.0      |
| 15   | 275.437.2   | Starter Roller     |                 | X       | X          | X       | X          |               |
| 16   | 910.506.0   | Washer             |                 | X       | X          | X       | X          | 14            |
| 17   | 908.711.1   | Hex Nut            |                 | X       | X          | X       | X          | NM12          |
| 18   | 900.614.0   | Hex Head Bolt      |                 | X       | X          | X       | X          | M8 X 20       |
| 19   | 911.541.0   | Circlip            |                 | X       | X          | X       | X          | 35 X 1.5      |
| 20   | 930.507.0   | Bearing            |                 | X       | X          | X       | X          | 6007 2RS      |
| 21   | 911.659.0   | Circlip            |                 | X       | X          | X       | X          | 1 62 X 2.0    |
| 22   | 280.405.3   | Roller             |                 | X       | X          | X       | X          |               |
| 23   | 275.435.1   | Roller Mount       |                 | X       | X          | X       | X          |               |
| 24   | 918.307.0   | Eye Bolt           |                 | X       | X          | X       | X          | M8 X 160      |
| 25   | 937.504.0   | O-Ring             |                 | X       | X          | X       | X          | 70.0 X 10     |
| 26   | 275.436.2   | Wheel              |                 | X       | X          | X       | X          |               |
| 27   | 912.582.0   | Roll Pin           |                 | X       | X          | X       | X          | 4 X 26        |
| 28   | 911.500.0   | Circlip            |                 | X       | X          | X       | X          | 12 X 1.0      |
| 29   | 275.433.2   | Shaft              |                 | X       | X          | X       | X          |               |
| 30   | 908.706.0   | Hex Nut            |                 | X       | X          | X       | X          | NM8           |
| 31   | 015.296.1   | Compression Spring |                 | X       | X          | X       | X          |               |
| 32   | 275.430.0   | Bevel Gear         |                 | X       | X          | X       | X          | Z=16          |
| 33   | 271.262.1   | Bushing            |                 | X       | X          | X       | X          |               |
| 34   | 910.603.0   | Washer             |                 | X       | X          | X       | X          | A 8.4         |




Single Twine Manual Starter



## Single Twine Manual Starter


| Item | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                   |
|------|-------------|------------------|-----------------|---------|------------|---------|------------|-----------------------------------------|
| 35   | 900.201.0   | Hex Head Bolt    |                 | X       | X          | X       | X          | M8 X 35                                 |
| 36   | 275.438.2   | Starter Lever    |                 | X       | X          | X       | X          |                                         |
| 37   | 910.808.0   | Shim             |                 | X       | X          | X       | X          | 20 X 28 X .3                            |
| 38   | 911.600.0   | Circlip          |                 | X       | X          | X       | X          | 1 28 X 1.2                              |
| 39   | 917.506.0   | Cable Guide      |                 | X       | X          | X       | X          | A 6                                     |
| 40   | 917.603.0   | Clamp            |                 | X       | X          | X       | X          | 6.5                                     |
| 41   | 275.450.1   | Cable            |                 | X       | X          | X       | X          | 6 X 750                                 |
| 42   | 917.901.0   | Hook             |                 | X       | X          | X       | X          |                                         |
| 43   | 280.353.2   | Rope             |                 | X       | X          | X       | X          | 6 X 3500                                |
| 44   | 939.063.0   | Handle           |                 | X       | X          | X       | X          |                                         |
| 45   | 911.132.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X .3                            |
|      | 911.133.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X .5                            |
|      | 911.134.0   | Shim             |                 | X       | X          | X       | X          | 35 X 45 X 1.0                           |
| 46   | 908.210.0   | Hex Nut          |                 | X       | X          | X       | X          | M8                                      |
| 47   | 274.621.3   | Guard            |                 | X       | X          | X       | X          |                                         |
| 50   | 275.440.2   | Starter Complete |                 | X       | X          | X       | X          | Excludes Items 1-3, 6, 7, 39, 40-44, 47 |



**Double Twine Tying Mechanism**

## Double Twine Tying Mechanism


| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                                   |
|------|-------------|-------------------------|-----------------|---------|------------|---------|------------|-----------------------------------------------------------------------------------------|
| 1    | 275.628.1   | Pulley                  |                 | X       | X          | X       | X          | A 6 X 6 X 28<br><br>6004 2RS<br>I 42 X 1.75                                             |
| 2    | 915.047.0   | Key                     |                 | X       | X          | X       | X          |                                                                                         |
| 3    | 275.675.0   | Pinion Shaft            |                 | X       | X          | X       | X          |                                                                                         |
| 4    | 930.504.0   | Bearing                 |                 | X       | X          | X       | X          |                                                                                         |
| 5    | 911.642.0   | Circlip                 |                 | X       | X          | X       | X          |                                                                                         |
| 6    | 900.614.0   | Hex Head Bolt           |                 | X       | X          | X       | X          | M8 X 20<br><br>20 X 1.2                                                                 |
| 7    | 280.052.3   | Bearing Housing         |                 | X       | X          | X       | X          |                                                                                         |
| 8    | 911.522.0   | Circlip                 |                 | X       | X          | X       | X          |                                                                                         |
| 9    | 275.609.2   | Twine Mechanism Housing |                 | X       | X          | X       | X          |                                                                                         |
| 10   | 280.051.1   | Guide                   |                 | X       | X          | X       | X          |                                                                                         |
| 11   | 274.883.1   | Indicator Wheel         |                 | X       | X          | X       | X          | For Comfort Electronics<br>A 8.4<br>NM 8                                                |
| 12   | 910.413.0   | Washer                  |                 | X       | X          | X       | X          |                                                                                         |
| 13   | 908.706.0   | Hex Nut                 |                 | X       | X          | X       | X          |                                                                                         |
| 14   | 280.054.2   | Sprocket Shaft          |                 | X       | X          | X       | X          |                                                                                         |
| 15   | 280.056.1   | Gear                    |                 | X       | X          | X       | X          |                                                                                         |
| 16   | 915.043.0   | Key                     |                 | X       | X          | X       | X          | A 6 X 6 X 14<br>M6 X 50 - For Comfort Electronics<br><br>B 8<br>For Comfort Electronics |
| 17   | 900.244.0   | Hex Head Bolt           |                 | X       | X          | X       | X          |                                                                                         |
| 18   | 280.457.2   | Sprocket Shaft          |                 | X       | X          | X       | X          |                                                                                         |
| 19   | 910.033.0   | Spring Washer           |                 | X       | X          | X       | X          |                                                                                         |
| 21   | 274.884.0   | Sensor Holder           |                 | X       | X          | X       | X          |                                                                                         |
| 22   | 908.704.1   | Hex Nut                 |                 | X       | X          | X       | X          | NM6 - For Comfort Electronics<br><br>M8 X 16<br>M8 X 50                                 |
| 23   | 274.951.1   | Cover                   |                 | X       | X          | X       | X          |                                                                                         |
| 24   | 900.612.0   | Hex Head Bolt           |                 | X       | X          | X       | X          |                                                                                         |
| 25   | 904.817.0   | Flat Round Bolt         |                 | X       | X          | X       | X          |                                                                                         |
| 26   | 274.949.0   | Compression Spring      |                 | X       | X          | X       | X          |                                                                                         |



**Double Twine Tying Cutting Unit**

## Double Twine Tying Cutting Unit

| Item | Part Number | Description                    | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes     |
|------|-------------|--------------------------------|-----------------|---------|------------|---------|------------|-----------|
| 1    | 920.301.0   | Roller Chain                   |                 | X       | X          | X       | X          | 5/8" X 68 |
| 2    | 921.983.0   | Chain Lock                     |                 | X       | X          | X       | X          | 5/8"      |
| 3    | 280.098.1   | Bushing                        |                 | X       | X          | X       | X          |           |
| 4    | 908.008.0   | Hex Nut                        |                 | X       | X          | X       | X          | M6        |
| 5    | 003.028.2   | Tension Spring                 |                 | X       | X          | X       | X          |           |
| 6    | 908.706.0   | Hex Nut                        |                 | X       | X          | X       | X          | NM8       |
| 7    | 275.612.1   | Latch                          |                 | X       | X          | X       | X          |           |
| 8    | 906.405.0   | Pin                            |                 | X       | X          | X       | X          |           |
| 9    | 908.210.0   | Hex Nut                        |                 | X       | X          | X       | X          | M8        |
| 10   | 275.629.1   | Knife R/H                      |                 | X       | X          | X       | X          |           |
| 11   | 280.234.3   | Knife Holder                   |                 | X       | X          | X       | X          |           |
| 12   | 900.617.0   | Hex Head Bolt                  |                 | X       | X          | X       | X          | M8 X 30   |
| 13   | 280.221.5   | Knife L/H                      |                 | X       | X          | X       | X          |           |
| 14   | 910.413.0   | Washer                         |                 | X       | X          | X       | X          | A 8.4     |
| 15   | 275.674.1   | Twine Limiter                  |                 | X       | X          | X       | X          |           |
| 16   | 275.608.1   | Rear Cover for Twine Mechanism |                 | X       | X          | X       | X          |           |
| 17   | 904.731.1   | Flat Round Bolt                |                 | X       | X          | X       | X          | M8 X 20   |
| 18   | 904.025.0   | Countersunk Screw              |                 | X       | X          | X       | X          | M8 X 25   |
| 19   | 275.858.0   | Plate L/H                      |                 | X       | X          | X       | X          |           |
| 20   | 275.611.1   | Guide Block                    |                 | X       | X          | X       | X          |           |
| 21   | 910.411.1   | Washer                         |                 | X       | X          | X       | X          | A 6.4     |
| 22   | 912.634.0   | Roll Pin                       |                 | X       | X          | X       | X          | 6 X 16    |
| 24   | 904.732.1   | Flat Round Bolt                |                 | X       | X          | X       | X          | M8 X 25   |
| 25   | 904.714.0   | Flat Round Bolt                |                 | X       | X          | X       | X          | M6 X 35   |
| 26   | 904.715.1   | Flat Round Bolt                |                 | X       | X          | X       | X          | M6 X 40   |
| 27   | 275.859.0   | Plate R/H                      |                 | X       | X          | X       | X          |           |
| 28   | 921.999.0   | Chain Link w/Pin               |                 | X       | X          | X       | X          | 5/8"      |
| 29   | 275.853.0   | Spacer Tube                    |                 | X       | X          | X       | X          |           |
| 30   | 275.860.0   | Twine Guide                    |                 | X       | X          | X       | X          |           |
| 31   | 904.816.0   | Flat Round Bolt                |                 | X       | X          | X       | X          | M8 X 45   |




447 548 0

Double Twine Manual Starter

## Double Twine Manual Starter

| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes           |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|-----------------|
| 1    | 939.063.0   | Handle          |                 | X       | X          | X       | X          | For 6mm Rope    |
| 2    | 275.450.1   | Cable           |                 | X       | X          | X       | X          | 6 X 750mm Long  |
| 3    | 280.353.2   | Rope            |                 | X       | X          | X       | X          | 6 X 3500mm Long |
| 4    | 917.901.0   | Hook            |                 | X       | X          | X       | X          |                 |
| 5    | 912.582.0   | Roll Pin        |                 | X       | X          | X       | X          | 4 X 26          |
| 6    | 937.517.0   | O-Ring          |                 | X       | X          | X       | X          | 90.0 X 10       |
| 7    | 275.630.0   | Wheel           |                 | X       | X          | X       | X          |                 |
| 8    | 908.706.0   | Hex Nut         |                 | X       | X          | X       | X          | NM8             |
| 9    | 275.843.0   | Drive Shaft     |                 | X       | X          | X       | X          |                 |
| 10   | 908.210.0   | Hex Nut         |                 | X       | X          | X       | X          | M8              |
| 11   | 275.840.0   | Starter Housing |                 | X       | X          | X       | X          |                 |
| 12   | 275.861.0   | Double Eye Bolt |                 | X       | X          | X       | X          | M8 X 30         |
| 13   | 930.100.0   | Bearing         |                 | X       | X          | X       | X          | 6001 2RS        |
| 14   | 910.807.0   | Shim            |                 | X       | X          | X       | X          | 12 X 18 X .3    |
|      | 910.802.0   | Shim            |                 | X       | X          | X       | X          | 12 X 18 X .5    |
|      | 910.803.0   | Shim            |                 | X       | X          | X       | X          | 12 X 18 X 1.0   |
| 15   | 275.835.0   | Starter Roller  |                 | X       | X          | X       | X          |                 |
| 16   | 930.507.0   | Bearing         |                 | X       | X          | X       | X          | 6007 2RS        |
| 17   | 911.541.0   | Circlip         |                 | X       | X          | X       | X          | 35 X 1.5        |
| 18   | 280.405.3   | Roller          |                 | X       | X          | X       | X          |                 |
| 19   | 911.659.0   | Circlip         |                 | X       | X          | X       | X          | 1 62 X 2.0      |
| 20   | 275.849.0   | Roller Mount    |                 | X       | X          | X       | X          |                 |
| 21   | 901.459.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M12 X 95        |
| 22   | 275.848.0   | Roller Mount    |                 | X       | X          | X       | X          |                 |
| 23   | 939.634.1   | Tension Spring  |                 | X       | X          | X       | X          |                 |
| 24   | 908.215.0   | Hex Nut         |                 | X       | X          | X       | X          | M12             |
| 25   | 911.600.0   | Circlip         |                 | X       | X          | X       | X          | 1 28 X 1.2      |
| 26   | 275.430.0   | Bevel Gear      |                 | X       | X          | X       | X          | Z=16            |
| 27   | 275.844.0   | Shaft           |                 | X       | X          | X       | X          |                 |
| 28   | 275.438.2   | Starter Lever   |                 | X       | X          | X       | X          |                 |
| 29   | 271.262.1   | Bushing         |                 | X       | X          | X       | X          |                 |
| 30   | 910.603.0   | Washer          |                 | X       | X          | X       | X          | 8.4 X 24 X 2    |
| 31   | 900.617.0   | Hex Head Bolt   |                 | X       | X          | X       | X          | M8 X 30         |
| 32   | 917.603.0   | Cable Clamp     |                 | X       | X          | X       | X          |                 |
| 33   | 917.506.0   | Cable Eye       |                 | X       | X          | X       | X          |                 |
| 34   | 911.132.0   | Shim            |                 | X       | X          | X       | X          | 35 X 45 X .3    |
|      | 911.133.0   | Shim            |                 | X       | X          | X       | X          | 35 X 45 X .5    |
|      | 911.134.0   | Shim            |                 | X       | X          | X       | X          | 35 X 45 X 1.0   |




447 548 0

**Double Twine Manual Starter**



## Double Twine Manual Starter


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                      |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|----------------------------|
| 35   | 901.421.1   | Hex Head Bolt      |                 | X       | X          | X       | X          | M8 X 40                    |
| 36   | 052.053.1   | Compression Spring |                 | X       | X          | X       | X          |                            |
| 37   | 910.603.0   | Washer             |                 | X       | X          | X       | X          | 8.4 X 24 X 2               |
| 38   | 275.854.0   | Guard              |                 | X       | X          | X       | X          |                            |
| 40   | 275.850.0   | Starter Complete   |                 | X       | X          | X       | X          | Excludes Items 1-4, 32, 33 |



Net Wrap Unit - Standard Pickup

## Net Wrap Unit - Standard Pickup


| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                   |
|------|-------------|----------------------|-----------------|---------|------------|---------|------------|-------------------------|
| 1    | 275.239.2   | Knife Carrier        |                 | X       |            | X       |            |                         |
| 2    | 275.211.3   | Knife Carrier Holder |                 | X       |            | X       |            |                         |
| 3    | 912.641.0   | Roll Pin             |                 | X       |            | X       |            | 6 X 30                  |
| 4    | 900.616.0   | Hex Head Bolt        |                 | X       |            | X       |            | M8 X 25                 |
| 5    | 275.223.2   | Aluminum Roller      |                 | X       |            | X       |            |                         |
| 6    | 930.533.0   | Bearing              |                 | X       |            | X       |            | 6203 2RS                |
| 7    | 275.222.1   | Shackle              |                 | X       |            | X       |            |                         |
| 8    | 910.826.0   | Shim                 |                 | X       |            | X       |            | 20 X 28 X 1.0           |
| 9    | 908.210.0   | Hex Nut              |                 | X       |            | X       |            | M8                      |
| 10   | 910.512.2   | Washer               |                 | X       |            | X       |            | B 21                    |
| 11   | 905.000.1   | Flat Round Bolt      |                 | X       |            | X       |            | M6 X 12                 |
| 12   | 908.210.0   | Hex Nut              |                 | X       |            | X       |            | M8                      |
| 13   | 275.214.2   | Angle Bracket        |                 | X       |            | X       |            |                         |
| 14   | 910.033.0   | Spring Washer        |                 | X       |            | X       |            | B 8                     |
| 15   | 900.614.0   | Hex Head Bolt        |                 | X       |            | X       |            | M8 X 20                 |
| 16   | 901.423.0   | Hex Head Bolt        |                 | X       |            | X       |            | M8 X 50                 |
| 17   | 015.296.1   | Compression Spring   |                 | X       |            | X       |            |                         |
| 18   | 275.417.1   | Angle Bolt           |                 | X       |            | X       |            |                         |
| 19   | 275.213.2   | Spring Bar           |                 | X       |            | X       |            |                         |
|      | 274.739.0   | Spring Bar           |                 | X       |            | X       |            | For Comfort Electronics |
| 20   | 910.603.0   | Washer               |                 | X       |            | X       |            | A 8.4                   |
| 21   | 275.228.2   | Locking Piece        |                 | X       |            | X       |            |                         |
| 22   | 908.706.0   | Hex Nut              |                 | X       |            | X       |            | NM8                     |
| 23   | 275.212.5   | Pivot Arm            |                 | X       |            | X       |            |                         |
| 24   | 908.208.0   | Hex Nut              |                 | X       |            | X       |            | M6                      |
| 25   | 910.411.1   | Washer               |                 | X       |            | X       |            | A 6.4                   |
| 26   | 275.177.2   | Catch                |                 | X       |            | X       |            |                         |
| 27   | 911.529.0   | Circlip              |                 | X       |            | X       |            | A 25                    |
| 28   | 910.844.0   | Shim                 |                 | X       |            | X       |            | 25 X 35 X 1.0           |
|      | 910.845.0   | Shim                 |                 | X       |            | X       |            | 25 X 35 X 2.0           |
| 29   | 275.207.4   | Wheel                |                 | X       |            | X       |            |                         |
| 30   | 905.932.0   | Set Screw            |                 | X       |            | X       |            | M10 X 10                |
| 31   | 908.523.0   | Hex Nut              |                 | X       |            | X       |            | M16                     |
| 32   | 905.712.0   | Set Screw            |                 | X       |            | X       |            | M16 X 90                |
| 33   | 275.231.3   | Friction Wheel       |                 | X       |            | X       |            |                         |
| 34   | 930.505.0   | Bearing              |                 | X       |            | X       |            | 6005 2RS                |
| 35   | 905.230.0   | Flat Round Bolt      |                 | X       |            | X       |            | M8 X 16                 |
| 36   | 939.737.0   | Compression Spring   |                 | X       |            | X       |            |                         |



Net Wrap Unit - Standard Pickup

## Net Wrap Unit - Standard Pickup


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                                           |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|-------------------------------------------------------------------------------------------------|
| 37   | 275.402.0   | Pin                    |                 | X       |            | X       |            | M6 X 16<br>CSPFL 205 LLU<br>M8 X 25                                                             |
| 38   | 275.401.0   | Lock Collar            |                 | X       |            | X       |            |                                                                                                 |
| 39   | 900.607.0   | Hex Head Bolt          |                 | X       |            | X       |            |                                                                                                 |
| 40   | 934.000.0   | Flange Bearing         |                 | X       |            | X       |            |                                                                                                 |
| 41   | 900.616.0   | Hex Head Bolt          |                 | X       |            | X       |            |                                                                                                 |
| 42   | 934.603.0   | Bearing                |                 | X       |            | X       |            | CS 205 LLU                                                                                      |
| 43   | 275.224.5   | Rubber Roller          |                 | X       |            | X       |            |                                                                                                 |
| 44   | 275.216.4   | Knife Beam Shaft       |                 | X       |            | X       |            |                                                                                                 |
| 45   | 275.258.2   | Chain w/Hook           |                 | 6       |            | 6       |            |                                                                                                 |
| 46   | 275.230.2   | Guide Strap            |                 | X       |            | X       |            |                                                                                                 |
| 47   | 903.745.0   | Allen Screw            |                 | X       |            | X       |            | AM 5 X 16                                                                                       |
| 48   | 275.233.5   | Netwrap Support        |                 | X       |            | X       |            |                                                                                                 |
| 49   | 275.229.3   | Strap                  |                 | X       |            | X       |            |                                                                                                 |
| 50   | 939.634.1   | Tension Spring         |                 | X       |            | X       |            |                                                                                                 |
| 51   | 275.159.1   | Knife                  |                 | 34      |            | 34      |            |                                                                                                 |
| 52   | 908.207.0   | Hex Nut                |                 | X       |            | X       |            | M5<br>B 5<br>8 X 36<br>5 X 36                                                                   |
| 53   | 910.031.0   | Spring Washer          |                 | X       |            | X       |            |                                                                                                 |
| 54   | 912.673.0   | Roll Pin               |                 | X       |            | X       |            |                                                                                                 |
|      | 912.615.0   | Roll Pin               |                 | X       |            | X       |            |                                                                                                 |
| 55   | 274.684.1   | Cover                  |                 | X       |            | X       |            |                                                                                                 |
| 56   | 938.797.1   | Ring                   |                 | X       |            | X       |            | For Comfort Electronics<br>M8 X 12 - For Comfort Electronics<br>Excludes Items 13-19, 26, 30-33 |
| 57   | 274.647.0   | Sensor Ring            |                 | X       |            | X       |            |                                                                                                 |
| 58   | 900.253.1   | Hex Head Bolt          |                 | X       |            | X       |            |                                                                                                 |
| 60   | 275.241.3   | Net Wrap Unit Complete |                 | X       |            | X       |            |                                                                                                 |



**Net Wrap Unit - Wide Pickup**

## Net Wrap Unit - Wide Pickup

| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                   |
|------|-------------|----------------------|-----------------|---------|------------|---------|------------|-------------------------|
| 1    | 275.239.2   | Knife Carrier        |                 |         | X          |         | X          |                         |
| 2    | 275.211.3   | Knife Carrier Holder |                 |         | X          |         | X          |                         |
| 3    | 912.641.0   | Roll Pin             |                 |         | X          |         | X          | 6 X 30                  |
| 4    | 900.616.0   | Hex Head Bolt        |                 |         | X          |         | X          | M8 X 25                 |
| 5    | 275.223.2   | Aluminum Roller      |                 |         | X          |         | X          |                         |
| 6    | 930.533.0   | Bearing              |                 |         | X          |         | X          | 6203 2RS                |
| 7    | 275.222.1   | Shackle              |                 |         | X          |         | X          |                         |
| 8    | 910.826.0   | Shim                 |                 |         | X          |         | X          | 20 X 28 X 1.0           |
| 9    | 908.210.0   | Hex Nut              |                 |         | X          |         | X          | M8                      |
| 10   | 910.512.2   | Washer               |                 |         | X          |         | X          | B 21                    |
| 11   | 905.000.1   | Flat Round Bolt      |                 |         | X          |         | X          | M6 X 12                 |
| 12   | 908.210.0   | Hex Nut              |                 |         | X          |         | X          | M8                      |
| 13   | 275.214.2   | Angle Bracket        |                 |         | X          |         | X          |                         |
| 14   | 910.033.0   | Spring Washer        |                 |         | X          |         | X          | B 8                     |
| 15   | 900.614.0   | Hex Head Bolt        |                 |         | X          |         | X          | M8 X 20                 |
| 16   | 901.423.0   | Hex Head Bolt        |                 |         | X          |         | X          | M8 X 50                 |
| 17   | 015.296.1   | Compression Spring   |                 |         | X          |         | X          |                         |
| 18   | 275.417.1   | Angle Bolt           |                 |         | X          |         | X          |                         |
| 19   | 275.213.2   | Spring Bar           |                 |         | X          |         | X          |                         |
|      | 274.739.0   | Spring Bar           |                 |         | X          |         | X          | For Comfort Electronics |
| 20   | 910.603.0   | Washer               |                 |         | X          |         | X          | A 8.4                   |
| 21   | 275.228.2   | Locking Piece        |                 |         | X          |         | X          |                         |
| 22   | 908.706.0   | Hex Nut              |                 |         | X          |         | X          | NM8                     |
| 23   | 275.212.5   | Pivot Arm            |                 |         | X          |         | X          |                         |
| 24   | 908.208.0   | Hex Nut              |                 |         | X          |         | X          | M6                      |
| 25   | 910.411.1   | Washer               |                 |         | X          |         | X          | A 6.4                   |
| 26   | 275.177.2   | Catch                |                 |         | X          |         | X          |                         |
| 27   | 911.529.0   | Circlip              |                 |         | X          |         | X          | A 25                    |
| 28   | 910.844.0   | Shim                 |                 |         | X          |         | X          | 25 X 35 X 1.0           |
|      | 910.845.0   | Shim                 |                 |         | X          |         | X          | 25 X 35 X 2.0           |
| 29   | 275.207.4   | Wheel                |                 |         | X          |         | X          |                         |
| 30   | 904.024.0   | Countersunk Screw    |                 |         | X          |         | X          | M8 X 20                 |
| 31   | 908.523.0   | Hex Nut              |                 |         | X          |         | X          | M16                     |
| 32   | 905.712.0   | Set Screw            |                 |         | X          |         | X          | M16 X 90                |
| 33   | 274.782.0   | Friction Wheel       |                 |         | X          |         | X          |                         |
| 34   | 930.505.0   | Bearing              |                 |         | X          |         | X          | 6005 2RS                |
| 35   | 905.230.0   | Flat Round Bolt      |                 |         | X          |         | X          | M8 X 16                 |
| 36   | 939.737.0   | Compression Spring   |                 |         | X          |         | X          |                         |




**Net Wrap Unit - Wide Pickup**



## Net Wrap Unit - Wide Pickup


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                       |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|-----------------------------|
| 37   | 275.402.0   | Pin                    |                 |         | X          |         | X          |                             |
| 38   | 275.401.0   | Lock Collar            |                 |         | X          |         | X          |                             |
| 39   | 900.607.0   | Hex Head Bolt          |                 |         | X          |         | X          | M6 X 16                     |
| 40   | 934.000.0   | Flange Bearing         |                 |         | X          |         | X          | CSPFL 205 LLU               |
| 41   | 900.616.0   | Hex Head Bolt          |                 |         | X          |         | X          | M8 X 25                     |
| 42   | 934.603.0   | Bearing                |                 |         | X          |         | X          | CS 205 LLU                  |
| 43   | 275.224.5   | Rubber Roller          |                 |         | X          |         | X          |                             |
| 44   | 275.216.4   | Knife Beam Shaft       |                 |         | X          |         | X          |                             |
| 45   | 275.258.2   | Chain w/Hook           |                 |         | 6          |         | 6          |                             |
| 46   | 275.230.2   | Guide Strap            |                 |         | X          |         | X          |                             |
| 47   | 903.745.0   | Allen Screw            |                 |         | X          |         | X          | AM 5 X 16                   |
| 48   | 275.233.5   | Netwrap Support        |                 |         | X          |         | X          |                             |
| 49   | 275.229.3   | Strap                  |                 |         | X          |         | X          |                             |
| 50   | 939.634.1   | Tension Spring         |                 |         | X          |         | X          |                             |
| 51   | 275.159.1   | Knife                  |                 |         | 34         |         | 34         |                             |
| 52   | 908.207.0   | Hex Nut                |                 |         | X          |         | X          | M5                          |
| 53   | 910.031.0   | Spring Washer          |                 |         | X          |         | X          | B 5                         |
| 54   | 912.673.0   | Roll Pin               |                 |         | X          |         | X          | 8 X 36                      |
|      | 912.615.0   | Roll Pin               |                 |         | X          |         | X          | 5 X 36                      |
| 55   | 274.684.1   | Cover                  |                 |         | X          |         | X          |                             |
| 56   | 938.797.1   | Ring                   |                 |         | X          |         | X          |                             |
| 57   | 274.647.0   | Sensor Wheel           |                 |         | X          |         | X          | For Comfort Electronics     |
| 58   | 900.253.1   | Hex Head Bolt          |                 |         | X          |         | X          | M8 X 12                     |
| 60   | 275.241.3   | Net Wrap Unit Complete |                 |         | X          |         | X          | Excludes Items 13-18, 30-33 |



**Net Wrap Brake**

## Net Wrap Brake


| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                      |
|------|-------------|----------------------|-----------------|---------|------------|---------|------------|--------------------------------------------|
| 1    | 274.201.0   | Brake Lever          |                 |         | X          |         | X          |                                            |
| 2    | 912.539.1   | Roll Pin             |                 |         | X          |         | X          | 3 X 20                                     |
| 3    | 274.209.0   | Snap Ring            |                 |         | X          |         | X          |                                            |
| 4    | 900.614.0   | Hex Head Bolt        |                 |         | X          |         | X          | M8 X 20                                    |
| 5    | 275.246.0   | Reinforcing Strip    |                 |         | X          |         | X          |                                            |
| 6    | 908.210.0   | Hex Nut              |                 |         | X          |         | X          | M8                                         |
| 7    | 924.918.0   | Net Wrap             |                 |         | X          |         | X          | 2000m Long                                 |
| 8    | 274.211.0   | Net Wrap Roll Holder |                 |         | X          |         | X          |                                            |
| 9    | 912.067.1   | Cotter Pin           |                 |         | X          |         | X          | 4 X 32                                     |
| 10   | 917.506.0   | Cable Eye            |                 |         | X          |         | X          | A 6                                        |
| 11   | 909.920.0   | Spring Washer        |                 |         | X          |         | X          | B 31.5                                     |
| 12   | 910.033.0   | Spring Washer        |                 |         | X          |         | X          | B 8                                        |
| 13   | 274.215.1   | Angle Bracket        |                 |         | X          |         | X          |                                            |
| 14   | 274.198.0   | Roll Holder Left     |                 |         | X          |         | X          |                                            |
| 15   | 275.416.1   | Control Rope         |                 |         | X          |         | X          | 6 X 1800                                   |
| 17   | 274.327.2   | Tension Spring       |                 |         | X          |         | X          |                                            |
| 18   | 900.617.0   | Hex Head Bolt        |                 |         | X          |         | X          | M8 X 30                                    |
| 20   | 274.205.3   | Swing Arm            |                 |         | X          |         | X          |                                            |
| 21   | 274.363.1   | Pulley               |                 |         | X          |         | X          |                                            |
| 22   | 274.208.0   | Fastening Strap      |                 |         | X          |         | X          |                                            |
| 23   | 274.204.0   | Brake Linkage        |                 |         | X          |         | X          |                                            |
| 24   | 274.200.0   | Roll Holder Right    |                 |         | X          |         | X          |                                            |
| 25   | 274.210.1   | Locking Bolt         |                 |         | X          |         | X          |                                            |
| 26   | 910.414.0   | Washer               |                 |         | X          |         | X          | A 10.5                                     |
| 27   | 910.603.0   | Washer               |                 |         | X          |         | X          | A 8.4                                      |
| 28   | 275.424.1   | Pulley Bracket       |                 |         | X          |         | X          |                                            |
| 29   | 905.231.0   | Flat Round Bolt      |                 |         | X          |         | X          | M8 X 20                                    |
| 30   | 913.201.0   | Pin                  |                 |         | X          |         | X          |                                            |
| 35   | 274.675.0   | Netwrap Complete     |                 |         | X          |         | X          | Includes Items 1-30 & Items on Prev. Pages |
|      | 275.715.0   | Netwrap Complete     |                 | X       |            | X       |            | Includes Items 1-30 & Items on Prev. Pages |



## Hydraulics - Standard Pickup

## Hydraulics - Standard Pickup


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|---------------|
| 1    | 908.758.0   | Hex Nut            |                 | X       |            | X       |            | NM10          |
| 2    | 910.361.0   | Washer             |                 | X       |            | X       |            | 10.5 X 25 X 4 |
| 3    | 339.698.1   | Mounting Plate     |                 | X       |            | X       |            |               |
| 4    |             | Hydraulic Tube     |                 | X       |            | X       |            | 12 X 1.5      |
| 5    | 903.056.1   | Allen Screw        |                 | X       |            | X       |            | M6 X 70       |
| 6    | 921.206.0   | Union Nut          |                 | X       |            | X       |            | AL 12         |
| 7    | 921.046.1   | Cutting Ring       |                 | X       |            | X       |            | L 12          |
| 8    | 921.003.1   | Hydraulic Hose     |                 | X       |            | X       |            | 620mm Long    |
| 9    | 920.901.0   | Male Connector     |                 | X       |            | X       |            | L 12          |
| 10   | 921.347.2   | Hydraulic Cylinder |                 | X       |            |         |            | Tailgate      |
| 11   | 921.467.0   | Seal Kit           |                 | X       |            |         |            |               |
|      | 921.348.2   | Hydraulic Cylinder |                 |         |            | X       |            | Tailgate      |
|      | 921.467.0   | Seal Kit           |                 |         |            | X       |            |               |
|      | 921.303.2   | Hydraulic Cylinder |                 | X       |            | X       |            | Pickup        |
|      | 921.423.0   | Seal Kit           |                 | X       |            | X       |            |               |
| 12   | 921.071.1   | T Connector        |                 | X       |            | X       |            | L 12          |
| 13   | 912.615.0   | Roll Pin           |                 | X       |            | X       |            | 5 X 36        |
| 14   | 280.161.0   | Pin                |                 | X       |            | X       |            | 25 X 55       |
| 15   | 280.208.2   | Pin                |                 | X       |            | X       |            | 25 X 68       |
| 16   | 921.211.1   | Valve              |                 | X       |            | X       |            |               |
| 17   | 274.109.0   | Pin                |                 | X       |            | X       |            | 25 X 70       |
| 18   | 906.802.2   | Self-Tapping Screw |                 | X       |            | X       |            | B 4.8 X 45    |
| 19   | 908.208.0   | Hex Nut            |                 | X       |            | X       |            | M6            |
| 20   | 925.107.1   | Clamp              |                 | X       |            | X       |            | Bo.=12        |
| 21   | 910.607.0   | Washer             |                 | X       |            | X       |            | 7.4 X 22 X 2  |
| 22   | 925.105.0   | Clamp              |                 | X       |            | X       |            | Bo.=12/12     |
| 23   | 921.038.1   | Hydraulic Hose     |                 | X       |            | X       |            | 3000mm Long   |
| 24   | 921.054.1   | Connector          |                 | X       |            | X       |            | L 12          |
| 26   | 921.145.0   | Hydraulic Coupling |                 | X       |            | X       |            | M18 X 1.5     |
| 27   | 921.030.1   | Hydraulic Hose     |                 | X       |            | X       |            | 1600mm Long   |
| 28   | 921.171.0   | Dust Cap           |                 | X       |            | X       |            |               |
| 29   | 344.524.0   | 3-Way Valve        |                 | X       |            | X       |            |               |
| 30   | 274.612.0   | Angle Bracket      |                 | X       |            | X       |            |               |
| 31   | 900.636.0   | Hex Head Bolt      |                 | X       |            | X       |            | M10 X 25      |
| 32   | 953.715.0   | Mounting Bracket   |                 | X       |            | X       |            |               |
| 33   | 921.001.0   | Hydraulic Hose     |                 | X       |            | X       |            | 600mm Long    |
| 34   | 908.006.1   | Hex Nut            |                 | X       |            | X       |            | M4            |
| 35   | 168.112.3   | Clamping Bracket   |                 | X       |            | X       |            |               |



**Hydraulics - Standard Pickup**

## Hydraulics - Standard Pickup

| Item | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D<br>WP | KR-160B | KR-160D<br>WP | Notes     |
|------|-------------|------------------|-----------------|---------|---------------|---------|---------------|-----------|
| 36   | 274.121.2   | Clamping Bracket |                 | X       |               | X       |               | AM 4 X 10 |
| 37   | 274.466.1   | Cylinder Support |                 | X       |               | X       |               |           |
| 38   | 903.723.0   | Allen Screw      |                 | X       |               | X       |               |           |




Hydraulics - Wide Pickup



## Hydraulics - Wide Pickup


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes          |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|----------------|
| 1    | 908.758.0   | Hex Nut            |                 |         | X          |         | X          | NM10           |
| 2    | 910.361.0   | Washer             |                 |         | X          |         | X          | 10.5 X 25 X 4  |
| 3    | 339.698.1   | Mounting Plate     |                 |         | X          |         | X          |                |
| 4    |             | Hydraulic Tube     |                 |         | X          |         | X          | 12 X 1.5       |
| 5    | 903.056.1   | Allen Screw        |                 |         | X          |         | X          | M6 X 70        |
| 6    | 921.206.0   | Union Nut          |                 |         | X          |         | X          | AL 12          |
| 7    | 921.046.1   | Cutting Ring       |                 |         | X          |         | X          | L 12           |
| 8    | 921.001.0   | Hydraulic Hose     |                 |         | X          |         | X          | 600mm Long     |
| 9    | 921.003.1   | Hydraulic Hose     |                 |         | X          |         | X          | 620mm Long     |
| 10   | 921.347.2   | Hydraulic Cylinder |                 |         | X          |         |            |                |
| 11   | 921.467.0   | Seal Kit           |                 |         | X          |         |            |                |
|      | 921.348.2   | Hydraulic Cylinder |                 |         |            |         | X          |                |
|      | 921.467.0   | Seal Kit           |                 |         |            |         | X          |                |
|      | 921.395.0   | Hydraulic Cylinder |                 |         | X          |         | X          |                |
|      | 921.423.0   | Seal Kit           |                 |         | X          |         | X          |                |
| 12   | 921.071.1   | T Connector        |                 |         | X          |         | X          | L 12           |
| 13   |             | Hydraulic Tube     |                 |         | X          |         | X          | 6 X 1          |
| 14   | 921.083.1   | Reducer            |                 |         | X          |         | X          | KOR 12/6-PL    |
| 15   | 921.039.1   | Union Nut          |                 |         | X          |         | X          | AL 6           |
| 16   | 921.045.1   | Cutting Ring       |                 |         | X          |         | X          | L 6            |
| 17   | 919.810.1   | Breather           |                 |         | X          |         | X          | R 1/8"         |
| 18   | 906.802.2   | Self-Tapping Screw |                 |         | X          |         | X          | B 4.8 X 45     |
| 19   | 908.208.0   | Hex Nut            |                 |         | X          |         | X          | M6             |
| 20   | 925.107.1   | Clamp              |                 |         | X          |         | X          | Bo.=12         |
|      | 925.123.0   | Clamp              |                 |         | X          |         | X          | Bo.=6          |
| 21   | 910.351.1   | Washer             |                 |         | X          |         | X          | 6.4 X 18 X 1.6 |
| 22   | 925.105.0   | Clamp              |                 |         | X          |         | X          | Bo.=12/12      |
|      | 925.122.0   | Clamp              |                 |         | X          |         | X          | Bo.=12/6       |
| 23   | 921.038.1   | Hydraulic Hose     |                 |         | X          |         | X          | 3000mm Long    |
| 24   | 921.054.1   | Connector          |                 |         | X          |         | X          | L 12           |
| 25   | 921.171.0   | Dust Cap           |                 |         | X          |         | X          |                |
| 26   | 921.145.0   | Hydraulic Coupling |                 |         | X          |         | X          | M18 X 1.5      |
| 27   | 921.030.1   | Hydraulic Hose     |                 |         | X          |         | X          | 1600mm Long    |
| 28   | 921.211.1   | Valve              |                 |         | X          |         | X          |                |
| 29   | 344.524.0   | 3-Way Valve        |                 |         | X          |         | X          |                |
| 30   | 274.612.0   | Angle Bracket      |                 |         | X          |         | X          |                |
| 31   | 900.636.0   | Hex Head Bolt      |                 |         | X          |         | X          | M10 X 25       |
| 32   | 953.715.0   | Mounting Bracket   |                 |         | X          |         | X          |                |



**Hydraulics - Wide Pickup**

## Hydraulics - Wide Pickup


| Item | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes     |
|------|-------------|------------------|-----------------|---------|------------|---------|------------|-----------|
| 33   | 280.208.2   | Pin              |                 |         | X          |         | X          | 25 X 68   |
| 34   | 912.615.0   | Roll Pin         |                 |         | X          |         | X          | 5 X 36    |
| 35   | 274.466.1   | Cylinder Support |                 |         | X          |         | X          |           |
| 36   | 908.006.1   | Hex Nut          |                 |         | X          |         | X          | M4        |
| 37   | 168.112.3   | Clamping Bracket |                 |         | X          |         | X          |           |
| 38   | 274.121.2   | Clamping Bracket |                 |         | X          |         | X          |           |
| 39   | 903.723.0   | Allen Screw      |                 |         | X          |         | X          | AM 4 X 10 |
| 40   | 920.901.0   | Connector        |                 |         | X          |         | X          | L 12      |



Hydraulic Starter

## Hydraulic Starter


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                       |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|---------------------------------------------|
| 1    | 921.171.0   | Dust Cap           |                 |         | X          |         | X          | 3000mm Long<br>12 X 1.5<br>M8 X 160         |
| 2    | 921.038.1   | Hydraulic Hose     |                 |         | X          |         | X          |                                             |
| 3    |             | Hydraulic Tube     |                 |         | X          |         | X          |                                             |
| 4    | 918.307.0   | Eye Bolt           |                 |         | X          |         | X          |                                             |
| 5    | 274.363.1   | Pulley             |                 |         | X          |         | X          |                                             |
| 6    | 908.758.0   | Hex Nut            |                 |         | X          |         | X          | NM10<br>M6<br>Bo.=12<br>AM 6 X 28<br>4 X 32 |
| 7    | 908.208.0   | Hex Nut            |                 |         | X          |         | X          |                                             |
| 8    | 925.107.1   | Clamp              |                 |         | X          |         | X          |                                             |
| 9    | 903.755.0   | Allen Screw        |                 |         | X          |         | X          |                                             |
| 10   | 912.067.1   | Cotter Pin         |                 |         | X          |         | X          |                                             |
| 11   | 274.586.0   | Pulley Bracket     |                 |         | X          |         | X          | M8 X 16<br><br>A 10.5<br>M10 X 20           |
| 12   | 904.730.0   | Flat Round Bolt    |                 |         | X          |         | X          |                                             |
| 13   | 274.588.0   | Tensioner Rod      |                 |         | X          |         | X          |                                             |
| 14   | 910.414.0   | Washer             |                 |         | X          |         | X          |                                             |
| 15   | 900.634.0   | Hex Head Bolt      |                 |         | X          |         | X          |                                             |
| 16   | 274.483.1   | Tension Spring     |                 |         | X          |         | X          | M8 X 30<br>M8<br>AL 12<br>L 12              |
| 17   | 280.400.1   | Eye Bolt           |                 |         | X          |         | X          |                                             |
| 18   | 908.210.0   | Hex Nut            |                 |         | X          |         | X          |                                             |
| 19   | 921.206.0   | Union Nut          |                 |         | X          |         | X          |                                             |
| 20   | 921.046.1   | Cutting Ring       |                 |         | X          |         | X          |                                             |
| 21   | 921.090.1   | Hydraulic Elbow    |                 |         | X          |         | X          | M8<br><br>A 8.4<br><br>S 16 X 22            |
| 22   | 921.304.1   | Hydraulic Cylinder |                 |         | X          |         | X          |                                             |
|      | 921.416.0   | Seal Kit           |                 |         | X          |         | X          |                                             |
| 23   | 939.732.0   | Pressure Spring    |                 |         | X          |         | X          |                                             |
| 24   | 908.210.0   | Hex Nut            |                 |         | X          |         | X          |                                             |
| 25   | 910.603.0   | Washer             |                 |         | X          |         | X          | NW 10<br><br>1630mm Long                    |
| 26   | 274.585.0   | Angle Bracket      |                 |         | X          |         | X          |                                             |
| 27   | 910.714.0   | Support Washer     |                 |         | X          |         | X          |                                             |
| 28   | 939.634.1   | Tension Spring     |                 |         | X          |         | X          |                                             |
| 29   | 913.201.0   | Pin                |                 |         | X          |         | X          |                                             |
| 30   | 921.145.0   | Hydraulic Coupling |                 |         | X          |         | X          |                                             |
| 31   | 917.901.0   | Hook               |                 |         | X          |         | X          |                                             |
| 32   | 922.926.2   | Cable              |                 |         | X          |         | X          |                                             |



**Tailgate Lock & Filling Indicators**

## Tailgate Lock & Filling Indicators

| Item | Part Number | Description               | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                   |
|------|-------------|---------------------------|-----------------|---------|------------|---------|------------|-------------------------|
| 1    | 274.731.0   | Pin                       |                 | X       | X          | X       | X          | Rd. 25 X 85             |
| 2    | 275.528.0   | Angle for Position Feeler |                 | X       | X          | X       | X          |                         |
| 3    | 908.711.1   | Hex Nut                   |                 | X       | X          | X       | X          | NM12                    |
| 5    | 912.780.1   | Roll Pin                  |                 | X       | X          | X       | X          | 13 X 75                 |
| 6    | 912.681.1   | Roll Pin                  |                 | X       | X          | X       | X          | 8 X 75                  |
| 7    | 274.078.0   | Threaded Pin              |                 | X       | X          | X       | X          | Rd. 20 X 42             |
| 8    | 910.506.0   | Washer                    |                 | X       | X          | X       | X          | 14                      |
| 9    | 939.732.0   | Pressure Spring           |                 | X       | X          | X       | X          |                         |
| 10   | 908.210.0   | Hex Nut                   |                 | X       | X          | X       | X          | M8                      |
| 11   | 274.336.2   | Guide Strap               |                 | X       | X          | X       | X          |                         |
| 12   | 912.579.1   | Roll Pin                  |                 | X       | X          | X       | X          | 4 X 20                  |
| 13   | 901.423.0   | Hex Head Bolt             |                 | X       | X          | X       | X          | M8 X 50                 |
| 14   | 900.656.0   | Hex Head Bolt             |                 | X       | X          | X       | X          | M12 X 30                |
| 15   | 275.353.0   | Strap                     |                 | X       | X          | X       | X          |                         |
| 16   | 910.506.0   | Washer                    |                 | X       | X          | X       | X          | 14 X 24 X 2.5           |
| 17   | 908.706.0   | Hex Nut                   |                 | X       | X          | X       | X          | NM8                     |
| 18   | 908.704.1   | Hex Nut                   |                 | X       | X          | X       | X          | NM6                     |
| 19   | 900.237.0   | Hex Head Bolt             |                 | X       | X          | X       | X          | M6 X 20                 |
| 20   | 912.130.1   | Cotter Pin                |                 | X       | X          | X       | X          | 8 X 45                  |
| 21   | 275.352.0   | Pin                       |                 | X       | X          | X       | X          |                         |
| 22   | 275.357.0   | Stop                      |                 | X       | X          | X       | X          |                         |
| 23   | 275.833.0   | Rod L/H                   |                 | X       | X          |         |            | Includes Items 3, 14-16 |
|      | 275.834.0   | Rod L/H                   |                 |         |            | X       | X          | Includes Items 3, 14-16 |
| 24   | 275.365.0   | Cable for Indicator L/H   |                 | X       | X          |         |            |                         |
|      | 275.358.0   | Cable for Indicator L/H   |                 |         |            | X       | X          |                         |
| 25   | 274.287.2   | Angle Lever L/H           |                 | X       | X          | X       | X          |                         |
| 26   | 270.283.0   | Tension Spring            |                 | X       | X          | X       | X          |                         |
| 27   | 908.212.0   | Hex Nut                   |                 | X       | X          | X       | X          | M10                     |
| 28   | 900.614.0   | Hex Head Bolt             |                 | X       | X          | X       | X          | M8 X 20                 |
| 29   | 909.410.1   | Wing Nut                  |                 | X       | X          | X       | X          | M8                      |
| 30   | 274.512.3   | Support                   |                 | X       | X          | X       | X          |                         |
| 31   | 274.582.0   | Pointer                   |                 | X       | X          | X       | X          |                         |
| 32   | 274.610.1   | Pointer                   |                 | X       | X          | X       | X          |                         |
| 33   | 344.565.0   | Spacer Tube               |                 | X       | X          | X       | X          |                         |
| 34   | 274.286.2   | Angle Lever R/H           |                 | X       | X          | X       | X          |                         |
| 35   | 345.432.1   | Tension Spring            |                 | X       | X          | X       | X          |                         |
| 36   | 274.491.0   | Guide Plate for Pointer   |                 | X       | X          | X       | X          |                         |
| 37   | 912.579.1   | Roll Pin                  |                 | X       | X          | X       | X          | 4 X 20                  |




**Tailgate Lock & Filling Indicators**



## Tailgate Lock & Filling Indicators

| Item | Part Number | Description                      | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes       |
|------|-------------|----------------------------------|-----------------|---------|------------|---------|------------|-------------|
| 38   | 275.362.2   | Rod R/H                          |                 | X       | X          |         |            |             |
| 39   | 275.302.2   | Rod R/H                          |                 |         |            | X       | X          |             |
| 40   | 900.622.0   | Hex Head Bolt                    |                 | X       | X          | X       | X          | M8 X 70     |
|      | 275.364.0   | Cable for Indicator R/H          |                 | X       | X          |         |            |             |
|      | 275.359.0   | Cable for Indicator R/H          |                 |         |            | X       | X          |             |
| 41   | 274.136.1   | Feeler                           |                 | X       | X          | X       | X          |             |
| 42   | 274.059.3   | Tailgate Latch                   |                 | X       | X          | X       | X          |             |
| 43   | 280.159.1   | Pin                              |                 | X       | X          | X       | X          | Rd. 25 X 78 |
| 44   | 912.145.1   | Cotter Pin                       |                 | X       | X          | X       | X          | 10 X 50     |
| 45   | 900.614.0   | Hex Head Bolt                    |                 | X       | X          | X       | X          | M8 X 20     |
| 46   | 274.109.0   | Pin                              |                 | X       | X          | X       | X          | Rd. 25 X 70 |
| 47   | 912.615.0   | Roll Pin                         |                 | X       | X          | X       | X          | 5 X 36      |
| 48   | 274.066.0   | Pin                              |                 | X       | X          | X       | X          | Rd. 25 X 70 |
| 49   | 912.670.0   | Roll Pin                         |                 | X       | X          | X       | X          | 8 X 40      |
| 50   | 912.774.0   | Roll Pin                         |                 | X       | X          | X       | X          | 13 X 40     |
| 51   | 274.718.1   | Clevis                           |                 | X       | X          | X       | X          |             |
| 52   | 908.525.1   | Hex Nut                          |                 | X       | X          | X       | X          | M20         |
| 53   | 921.385.4   | Hydraulic Cylinder w/Accumulator |                 | X       | X          | X       | X          |             |
| 54   | 274.711.3   | Lever                            |                 | X       | X          |         |            |             |
|      | 274.710.3   | Lever                            |                 |         |            | X       | X          |             |
| 57   | 274.514.1   | Adjusting Angle                  |                 | X       | X          | X       | X          |             |
| 58   | 908.704.1   | Hex Nut                          |                 | X       | X          | X       | X          | NM6         |
| 59   | 910.603.0   | Washer                           |                 | X       | X          | X       | X          | A 8.4       |
| 60   | 901.433.0   | Hex Head Bolt                    |                 | X       | X          | X       | X          | M10 X 50    |




647 032 2

**Front & Rear Guards - KR-130 - Standard Pickup**

## Front & Rear Guards - KR-130 - Standard Pickup

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                          |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|----------------------------------------------------------------|
| 1    | 274.576.0   | Cover Plate            |                 | X       |            |         |            | NM8<br>A 8.4<br>M8 X 20<br>B 8                                 |
| 2    | 908.706.0   | Hex Nut                |                 | X       |            |         |            |                                                                |
| 3    | 910.603.0   | Washer                 |                 | X       |            |         |            |                                                                |
| 4    | 900.614.0   | Hex Head Bolt          |                 | X       |            |         |            |                                                                |
| 6    | 910.033.0   | Spring Washer          |                 | X       |            |         |            |                                                                |
| 7    | 274.371.1   | Top Guard Holder Left  |                 | X       |            |         |            | M8<br><br>Includes Items 24, 25, 27, 32                        |
|      | 274.372.1   | Top Guard Holder Right |                 | X       |            |         |            |                                                                |
| 8    | 908.210.0   | Hex Nut                |                 | X       |            |         |            |                                                                |
| 9    | 924.251.0   | Retaining Washer       |                 | X       |            |         |            |                                                                |
| 10   | 275.180.5   | Side Guard L/H         |                 | X       |            |         |            |                                                                |
|      | 275.368.5   | Side Guard R/H         |                 | X       |            |         |            | Includes Items 24, 25, 27, 32<br>R 14<br>M10 X 130<br><br>R 11 |
| 11   | 910.643.0   | Washer                 |                 | X       |            |         |            |                                                                |
| 12   | 901.446.0   | Hex Head Bolt          |                 | X       |            |         |            |                                                                |
| 13   | 924.249.0   | Knob                   |                 | X       |            |         |            |                                                                |
| 14   | 910.353.0   | Washer                 |                 | X       |            |         |            |                                                                |
| 15   | 274.297.2   | Spacer Tube            |                 | X       |            |         |            | M10<br>M10 X 20<br><br>A 8.4                                   |
| 16   | 908.212.0   | Hex Nut                |                 | X       |            |         |            |                                                                |
| 17   | 900.634.0   | Hex Head Bolt          |                 | X       |            |         |            |                                                                |
| 18   | 924.208.0   | Cable Bushing          |                 | X       |            |         |            |                                                                |
| 19   | 910.603.0   | Washer                 |                 | X       |            |         |            |                                                                |
| 20   | 900.614.0   | Hex Head Bolt          |                 | X       |            |         |            | M8 X 20                                                        |
| 21   | 275.270.3   | Top Rear Guard         |                 | X       |            |         |            |                                                                |
| 22   | 274.641.0   | Bottom Rear Guard      |                 | X       |            |         |            |                                                                |
| 23   | 275.181.5   | Side Guard L/H         |                 | X       |            |         |            |                                                                |
|      | 275.369.5   | Side Guard R/H         |                 | X       |            |         |            |                                                                |
| 24   | 908.208.0   | Hex Nut                |                 | X       |            |         |            | M6<br>A 6.4<br><br>M6 X 16                                     |
| 25   | 910.411.1   | Washer                 |                 | X       |            |         |            |                                                                |
| 26   | 275.370.2   | Lower Side Guard L/H   |                 | X       |            |         |            |                                                                |
|      | 275.371.2   | Lower Side Guard R/H   |                 | X       |            |         |            |                                                                |
| 27   | 900.607.0   | Hex Head Bolt          |                 | X       |            |         |            |                                                                |
| 28   | 910.413.0   | Washer                 |                 | X       |            |         |            | A 8.4<br>M8 X 30<br><br>Includes Items 24, 25, 27, 32          |
| 29   | 900.617.0   | Hex Head Bolt          |                 | X       |            |         |            |                                                                |
| 31   | 274.367.1   | Bottom Guard Holder    |                 | X       |            |         |            |                                                                |
| 32   | 274.375.2   | Hinge                  |                 | X       |            |         |            |                                                                |
| 33   | 275.162.5   | Front Guard L/H        |                 | X       |            |         |            |                                                                |
|      | 275.163.5   | Front Guard R/H        |                 | X       |            |         |            | Includes Items 24, 25, 27, 32<br>M8<br>M6 X 16                 |
| 34   | 908.210.0   | Hex Nut                |                 | X       |            |         |            |                                                                |
| 35   | 905.210.0   | Flat Round Bolt        |                 | X       |            |         |            |                                                                |




647 032 2

**Front & Rear Guards - KR-130 - Standard Pickup**

## Front & Rear Guards - KR-130 - Standard Pickup


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|---------------|
| 36   | 274.611.1   | Hinge Plate         |                 | X       |            |         |            |               |
| 37   | 274.609.0   | Gas Strut           |                 | X       |            |         |            |               |
| 39   | 274.584.1   | Twine Box Cover     |                 | X       |            |         |            |               |
| 40   | 280.761.0   | Top Guard Holder    |                 | X       |            |         |            |               |
| 41   | 280.758.0   | Bottom Guard Holder |                 | X       |            |         |            |               |
| 42   | 910.414.0   | Washer              |                 | X       |            |         |            | 10.5 X 21 X 2 |
| 43   | 908.758.0   | Hex Nut             |                 | X       |            |         |            | NM10          |
| 44   | 901.433.0   | Hex Head Bolt       |                 | X       |            |         |            | M10 X 50      |



**Front & Rear Guards - KR-130 - Wide Pickup**

## Front & Rear Guards - KR-130 - Wide Pickup

| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                                               |
|------|-------------|-------------------------|-----------------|---------|------------|---------|------------|-------------------------------------------------------------------------------------|
| 1    | 274.576.0   | Cover Plate             |                 |         | X          |         |            | NM8<br>A 8.4<br>B 10<br>M8 X 20                                                     |
| 2    | 908.706.0   | Hex Nut                 |                 |         | X          |         |            |                                                                                     |
| 3    | 910.603.0   | Washer                  |                 |         | X          |         |            |                                                                                     |
| 4    | 910.111.1   | Spring Washer           |                 |         | X          |         |            |                                                                                     |
| 5    | 900.614.0   | Hex Head Bolt           |                 |         | X          |         |            |                                                                                     |
| 6    | 910.033.0   | Spring Washer           |                 |         | X          |         |            | B 8<br><br><br>M8                                                                   |
| 7    | 274.371.1   | Top Guard Holder Left   |                 |         | X          |         |            |                                                                                     |
|      | 274.372.1   | Top Guard Holder Right  |                 |         | X          |         |            |                                                                                     |
| 8    | 908.210.0   | Hex Nut                 |                 |         | X          |         |            |                                                                                     |
| 9    | 924.251.0   | Retaining Washer        |                 |         | X          |         |            |                                                                                     |
| 10   | 274.819.0   | Side Guard L/H          |                 |         | X          |         |            | Includes Items 24, 25, 27, 32<br>Includes Items 24, 25, 27, 32<br>R 14<br>M10 X 130 |
|      | 274.820.0   | Side Guard R/H          |                 |         | X          |         |            |                                                                                     |
| 11   | 910.643.0   | Washer                  |                 |         | X          |         |            |                                                                                     |
| 12   | 901.446.0   | Hex Head Bolt           |                 |         | X          |         |            |                                                                                     |
| 13   | 924.249.0   | Knob                    |                 |         | X          |         |            |                                                                                     |
| 14   | 910.353.0   | Washer                  |                 |         | X          |         |            | R 11<br><br>M10<br>M10 X 20                                                         |
| 15   | 274.297.2   | Spacer Tube             |                 |         | X          |         |            |                                                                                     |
| 16   | 908.212.0   | Hex Nut                 |                 |         | X          |         |            |                                                                                     |
| 17   | 900.634.0   | Hex Head Bolt           |                 |         | X          |         |            |                                                                                     |
| 18   | 924.208.0   | Cable Bushing           |                 |         | X          |         |            |                                                                                     |
| 19   | 274.993.0   | Lower Guard Holder      |                 |         | X          |         |            | M8 X 25                                                                             |
| 20   | 900.616.0   | Hex Head Bolt           |                 |         | X          |         |            |                                                                                     |
| 21   | 274.823.0   | Top Rear Guard          |                 |         | X          |         |            |                                                                                     |
| 22   | 274.641.0   | Bottom Rear Guard       |                 |         | X          |         |            |                                                                                     |
| 23   | 274.821.1   | Side Guard L/H          |                 |         | X          |         |            |                                                                                     |
|      | 274.822.1   | Side Guard R/H          |                 |         | X          |         |            | M6<br>A 6.4                                                                         |
| 24   | 908.208.0   | Hex Nut                 |                 |         | X          |         |            |                                                                                     |
| 25   | 910.411.1   | Washer                  |                 |         | X          |         |            |                                                                                     |
| 26   | 274.824.0   | Lower Side Guard L/H    |                 |         | X          |         |            |                                                                                     |
|      | 274.825.0   | Lower Side Guard R/H    |                 |         | X          |         |            |                                                                                     |
| 27   | 900.607.0   | Hex Head Bolt           |                 |         | X          |         |            | M6 X 16<br>A 8.4                                                                    |
| 28   | 910.413.0   | Washer                  |                 |         | X          |         |            |                                                                                     |
| 29   | 280.761.0   | Upper Guard Holder      |                 |         | X          |         |            |                                                                                     |
| 30   | 280.758.0   | Lower Guard Holder      |                 |         | X          |         |            |                                                                                     |
| 31   | 274.815.0   | Bottom Guard Holder L/H |                 |         | X          |         |            |                                                                                     |
|      | 274.816.0   | Bottom Guard Holder R/H |                 |         | X          |         |            | Includes Items 24, 25, 27, 32                                                       |
| 32   | 274.375.2   | Hinge                   |                 |         | X          |         |            |                                                                                     |
| 33   | 275.642.0   | Front Guard L/H         |                 |         | X          |         |            |                                                                                     |




**Front & Rear Guards - KR-130 - Wide Pickup**



## Front & Rear Guards - KR-130 - Wide Pickup


| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                    |
|------|-------------|-----------------|-----------------|---------|------------|---------|------------|------------------------------------------|
| 33   | 275.643.0   | Front Guard R/H |                 |         | X          |         |            | Includes Items 24, 25, 27, 32<br>M6 X 16 |
| 35   | 905.210.0   | Flat Round Bolt |                 |         | X          |         |            |                                          |
| 36   | 274.611.1   | Hinge Plate     |                 |         | X          |         |            |                                          |
| 37   | 274.609.0   | Gas Strut       |                 |         | X          |         |            |                                          |
| 39   | 274.584.1   | Twine Box Cover |                 |         | X          |         |            |                                          |
| 40   | 910.414.0   | Washer          |                 |         | X          |         |            | 10.5 X 21 X 2<br>NM10<br>M10 X 50        |
| 41   | 908.758.0   | Hex Nut         |                 |         | X          |         |            |                                          |
| 42   | 901.433.0   | Hex Head Bolt   |                 |         | X          |         |            |                                          |



**Front & Rear Guards - KR-160 - Standard Pickup**

## Front & Rear Guards - KR-160 - Standard Pickup


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                                                     |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|-----------------------------------------------------------|
| 1    | 274.576.0   | Cover Plate            |                 |         |            | X       |            | NM8<br>A 8.4<br>M8 X 20<br>B 8                            |
| 2    | 908.706.0   | Hex Nut                |                 |         |            | X       |            |                                                           |
| 3    | 910.603.0   | Washer                 |                 |         |            | X       |            |                                                           |
| 4    | 900.614.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 6    | 910.033.0   | Spring Washer          |                 |         |            | X       |            |                                                           |
| 7    | 274.371.1   | Top Guard Holder Left  |                 |         |            | X       |            | M8<br><br>Includes Items 25-27, 32                        |
|      | 274.372.1   | Top Guard Holder Right |                 |         |            | X       |            |                                                           |
| 8    | 908.210.0   | Hex Nut                |                 |         |            | X       |            |                                                           |
| 9    | 924.251.0   | Retaining Washer       |                 |         |            | X       |            |                                                           |
| 10   | 275.182.4   | Side Guard L/H         |                 |         |            | X       |            |                                                           |
|      | 275.347.4   | Side Guard R/H         |                 |         |            | X       |            | Includes Items 25-27, 32<br>R 14<br>M10 X 130<br><br>R 11 |
| 11   | 910.643.0   | Washer                 |                 |         |            | X       |            |                                                           |
| 12   | 901.446.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 13   | 924.249.0   | Knob                   |                 |         |            | X       |            |                                                           |
| 14   | 910.353.0   | Washer                 |                 |         |            | X       |            |                                                           |
| 15   | 274.297.2   | Spacer Tube            |                 |         |            | X       |            | M10<br>M10 X 20<br><br>A 8.4                              |
| 16   | 908.212.0   | Hex Nut                |                 |         |            | X       |            |                                                           |
| 17   | 900.634.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 18   | 924.208.0   | Cable Bushing          |                 |         |            | X       |            |                                                           |
| 19   | 910.603.0   | Washer                 |                 |         |            | X       |            |                                                           |
| 20   | 900.614.0   | Hex Head Bolt          |                 |         |            | X       |            | M8 X 20                                                   |
| 21   | 275.269.3   | Top Rear Guard         |                 |         |            | X       |            |                                                           |
| 22   | 274.640.0   | Bottom Rear Guard      |                 |         |            | X       |            |                                                           |
| 23   | 275.183.5   | Side Guard L/H         |                 |         |            | X       |            |                                                           |
|      | 275.348.5   | Side Guard R/H         |                 |         |            | X       |            |                                                           |
| 24   | 275.366.0   | Guard L/H              |                 |         |            | X       |            | M6<br>A 6.4<br>M6 X 16                                    |
|      | 275.367.0   | Guard R/H              |                 |         |            | X       |            |                                                           |
| 25   | 908.208.0   | Hex Nut                |                 |         |            | X       |            |                                                           |
| 26   | 910.411.1   | Washer                 |                 |         |            | X       |            |                                                           |
| 27   | 900.607.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 28   | 910.413.0   | Washer                 |                 |         |            | X       |            | A 8.4<br>M8 X 30<br><br>M8 X 20                           |
| 29   | 900.617.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 31   | 274.367.1   | Bottom Guard Holder    |                 |         |            | X       |            |                                                           |
| 32   | 274.375.2   | Hinge                  |                 |         |            | X       |            |                                                           |
| 33   | 900.614.0   | Hex Head Bolt          |                 |         |            | X       |            |                                                           |
| 34   | 275.162.5   | Front Guard L/H        |                 |         |            | X       |            | Includes Items 25-27, 32                                  |
|      | 275.163.5   | Front Guard R/H        |                 |         |            | X       |            | Includes Items 25-27, 32                                  |
| 35   | 908.210.0   | Hex Nut                |                 |         |            | X       |            | M8                                                        |



**Front & Rear Guards - KR-160 - Standard Pickup**

## Front & Rear Guards - KR-160 - Standard Pickup


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                             |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|-----------------------------------|
| 36   | 905.210.0   | Flat Round Bolt     |                 |         |            | X       |            | M6 X 16                           |
| 37   | 274.611.1   | Hinge Plate         |                 |         |            | X       |            |                                   |
| 38   | 274.609.0   | Gas Strut           |                 |         |            | X       |            |                                   |
| 40   | 274.584.1   | Twine Box Cover     |                 |         |            | X       |            |                                   |
| 41   | 280.761.0   | Top Guard Holder    |                 |         |            | X       |            |                                   |
| 42   | 280.758.0   | Bottom Guard Holder |                 |         |            | X       |            | 10.5 X 21 X 2<br>NM10<br>M10 X 50 |
| 43   | 910.414.0   | Washer              |                 |         |            | X       |            |                                   |
| 44   | 908.758.0   | Hex Nut             |                 |         |            | X       |            |                                   |
| 45   | 901.433.0   | Hex Head Bolt       |                 |         |            | X       |            |                                   |



**Front & Rear Guards - KR-160 - Wide Pickup**

## Front & Rear Guards - KR-160 - Wide Pickup

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                         |
|------|-------------|------------------------|-----------------|---------|------------|---------|------------|-------------------------------|
| 1    | 274.576.0   | Cover Plate            |                 |         |            |         | X          |                               |
| 2    | 908.706.0   | Hex Nut                |                 |         |            |         | X          | NM8                           |
| 3    | 910.603.0   | Washer                 |                 |         |            |         | X          | A 8.4                         |
| 4    | 900.614.0   | Hex Head Bolt          |                 |         |            |         | X          | M8 X 20                       |
| 5    | 910.033.0   | Spring Washer          |                 |         |            |         | X          | B 8                           |
| 6    | 274.371.1   | Top Guard Holder Left  |                 |         |            |         | X          |                               |
|      | 274.372.1   | Top Guard Holder Right |                 |         |            |         | X          |                               |
| 7    | 908.210.0   | Hex Nut                |                 |         |            |         | X          | M8                            |
| 8    | 924.251.0   | Retaining Washer       |                 |         |            |         | X          |                               |
| 9    | 275.644.0   | Side Guard L/H         |                 |         |            |         | X          | Includes Items 24, 25, 30, 31 |
|      | 275.645.0   | Side Guard R/H         |                 |         |            |         | X          | Includes Items 24, 25, 30, 31 |
| 10   | 910.643.0   | Washer                 |                 |         |            |         | X          | R 14                          |
| 11   | 901.446.0   | Hex Head Bolt          |                 |         |            |         | X          | M10 X 130                     |
| 12   | 924.249.0   | Knob                   |                 |         |            |         | X          |                               |
| 13   | 910.353.0   | Washer                 |                 |         |            |         | X          | R 11                          |
| 14   | 274.297.2   | Spacer Tube            |                 |         |            |         | X          |                               |
| 15   | 908.212.0   | Hex Nut                |                 |         |            |         | X          | M10                           |
| 16   | 900.634.0   | Hex Head Bolt          |                 |         |            |         | X          | M10 X 20                      |
| 17   | 924.208.0   | Cable Bushing          |                 |         |            |         | X          |                               |
| 18   | 275.648.0   | Top Rear Guard         |                 |         |            |         | X          |                               |
| 19   | 274.640.0   | Bottom Rear Guard      |                 |         |            |         | X          |                               |
| 20   | 275.646.1   | Side Guard L/H         |                 |         |            |         | X          |                               |
|      | 275.647.1   | Side Guard R/H         |                 |         |            |         | X          |                               |
| 21   | 910.111.1   | Spring Washer          |                 |         |            |         | X          | B 10                          |
| 22   | 275.649.0   | Lower Guard L/H        |                 |         |            |         | X          |                               |
|      | 275.650.0   | Lower Guard R/H        |                 |         |            |         | X          |                               |
| 23   | 274.993.0   | Lower Guard Holder     |                 |         |            |         | X          |                               |
| 24   | 274.375.2   | Hinge                  |                 |         |            |         | X          |                               |
| 25   | 900.607.0   | Hex Head Bolt          |                 |         |            |         | X          | M6 X 16                       |
| 26   | 274.815.0   | Lower Guard Holder L/H |                 |         |            |         | X          |                               |
|      | 274.816.0   | Lower Guard Holder R/H |                 |         |            |         | X          |                               |
| 27   | 900.616.0   | Hex Head Bolt          |                 |         |            |         | X          | M8 X 25                       |
| 28   | 910.413.0   | Washer                 |                 |         |            |         | X          | A 8.4                         |
| 29   | 275.642.0   | Side Guard L/H         |                 |         |            |         | X          | Includes Items 24, 25, 30, 31 |
|      | 275.643.0   | Side Guard R/H         |                 |         |            |         | X          | Includes Items 24, 25, 30, 31 |
| 30   | 908.208.0   | Hex Nut                |                 |         |            |         | X          | M6                            |
| 31   | 910.411.1   | Washer                 |                 |         |            |         | X          | A 6.4                         |
| 32   | 905.210.0   | Flat Round Bolt        |                 |         |            |         | X          | M6 X 16                       |




**Front & Rear Guards - KR-160 - Wide Pickup**



## Front & Rear Guards - KR-160 - Wide Pickup

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes         |
|------|-------------|--------------------|-----------------|---------|------------|---------|------------|---------------|
| 33   | 274.584.1   | Twine Box Cover    |                 |         |            |         | X          |               |
| 34   | 274.611.1   | Hinge Plate        |                 |         |            |         | X          |               |
| 35   | 274.609.0   | Gas Strut          |                 |         |            |         | X          |               |
| 36   | 280.761.0   | Upper Guard Holder |                 |         |            |         | X          |               |
| 37   | 280.758.0   | Lower Guard Holder |                 |         |            |         | X          |               |
| 38   | 910.414.0   | Washer             |                 |         |            |         | X          | 10.5 X 21 X 2 |
| 39   | 908.758.0   | Hex Nut            |                 |         |            |         | X          | NM10          |
| 40   | 901.433.0   | Hex Head Bolt      |                 |         |            |         | X          | M10 X 50      |




445 612 1

## Lighting

## Lighting


| Item | Part Number | Description           | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                          |
|------|-------------|-----------------------|-----------------|---------|------------|---------|------------|--------------------------------|
| 1    | 924.612.0   | Cable                 |                 | X       | X          | X       | X          | 7 Pin Outlet - 8 Pin Connector |
| 2    | 908.207.0   | Hex Nut               |                 | X       | X          | X       | X          | M5                             |
| 3    | 910.031.0   | Spring Washer         |                 | X       | X          | X       | X          | B 5                            |
| 4    | 924.671.0   | Light w/Cable L/H     |                 | X       | X          | X       | X          | 4 Pin                          |
| 5    | 924.670.0   | Light w/Cable R/H     |                 | X       | X          | X       | X          | 4 Pin                          |
| 6    | 924.699.0   | Lens                  |                 | X       | X          | X       | X          |                                |
| 7    | 904.345.1   | Countersunk Screw     |                 | X       | X          | X       | X          | M5 X 16                        |
| 8    | 924.535.1   | Rear Reflector Red    |                 | X       | X          | X       | X          |                                |
| 9    | 903.652.0   | Allen Screw           |                 | X       | X          | X       | X          | AM5 X 12                       |
| 10   | 200.286.1   | License Plate Bracket |                 | X       | X          | X       | X          |                                |
| 11   | 924.536.0   | Side Reflector Yellow |                 | X       | X          | X       | X          |                                |
| 12   | 924.610.1   | Connection Cable      |                 | X       | X          | X       | X          | 7 Pin                          |
| 13   | 903.661.0   | Allen Screw           |                 | X       | X          | X       | X          | AM5 X 30                       |
| 14   | 903.013.1   | Allen Screw           |                 | X       | X          | X       | X          | M4 X 25                        |
| 15   | 910.500.1   | Washer                |                 | X       | X          | X       | X          | 5.3 X 10 X 1                   |
| 16   | 908.006.1   | Hex Nut               |                 | X       | X          | X       | X          | M4                             |
| 20   | 275.086.3   | Lighting Complete     |                 | X       | X          | X       | X          | Excludes Items 7, 8, 11        |



## Comfort Control Electronics

## Comfort Control Electronics


| Item | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                      |
|------|-------------|-------------------------------|-----------------|---------|------------|---------|------------|----------------------------|
| 1    | 301.170.0   | Cap                           |                 | X       | X          | X       | X          | Red                        |
| 2    | 301.169.0   | Cap                           |                 | X       | X          | X       | X          | Black                      |
| 3    | 301.354.0   | Signal Light w/Base           |                 | X       | X          | X       | X          | Green                      |
| 4    | 301.338.0   | Lamp w/Socket                 |                 | X       | X          | X       | X          | 12V                        |
| 5    | 301.149.0   | Sealing Cap                   |                 | X       | X          | X       | X          |                            |
| 6    | 301.162.0   | Pressure Sensor               |                 | X       | X          | X       | X          |                            |
| 7    | 301.044.0   | Union Nut                     |                 | X       | X          | X       | X          |                            |
| 8    | 301.059.0   | Clamping Washer               |                 | X       | X          | X       | X          | NW 13                      |
| 9    | 301.083.0   | Male Connector                |                 | X       | X          | X       | X          |                            |
| 10   | 301.319.2   | Cable                         |                 | X       | X          | X       | X          | 10 X .5 - 2300mm Long      |
| 11   | 301.295.0   | Outlet Plug                   |                 | X       | X          | X       | X          | 10 Pin                     |
| 12   | 301.229.2   | Housing                       |                 | X       | X          | X       | X          |                            |
| 13   | 301.380.0   | Connector                     |                 | X       | X          | X       | X          | PG 9                       |
| 14   | 301.478.0   | Connector                     |                 | X       | X          | X       | X          | PG 7                       |
| 15   | 301.240.0   | Cable for Position Sensor L/H |                 | X       | X          | X       | X          |                            |
| 16   | 301.239.0   | Cable for Position Sensor R/H |                 | X       | X          | X       | X          |                            |
| 17   | 301.023.0   | Sensor                        |                 | X       | X          | X       | X          |                            |
| 18   | 301.185.0   | Position Sensor               |                 | X       | X          | X       | X          |                            |
| 19   | 301.186.0   | Gasket                        |                 | X       | X          | X       | X          |                            |
| 20   | 301.485.0   | Connection Cable              |                 | X       | X          | X       | X          | 500mm Long                 |
| 21   | 301.494.0   | Cable                         |                 | X       | X          | X       | X          | Includes Items 7-9, 26, 29 |
| 22   | 301.180.0   | Power Supply Cable            |                 | X       | X          | X       | X          | Includes Item 23           |
| 23   | 301.017.0   | Power Supply Plug             |                 | X       | X          | X       | X          |                            |
| 24   | 301.008.0   | Connector                     |                 | X       | X          | X       | X          |                            |
| 25   | 301.250.0   | Nut                           |                 | X       | X          | X       | X          | PG 9                       |
| 26   | 301.251.0   | Nut                           |                 | X       | X          | X       | X          | PG 11                      |
| 27   | 301.543.0   | Circuit Board Complete        |                 | X       | X          | X       | X          | Includes Item 28           |
| 28   | 301.544.0   | Fuse                          |                 | X       | X          | X       | X          | .5 A                       |
| 29   | 301.294.0   | Plug                          |                 | X       | X          | X       | X          | 10 Pin                     |
| 30   | 301.168.0   | Knob                          |                 | X       | X          | X       | X          |                            |
| 31   | 908.204.0   | Hex Nut                       |                 | X       | X          | X       | X          | M3                         |
| 32   | 903.402.0   | Allen Screw                   |                 | X       | X          | X       | X          | M3 X 6                     |
| 33   | 274.986.1   | Cover                         |                 | X       | X          | X       | X          |                            |
| 34   | 301.002.0   | Magnet                        |                 | X       | X          | X       | X          |                            |
| 35   | 301.174.2   | Control Box Complete          |                 | X       | X          | X       | X          | Includes Items 1-9, 21-30  |



Comfort Control Hydraulics

## Comfort Control Hydraulics

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes               |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|---------------------|
| 1    | 908.706.0   | Hex Nut             |                 | X       | X          | X       | X          | NM8                 |
| 2    | 908.704.1   | Hex Nut             |                 | X       | X          | X       | X          | NM6                 |
| 3    | 274.656.0   | Adapter             |                 | X       | X          | X       | X          |                     |
| 4    | 274.655.0   | Bracket             |                 | X       | X          | X       | X          |                     |
| 5    | 921.212.0   | Hydraulic Reservoir |                 | X       | X          | X       | X          |                     |
| 6    | 900.612.0   | Hex Head Bolt       |                 | X       | X          | X       | X          | M8 X 16             |
| 7    | 921.206.0   | Union Nut           |                 | X       | X          | X       | X          | AL 12               |
| 8    | 921.046.1   | Cutting Ring        |                 | X       | X          | X       | X          | L 12                |
| 9    | 920.901.0   | Male Connector      |                 | X       | X          | X       | X          | L 12 MB / M18 X 1.5 |
| 10   | 921.067.1   | Elbow Connector     |                 | X       | X          | X       | X          | L 12                |
| 11   | 921.161.0   | Magnetic Valve      |                 | X       | X          | X       | X          |                     |
| 12   |             | Hydraulic Tube      |                 | X       | X          | X       | X          | 12 X 1.5            |
| 14   | 903.057.0   | Allen Screw         |                 | X       | X          | X       | X          | M6 X 75             |
| 16   | 921.145.0   | Coupling            |                 | X       | X          | X       | X          | NW 10               |
| 17   | 921.077.1   | T Connector         |                 | X       | X          | X       | X          | L 12                |
| 18   | 921.038.1   | Hydraulic Hose      |                 | X       | X          | X       | X          | 3000mm Long         |
| 19   | 921.148.0   | Check Valve         |                 | X       | X          | X       | X          | S-RV 12 L           |
| 20   | 900.614.0   | Hex Head Bolt       |                 | X       | X          | X       | X          | M8 X 20             |
| 21   | 917.620.0   | Clamp               |                 | X       | X          | X       | X          | A 8                 |
| 22   | 274.650.2   | Sensor Holder       |                 | X       | X          | X       | X          |                     |
| 23   | 274.642.1   | Support             |                 | X       | X          | X       | X          |                     |
| 25   | 921.066.1   | Elbow Connector     |                 | X       | X          | X       | X          | L 12                |
| 26   | 921.071.1   | T Connector         |                 | X       | X          | X       | X          | L 12                |




# Bale Monitor

447 043 2



## Bale Monitor

| Item | Part Number | Description                 | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes                   |
|------|-------------|-----------------------------|-----------------|---------|------------|---------|------------|-------------------------|
| 1    | 301.010.1   | Indicator Housing Complete  |                 | X       | X          | X       | X          | Includes Items 2, 3, 10 |
| 2    | 301.005.0   | Lamp w/Base                 |                 | X       | X          | X       | X          |                         |
| 3    | 301.004.0   | Signal Light w/Socket - Red |                 | X       | X          | X       | X          |                         |
| 4    | 301.067.0   | Protecting Cap              |                 | X       | X          | X       | X          |                         |
| 5    | 301.023.0   | Sensor                      |                 | X       | X          | X       | X          |                         |
| 6    | 301.130.0   | Housing                     |                 | X       | X          | X       | X          |                         |
| 7    | 301.012.1   | Plug                        |                 | X       | X          | X       | X          |                         |
| 8    | 301.131.0   | Cable Protector             |                 | X       | X          | X       | X          |                         |
| 9    | 301.015.0   | Power Supply Cable          |                 | X       | X          | X       | X          |                         |
| 10   | 301.020.3   | Circuit Board               |                 | X       | X          | X       | X          |                         |
| 11   | 924.207.0   | Cable Bushing               |                 | X       | X          | X       | X          | Includes Items 1-13     |
| 12   | 301.003.1   | Buzzer                      |                 | X       | X          | X       | X          |                         |
| 13   | 301.002.0   | Magnet                      |                 | X       | X          | X       | X          |                         |
| 15   | 301.000.0   | Bale Monitor Complete       |                 | X       | X          | X       | X          |                         |




445 924 0

## PTO Shaft - Bondioli Standard

## PTO Shaft - Bondioli Standard

| Item | Part Number | Description              | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes       |
|------|-------------|--------------------------|-----------------|---------|------------|---------|------------|-------------|
| 1    | 956.111.0   | Locking Pin w/Spring     |                 | X       | X          | X       | X          |             |
| 2    | 956.113.0   | Outer Yoke               |                 | X       | X          | X       | X          |             |
| 3    | 956.426.0   | Cross Assembly           |                 | X       | X          | X       | X          |             |
| 4    | 956.430.0   | Circlip                  |                 | X       | X          | X       | X          |             |
| 5    | 919.103.0   | Grease Fitting           |                 | X       | X          | X       | X          |             |
| 6    | 956.435.0   | Yoke for Outer Tube      |                 | X       | X          | X       | X          |             |
| 7    | 912.678.0   | Roll Pin                 |                 | X       | X          | X       | X          |             |
| 8    | 956.157.0   | Outer Tube               |                 | X       | X          | X       | X          | 1070mm Long |
| 9    | 956.158.0   | Inner Tube               |                 | X       | X          | X       | X          | 1070mm Long |
| 10   | 912.677.0   | Roll Pin                 |                 | X       | X          | X       | X          |             |
| 11   | 956.439.0   | Yoke for Inner Tube      |                 | X       | X          | X       | X          |             |
| 22   | 956.119.0   | Ring for Outer Tube      |                 | X       | X          | X       | X          |             |
| 23   | 956.120.0   | Ring for Inner Tube      |                 | X       | X          | X       | X          |             |
| 26   | 949.852.0   | Chain                    |                 | X       | X          | X       | X          |             |
| 29   | 956.159.0   | Outer Guard Tube         |                 | X       | X          | X       | X          |             |
| 30   | 956.160.0   | Inner Guard Tube         |                 | X       | X          | X       | X          |             |
| 36   | 956.141.1   | Friction Clutch Complete |                 | X       | X          | X       | X          | 1000NM      |
|      | 956.162.1   | Friction Discs           |                 | 2       | 2          | 2       | 2          |             |
| 50   | 949.040.2   | PTO Shaft Complete       |                 | X       | X          | X       | X          |             |




445 925 0

## PTO Shaft - Bondioli CV

## PTO Shaft - Bondioli CV

| Item | Part Number | Description               | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes      |
|------|-------------|---------------------------|-----------------|---------|------------|---------|------------|------------|
| 1    | 956.111.0   | Locking Pin w/Spring      |                 | X       | X          | X       | X          |            |
| 2    | 956.135.0   | Outer Yoke                |                 | X       | X          | X       | X          |            |
| 3    | 956.430.0   | Circlip                   |                 | X       | X          | X       | X          |            |
| 4    | 956.136.0   | Cross Assembly            |                 | X       | X          | X       | X          |            |
| 5    | 919.002.0   | Grease Fitting            |                 | X       | X          | X       | X          | H1/S M6    |
| 6    | 956.137.0   | CV Joint                  |                 | X       | X          | X       | X          |            |
| 7    | 956.147.0   | Inner Yoke                |                 | X       | X          | X       | X          |            |
| 8    | 912.678.0   | Roll Pin                  |                 | X       | X          | X       | X          | 8 X 60     |
| 9    | 956.139.0   | Outer Tube                |                 | X       | X          | X       | X          | 970mm Long |
| 10   | 956.140.0   | Inner Tube                |                 | X       | X          | X       | X          | 970mm Long |
| 11   | 912.677.0   | Roll Pin                  |                 | X       | X          | X       | X          | 8 X 55     |
| 12   | 956.439.0   | Yoke for Inner Tube       |                 | X       | X          | X       | X          |            |
| 13   | 956.426.0   | Cross Assembly            |                 | X       | X          | X       | X          |            |
| 14   | 919.103.0   | Grease Fitting            |                 | X       | X          | X       | X          |            |
| 15   | 956.141.1   | Friction Clutch           |                 | X       | X          | X       | X          | 1000NM     |
|      | 956.162.1   | Friction Disc             |                 | 2       | 2          | 2       | 2          |            |
| 26   | 956.119.0   | Ring for Outer Tube       |                 | X       | X          | X       | X          |            |
| 27   | 956.120.0   | Ring for Inner Tube       |                 | X       | X          | X       | X          |            |
| 30   | 949.852.0   | Chain                     |                 | X       | X          | X       | X          |            |
| 33   | 956.142.1   | Outer Guard Tube Complete |                 | X       | X          | X       | X          |            |
| 34   | 956.143.1   | Inner Guard Tube Complete |                 | X       | X          | X       | X          |            |
| 50   | 949.041.2   | PTO Shaft Complete        |                 | X       | X          | X       | X          |            |



447 554 0

## PTO Shaft - Bondioli 80° CV

## PTO Shaft - Bondioli 80° CV

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D WP | KR-160B | KR-160D WP | Notes       |
|------|-------------|---------------------|-----------------|---------|------------|---------|------------|-------------|
| 1    | 956.234.0   | Outer Yoke          |                 | X       | X          | X       | X          |             |
| 2    | 956.235.0   | Cross Assembly      |                 | X       | X          | X       | X          |             |
| 3    | 949.409.0   | Circlip             |                 | X       | X          | X       | X          | I 28 X 1.2  |
| 4    | 919.103.0   | Grease Fitting      |                 | X       | X          | X       | X          | H2/S M8 X 1 |
| 5    | 956.236.0   | Wide Angle CV Joint |                 | X       | X          | X       | X          |             |
| 6    | 956.237.0   | Inner Yoke          |                 | X       | X          | X       | X          |             |
| 7    | 919.002.0   | Grease Fitting      |                 | X       | X          | X       | X          | H1/S M6     |
| 11   | 912.678.0   | Roll Pin            |                 | X       | X          | X       | X          | 8 X 60      |
| 12   | 956.139.0   | Outer Tube          |                 | X       | X          | X       | X          | 970mm Long  |
| 13   | 956.140.0   | Inner Tube          |                 | X       | X          | X       | X          | 970mm Long  |
| 14   | 912.677.0   | Roll Pin            |                 | X       | X          | X       | X          | 8 X 55      |
| 21   | 956.439.0   | Yoke for Inner Tube |                 | X       | X          | X       | X          |             |
| 22   | 956.426.0   | Cross Assembly      |                 | X       | X          | X       | X          |             |
| 23   | 956.430.0   | Circlip             |                 | X       | X          | X       | X          | I 27 X 1.2  |
| 30   | 956.141.1   | Friction Clutch     |                 | X       | X          | X       | X          | 1000NM      |
|      | 956.162.1   | Friction Disc       |                 | 2       | 2          | 2       | 2          |             |
| 31   | 956.119.0   | Ring for Outer Tube |                 | X       | X          | X       | X          |             |
| 36   | 956.120.0   | Ring for Inner Tube |                 | X       | X          | X       | X          |             |
| 37   | 949.852.0   | Chain               |                 | X       | X          | X       | X          | 400mm Long  |
| 42   | 956.239.0   | Rings               |                 | X       | X          | X       | X          |             |
| 43   | 956.240.0   | Protective Cup      |                 | X       | X          | X       | X          |             |
| 95   | 956.142.1   | Outer Guard Tube    |                 | X       | X          | X       | X          |             |
| 96   | 956.143.1   | Inner Guard Tube    |                 | X       | X          | X       | X          |             |
| 97   | 956.022.0   | PTO Shaft Complete  |                 | X       | X          | X       | X          |             |