



## Table Of Contents

|                                              |    |                                                  |    |
|----------------------------------------------|----|--------------------------------------------------|----|
| Main Frame .....                             | 2  | Net Wrap Brake .....                             | 46 |
| Main Frame .....                             | 4  | Hydraulics .....                                 | 48 |
| Drawbar & Twine Box .....                    | 6  | Hydraulic Starter .....                          | 50 |
| Axle & Tires .....                           | 8  | Tailgate Lock & Filling Indicators .....         | 52 |
| Axle Beam & Bale Ramp .....                  | 10 | Tailgate Lock & Filling Indicators .....         | 54 |
| Jack .....                                   | 12 | Bale Monitor .....                               | 56 |
| Elevator Chain .....                         | 14 | Front & Rear Guards - KR-130 .....               | 58 |
| Elevator Chain Tensioner .....               | 16 | Front & Rear Guards - KR-130 .....               | 60 |
| Gearbox .....                                | 18 | Front & Rear Guards - KR-160 .....               | 62 |
| Dog Clutch .....                             | 20 | Front & Rear Guards - KR-160 .....               | 64 |
| Dog Clutch .....                             | 22 | Lighting .....                                   | 66 |
| Roller Drive .....                           | 24 | Standard Walterscheid PTO Shaft - KR-130 .....   | 68 |
| Lower Roller .....                           | 26 | Wide Angle Walterscheid PTO Shaft - KR-130 ..... | 70 |
| Pickup Mounting .....                        | 28 | Standard Walterscheid PTO Shaft - KR-160 .....   | 72 |
| Pickup Mounting .....                        | 30 | Wide Angle Walterscheid PTO Shaft - KR-160 ..... | 74 |
| Pickup Drum .....                            | 32 | Standard Bondioli PTO Shaft - KR-130 .....       | 76 |
| Single Twine Tying Mechanism .....           | 34 | Wide Angle Bondioli PTO Shaft - KR-130 .....     | 78 |
| Single Twine Drive & Cutting Mechanism ..... | 36 | Standard Bondioli PTO Shaft - KR-160 .....       | 80 |
| Single Twine Manual Starter .....            | 38 | Wide Angle Bondioli PTO Shaft - KR-160 .....     | 82 |
| Single Twine Manual Starter .....            | 40 | Decals .....                                     | 84 |
| Net Wrap Unit .....                          | 42 |                                                  |    |



Main Frame

| Main Frame |             |                     |                 |         |         |         |         |               |
|------------|-------------|---------------------|-----------------|---------|---------|---------|---------|---------------|
| Item       | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
| 1          | 274.495.1   | Front Frame         |                 | X       | X       |         |         |               |
|            | 275.475.1   | Front Frame         |                 |         |         | X       | X       |               |
| 2          | 280.299.1   | Pin R/H             |                 | X       | X       | X       | X       |               |
| 3          | 275.046.1   | Hinge Pin           |                 | X       | X       | X       | X       |               |
| 4          | 912.608.0   | Roll Pin            |                 | X       | X       | X       | X       | 5 X 20        |
| 5          | 275.048.0   | Hinge               |                 | X       | X       | X       | X       |               |
| 6          | 908.010.0   | Hex Nut             |                 | X       | X       | X       | X       | M8            |
| 7          | 905.131.0   | Flat Round Bolt     |                 | X       | X       | X       | X       | M8 X 20       |
| 8          | 219.034.3   | Bushing Housing     |                 | X       | X       | X       | X       |               |
| 9          | 910.012.0   | Spring Washer       |                 | X       | X       | X       | X       | B 12          |
| 10         | 908.015.0   | Hex Nut             |                 | X       | X       | X       | X       | M12           |
| 11         | 441.190.0   | Bushing             |                 | X       | X       | X       | X       |               |
| 12         | 919.003.0   | Grease Fitting      |                 | X       | X       | X       | X       | H1/S M8 X 1   |
| 13         | 901.080.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M12 X 45      |
| 14         | 274.497.0   | Rear Housing        |                 | X       | X       |         |         |               |
|            | 275.477.0   | Rear Housing        |                 |         |         | X       | X       |               |
| 15         | 280.298.2   | Pin L/H             |                 | X       | X       | X       | X       |               |
| 16         | 900.261.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M8 X 30       |
| 17         | 912.145.0   | Cotter Pin          |                 | X       | X       | X       | X       | 10 X 50       |
| 18         | 274.339.1   | Chain               |                 | X       | X       | X       | X       |               |
| 20         | 906.800.1   | Self-Tapping Screw  |                 | X       | X       | X       | X       | B 2.9 X 9.5   |
| 21         | 274.340.0   | Bale Counter        |                 | X       | X       | X       | X       |               |
| 22         | 900.254.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M8 X 16       |
| 23         | 911.522.0   | Circlip             |                 | X       | X       | X       | X       | 20 X 1.2      |
| 24         | 909.410.1   | Wing Nut            |                 | X       | X       | X       | X       | M8            |
| 25         | 270.160.0   | Compression Spring  |                 | X       | X       | X       | X       |               |
| 26         | 280.222.0   | Twine Brake Plate   |                 | X       | X       | X       | X       |               |
| 27         | 274.345.0   | Twine Brake Support |                 | X       | X       | X       | X       |               |
| 28         | 908.706.0   | Hex Nut             |                 | X       | X       | X       | X       | NM8           |
| 29         | 938.974.1   | Twine Guide         |                 | X       | X       | X       | X       |               |
| 30         | 274.346.0   | Strap               |                 | X       | X       | X       | X       |               |
| 31         | 274.376.0   | Plate               |                 | X       | X       | X       | X       |               |
| 32         | 280.497.0   | Shim                |                 | X       | X       | X       | X       |               |
| 33         | 910.619.1   | Washer              |                 | X       | X       | X       | X       | 13.0 X 35 X 8 |
| 34         | 900.257.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M8 X 20       |
| 35         | 910.413.0   | Washer              |                 | X       | X       | X       | X       | A 8.4         |
| 36         | 910.010.0   | Spring Washer       |                 | X       | X       | X       | X       | B 8           |
| 37         | 900.607.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M6 X 16       |




445 664 6

Main Frame

## Main Frame

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                       |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|-----------------------------|
| 38   | 275.412.1   | Cover               |                 | X       | X       | X       | X       | 6.2 X 36 X 2.5<br>B 6<br>M6 |
| 39   | 910.602.0   | Washer              |                 | X       | X       | X       | X       |                             |
| 40   | 910.032.0   | Spring Washer       |                 | X       | X       | X       | X       |                             |
| 41   | 908.208.0   | Hex Nut             |                 | X       | X       | X       | X       |                             |
| 42   | 925.014.0   | Wheel Chock         |                 | X       | X       | X       | X       |                             |
| 43   | 280.430.0   | Wheel Chock Holder  |                 | X       | X       | X       | X       |                             |
| 44   | 274.673.0   | Reinforcement Brace |                 | X       | X       | X       | X       |                             |
| 45   | 924.250.1   | Holding Cam         |                 | X       | X       | X       | X       |                             |
| 46   | 924.919.1   | Eyelet              |                 | X       | X       | X       | X       |                             |
| 47   | 280.548.1   | Tongue Mount        |                 | X       | X       | X       | X       |                             |




447 021 1

**Drawbar & Twine Box**

## Drawbar & Twine Box

| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
|------|-------------|-------------------------|-----------------|---------|---------|---------|---------|---------------|
| 1    | 900.257.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 20       |
| 2    | 911.522.0   | Circlip                 |                 | X       | X       | X       | X       | 20 X 1.2      |
| 3    | 274.346.0   | Twine Guide Bracket     |                 | X       | X       | X       | X       |               |
| 4    | 910.603.0   | Washer                  |                 | X       | X       | X       | X       | A 8.4         |
| 5    | 908.706.0   | Hex Nut                 |                 | X       | X       | X       | X       | NM 8          |
| 6    | 924.919.1   | Twine Guide             |                 | X       | X       | X       | X       |               |
| 7    | 908.716.1   | Hex Nut                 |                 | X       | X       | X       | X       | NM 16         |
| 8    | 925.111.0   | Edge Protection         |                 | X       | X       | X       | X       | 160mm Long    |
| 9    | 274.575.0   | Twine Box Bottom        |                 | X       | X       | X       | X       |               |
| 10   | 280.550.1   | Drawbar Bracket Left    |                 | X       | X       | X       | X       |               |
| 11   | 900.612.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 16       |
| 12   | 901.134.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M16 X 65      |
| 13   | 924.262.0   | Rubber Grommet          |                 | X       | X       | X       | X       |               |
| 14   | 275.238.1   | Twine Box Guard         |                 | X       | X       | X       | X       |               |
| 15   | 905.130.0   | Flat Round Bolt         |                 | X       | X       | X       | X       | M8 X 16       |
| 16   | 275.234.0   | Cross Beam              |                 | X       | X       | X       | X       |               |
| 19   | 274.459.0   | Twine Retainer          |                 | X       | X       | X       | X       |               |
| 20   | 901.132.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M16 X 55      |
| 21   | 924.248.0   | Knob                    |                 | X       | X       | X       | X       |               |
| 22   | 910.643.0   | Washer                  |                 | X       | X       | X       | X       | R 14          |
| 23   | 275.452.1   | Guard for Cross Carrier |                 | X       | X       | X       | X       |               |
| 24   | 910.362.0   | Washer                  |                 | X       | X       | X       | X       | 17            |
| 25   | 908.008.0   | Hex Nut                 |                 | X       | X       | X       | X       | M6            |
| 26   | 917.623.0   | Clamping Jaw            |                 | X       | X       | X       | X       |               |
| 27   | 280.552.2   | Drawbar                 |                 | X       | X       | X       | X       | Dia.=40mm     |
|      | 280.594.1   | Drawbar                 |                 | X       | X       | X       | X       | Dia.=50mm     |
|      | 275.407.1   | Drawbar                 |                 | X       | X       | X       | X       | USA           |
| 28   | 928.200.0   | Bushing                 |                 | X       | X       | X       | X       | EG 40/50 X 30 |
| 29   | 280.584.0   | PTO Shaft Holder        |                 | X       | X       | X       | X       |               |
| 30   | 908.758.0   | Hex Nut                 |                 | X       | X       | X       | X       | NM10          |
| 31   | 910.414.0   | Washer                  |                 | X       | X       | X       | X       | A 10.5        |
| 32   | 953.715.0   | Holder                  |                 | X       | X       | X       | X       |               |
| 33   | 910.411.1   | Washer                  |                 | X       | X       | X       | X       | A 6.4         |
| 34   | 901.028.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M6 X 30       |
| 35   | 900.279.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M10 X 25      |
| 36   | 346.376.1   | Hose Holder             |                 | X       | X       | X       | X       |               |
| 37   | 280.549.1   | Drawbar Bracket Right   |                 | X       | X       | X       | X       |               |




447 019 2

## Axle & Tires

## Axle & Tires

| Item | Part Number | Description    | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                |
|------|-------------|----------------|-----------------|---------|---------|---------|---------|--------------------------------------|
| 1    | 910.256.0   | Stud           |                 | X       | X       | X       | X       | M18 X 1.5 X 46                       |
| 2    | 952.254.0   | Hub            |                 | X       | X       | X       | X       |                                      |
| 3    | 910.225.0   | Lug Nut        |                 | X       | X       | X       | X       | A 18 X 1.5                           |
| 4    | 932.222.0   | Bearing        |                 | X       | X       | X       | X       | LM 50 1310/49                        |
| 5    | 908.827.0   | Castle Nut     |                 | X       | X       | X       | X       | M24 X 1.5                            |
| 6    | 952.310.1   | Wheel Cap      |                 | X       | X       | X       | X       |                                      |
| 8    | 912.077.0   | Cotter Pin     |                 | X       | X       | X       | X       | 4.5 X 40                             |
| 9    | 952.320.0   | Ring           |                 | X       | X       | X       | X       |                                      |
| 10   | 952.330.0   | Ring           |                 | X       | X       | X       | X       |                                      |
| 11   | 932.212.0   | Bearing        |                 | X       | X       | X       | X       | L 44610/49                           |
| 12   | 953.210.0   | Tire           |                 | X       | X       |         |         | 10.0/75-15.3 Impl 8 Ply              |
|      | 953.215.0   | Tire           |                 | X       | X       | X       | X       | 11.5/80-15.3 Impl 8 Ply              |
| 13   | 953.308.1   | Inner Tube     |                 | X       | X       |         |         | 10.0/75-15 / 11.5/80-15              |
|      | 953.312.0   | Inner Tube     |                 | X       | X       | X       | X       | 11.5/80-15.3                         |
| 14   | 953.108.0   | Rim            |                 | X       | X       | X       | X       | 9.00 X 15.3 - 6 Hole                 |
| 15   | 274.674.0   | Axle           |                 | X       | X       | X       | X       |                                      |
| 25   | 953.010.0   | Wheel Complete |                 | X       | X       |         |         | 10.0/75-15.3 Impl 8 PR - Items 12-14 |
|      | 953.015.0   | Wheel Complete |                 | X       | X       | X       | X       | 11.5/80-15.3 Impl 8 PR - Items 12-14 |
| 26   | 274.551.1   | Axle Complete  |                 | X       | X       | X       | X       | Excludes Item 25                     |




447 026 1

**Axle Beam & Bale Ramp**

## Axle Beam & Bale Ramp

| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                   |
|------|-------------|-------------------------|-----------------|---------|---------|---------|---------|-----------------------------------------|
| 1    | 274.550.1   | Cross Tube              |                 | X       | X       | X       | X       | B 8<br>M8<br>M12 X 50                   |
| 2    | 910.010.0   | Spring Washer           |                 | X       | X       | X       | X       |                                         |
| 3    | 908.010.0   | Hex Nut                 |                 | X       | X       | X       | X       |                                         |
| 4    | 901.081.0   | Hex Head Bolt           |                 | X       | X       | X       | X       |                                         |
| 5    | 274.536.1   | Rubber Spring Piece R/H |                 | X       | X       | X       | X       |                                         |
| 6    | 904.580.0   | Bolt                    |                 | X       | X       | X       | X       | M20 X 65<br>13 X 24 X 6<br>B 12<br>M12  |
| 7    | 910.640.0   | Washer                  |                 | X       | X       | X       | X       |                                         |
| 8    | 910.012.0   | Spring Washer           |                 | X       | X       | X       | X       |                                         |
| 9    | 908.015.0   | Hex Nut                 |                 | X       | X       | X       | X       |                                         |
| 11   | 274.532.1   | Bale Ramp               |                 | X       | X       | X       | X       |                                         |
| 12   | 274.535.1   | Rubber Spring Piece L/H |                 | X       | X       | X       | X       | B 11<br>NM10<br>B 20<br>M20             |
| 13   | 910.353.0   | Washer                  |                 | X       | X       | X       | X       |                                         |
| 14   | 908.758.0   | Hex Nut                 |                 | X       | X       | X       | X       |                                         |
| 16   | 910.016.0   | Spring Washer           |                 | X       | X       | X       | X       |                                         |
| 17   | 908.025.0   | Hex Nut                 |                 | X       | X       | X       | X       |                                         |
| 18   | 900.378.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M20 X 50<br>M6<br><br>M8 X 16           |
| 19   | 908.008.0   | Hex Nut                 |                 | X       | X       | X       | X       |                                         |
| 20   | 274.556.1   | Cover Plate             |                 | X       | X       |         |         |                                         |
|      | 274.555.0   | Cover Plate             |                 |         |         | X       | X       |                                         |
| 21   | 905.130.0   | Round Head Bolt         |                 | X       | X       | X       | X       |                                         |
| 22   | 274.542.0   | Rubber Bar              |                 | X       | X       | X       | X       | 75 X 8 X 1250<br>2 X 30 X 12<br>M6 X 20 |
| 23   | 274.543.0   | Securing Strap          |                 | X       | X       | X       | X       |                                         |
| 24   | 905.111.0   | Round Head Screw        |                 | X       | X       | X       | X       |                                         |




445 299 0

Jack

## Jack

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes              |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|--------------------|
| 1    | 954.043.0   | Weld-In Nut         |                 | X       | X       | X       | X       | M10 X 100          |
| 2    | 280.380.0   | Pin                 |                 | X       | X       | X       | X       |                    |
| 3    | 903.790.0   | Stud Bolt           |                 | X       | X       | X       | X       |                    |
| 4    | 919.509.0   | Ball Knob           |                 | X       | X       | X       | X       |                    |
| 5    | 280.385.0   | Pressure Spring     |                 | X       | X       | X       | X       |                    |
| 6    | 954.053.0   | Crank Handle        |                 | X       | X       | X       | X       | 6 X 36             |
| 7    | 912.643.0   | Roll Pin            |                 | X       | X       | X       | X       |                    |
| 8    | 954.065.1   | Outer Tube          |                 | X       | X       | X       | X       |                    |
| 9    | 933.504.0   | Thrust Ball Bearing |                 | X       | X       | X       | X       |                    |
| 10   | 016.091.0   | Spindle             |                 | X       | X       | X       | X       |                    |
| 11   | 912.583.0   | Roll Pin            |                 | X       | X       | X       | X       | 4 X 32             |
| 12   | 954.066.0   | Inner Tube          |                 | X       | X       | X       | X       | Excludes Items 2-5 |
| 20   | 280.395.5   | Jack Complete       |                 | X       | X       | X       | X       |                    |




447 163 1

## Elevator Chain

## Elevator Chain

| Item | Part Number | Description                | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                           |
|------|-------------|----------------------------|-----------------|---------|---------|---------|---------|---------------------------------|
| 1    | 908.711.1   | Hex Nut                    |                 | X       | X       | X       | X       | NM 12                           |
| 2    | 934.019.0   | Flange Bearing Housing     |                 | X       | X       | X       | X       | RA 45                           |
| 3    | 900.296.0   | Hex Head Bolt              |                 | X       | X       | X       | X       | M12 X 25                        |
| 4    | 280.595.0   | Sprocket                   |                 | X       | X       | X       | X       |                                 |
| 5    | 905.933.0   | Set Screw                  |                 | X       | X       | X       | X       | M10 X 12                        |
| 6    | 911.324.0   | Lock Collar                |                 | X       | X       | X       | X       | A 45                            |
| 7    | 911.541.0   | Circlip                    |                 | 72      | 72      | 90      | 90      | A 35 X 1.5                      |
| 8    | 911.901.0   | Ring                       |                 | 72      | 72      | 90      | 90      | SB 38                           |
| 9    | 930.537.0   | Roller Bearing             |                 | 72      | 72      | 90      | 90      | 6207 2RS                        |
|      | 930.542.0   | Roller Bearing             |                 | 72      | 72      | 90      | 90      | Special Grease                  |
| 10   | 922.010.0   | Roller Chain               |                 | 72      | 72      | 90      | 90      |                                 |
| 11   | 274.673.0   | Front Cover                |                 | X       | X       | X       | X       |                                 |
| 12   | 274.436.0   | Cover                      |                 | X       | X       | X       | X       |                                 |
| 14   | 275.409.1   | Elevator Bar               |                 | 36      | 36      | 45      | 45      | Rd. 35 X 1362                   |
| 15   | 905.111.0   | Flat Round Bolt            |                 | X       | X       | X       | X       | M6 X 20                         |
| 16   | 910.351.0   | Washer                     |                 | X       | X       | X       | X       | r. 6.6 d.448                    |
| 17   | 908.704.1   | Hex Nut                    |                 | X       | X       | X       | X       | NM6                             |
| 18   | 346.414.0   | Bushing                    |                 | X       | X       | X       | X       |                                 |
| 19   | 280.361.0   | Support Complete           |                 | X       | X       | X       | X       |                                 |
| 20   | 915.203.0   | Key                        |                 | X       | X       | X       | X       | A 14 X 9 X 40                   |
| 21   | 915.206.0   | Key                        |                 | X       | X       | X       | X       | A 14 X 9 X 50                   |
| 22   | 275.240.2   | Elevator Chain Drive Shaft |                 | X       | X       | X       | X       | 1510mm Long                     |
| 23   | 919.003.0   | Grease Fitting             |                 | X       | X       | X       | X       | H1/S M8 X 1                     |
| 24   | 280.583.0   | Sprocket                   |                 | X       | X       | X       | X       | 1" X 30 Teeth                   |
| 25   | 922.007.0   | Chain Lock                 |                 | 72      | 72      | 90      | 90      |                                 |
| 26   | 905.937.0   | Set Screw                  |                 | X       | X       | X       | X       | M10 X 20                        |
| 27   | 280.462.1   | Chain Limiter              |                 | X       | X       | X       | X       |                                 |
| 28   | 900.277.0   | Hex Head Bolt              |                 | X       | X       | X       | X       | M10 X 20                        |
| 29   | 910.111.1   | Spring Washer              |                 | X       | X       | X       | X       | B 10                            |
| 30   | 910.414.0   | Washer                     |                 | X       | X       | X       | X       | 10.5 X 21 X 2                   |
| 31   | 910.657.0   | Washer                     |                 | 72      | 72      | 90      | 90      | 35 X 50 X 2                     |
| 35   | 275.655.0   | Elevator Chain Complete    |                 | X       | X       |         |         | Includes Items 7-10, 14, 25, 31 |
|      | 280.600.0   | Elevator Chain Complete    |                 |         |         | X       | X       | Includes Items 7-10, 14, 25, 31 |




445 369 4

Elevator Chain Tensioner

## Elevator Chain Tensioner


| Item | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
|------|-------------|------------------|-----------------|---------|---------|---------|---------|---------------|
| 1    | 911.653.0   | Circlip          |                 | X       | X       | X       | X       | I 55 X 2.0    |
| 2    | 280.596.0   | Sprocket         |                 | X       | X       | X       | X       |               |
| 3    | 930.506.0   | Bearing          |                 | X       | X       | X       | X       | 6006 2RS      |
| 4    | 910.863.0   | Shim             |                 | X       | X       | X       | X       | 30 X 42 X .5  |
| 5    | 910.866.0   | Shim             |                 | X       | X       | X       | X       | 30 X 55 X 2.0 |
| 6    | 905.922.0   | Set Screw        |                 | X       | X       | X       | X       | M8 X 10       |
| 7    | 911.317.0   | Lock Collar      |                 | X       | X       | X       | X       | A 30          |
| 8    | 908.706.0   | Hex Nut          |                 | X       | X       | X       | X       | NM 8          |
| 9    | 280.273.0   | Spacer Tube      |                 | X       | X       | X       | X       |               |
| 10   | 275.045.2   | Shaft            |                 | X       | X       | X       | X       | 1372mm Long   |
| 11   | 910.864.0   | Shim             |                 | X       | X       | X       | X       | 30 X 42 X 1.0 |
| 12   | 280.364.2   | Guide Piece      |                 | X       | X       | X       | X       |               |
| 13   | 912.676.0   | Roll Pin         |                 | X       | X       | X       | X       | 8 X 50        |
|      | 912.618.0   | Roll Pin         |                 | X       | X       | X       | X       | 5 X 50        |
| 14   | 280.267.2   | Bracket          |                 | X       | X       | X       | X       |               |
| 15   | 910.014.0   | Spring Washer    |                 | X       | X       | X       | X       | B 16          |
| 16   | 280.532.0   | Chain Tensioner  |                 | X       | X       | X       | X       |               |
| 18   | 900.336.0   | Hex Head Bolt    |                 | X       | X       | X       | X       | M16 X 35      |
| 19   | 904.743.0   | Round Head Screw |                 | X       | X       | X       | X       | M8 X 80       |
| 20   | 275.044.1   | Cover Plate      |                 | X       | X       | X       | X       |               |
| 21   | 280.534.2   | Adjusting Screw  |                 | X       | X       | X       | X       |               |
| 22   | 280.531.1   | Pressure Spring  |                 | X       | X       | X       | X       |               |
| 23   | 274.678.0   | Spacer Tube      |                 | X       | X       | X       | X       |               |



445 528 1

## Gearbox

| Gearbox |             |                  |                 |         |         |         |         |                     |
|---------|-------------|------------------|-----------------|---------|---------|---------|---------|---------------------|
| Item    | Part Number | Description      | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes               |
| 1       | 900.634.0   | Hex Head Bolt    |                 | X       | X       | X       | X       | M10 X 20            |
| 2       | 910.353.0   | Washer           |                 | X       | X       | X       | X       | R 11                |
| 3       | 270.193.1   | Protecting Cup   |                 | X       | X       | X       | X       |                     |
| 4       | 908.212.0   | Hex Nut          |                 | X       | X       | X       | X       | M10                 |
| 5       | 936.339.0   | Radial Seal      |                 | X       | X       | X       | X       | B2 35 X 80 X 13     |
| 6       | 911.673.0   | Circlip          |                 | X       | X       | X       | X       | I 80 X 2.5          |
| 7       | 910.964.0   | Shim             |                 | X       | X       | X       | X       | 63 X 80 X 1.0       |
|         | 910.963.0   | Shim             |                 | X       | X       | X       | X       | 63 X 80 X .5        |
|         | 910.962.0   | Shim             |                 | X       | X       | X       | X       | 63 X 80 X .3        |
| 8       | 930.167.0   | Bearing          |                 | X       | X       | X       | X       | 6307                |
| 9       | 280.436.1   | Pinion Shaft     |                 | X       | X       | X       | X       | Z=16                |
| 10      | 280.435.1   | Gearbox Housing  |                 | X       | X       | X       | X       |                     |
| 12      | 906.040.0   | Plug             |                 | X       | X       | X       | X       | M18 X 1.5           |
| 13      | 915.126.0   | Key              |                 | X       | X       | X       | X       | A 10 X 8 X 50       |
| 14      | 280.551.1   | Bevel Gear       |                 | X       | X       | X       | X       | Z=30, M=5           |
| 15      | 280.004.2   | Drive Shaft      |                 | X       | X       | X       | X       |                     |
| 16      | 910.891.0   | Shim             |                 | X       | X       | X       | X       | 40 X 50 X 1.0       |
|         | 910.890.0   | Shim             |                 | X       | X       | X       | X       | 40 X 50 X .5        |
|         | 910.889.0   | Shim             |                 | X       | X       | X       | X       | 40 X 50 X .3        |
| 17      | 932.107.0   | Bearing          |                 | X       | X       | X       | X       | 30208 A             |
| 18      | 151.042.0   | Gasket           |                 | X       | X       | X       | X       | .5mm Thick          |
| 19      | 910.011.0   | Spring Washer    |                 | X       | X       | X       | X       | B 10                |
| 20      | 900.279.0   | Hex Head Bolt    |                 | X       | X       | X       | X       | M10 X 25            |
| 21      | 280.437.0   | Gearbox Cover    |                 | X       | X       | X       | X       |                     |
| 22      | 911.668.0   | Circlip          |                 | X       | X       | X       | X       | I 72 X 2.5          |
| 23      | 930.137.0   | Bearing          |                 | X       | X       | X       | X       | 6207                |
| 24      | 910.727.0   | Washer           |                 | X       | X       | X       | X       | S 35 X 45           |
|         | 911.134.0   | Shim             |                 | X       | X       | X       | X       | 35 X 45 X 1.0       |
|         | 911.133.0   | Shim             |                 | X       | X       | X       | X       | 35 X 45 X .5        |
|         | 911.132.0   | Shim             |                 | X       | X       | X       | X       | 35 X 45 X .3        |
|         | 911.130.0   | Shim             |                 | X       | X       | X       | X       | 35 X 45 X .1        |
| 25      | 911.541.0   | Circlip          |                 | X       | X       | X       | X       | A 35 X 1.5          |
| 26      | 936.337.0   | Radial Seal      |                 | X       | X       | X       | X       | B2 35 X 72 X 12     |
| 27      | 900.334.0   | Hex Head Bolt    |                 | X       | X       | X       | X       | M16 X 25            |
| 28      | 910.014.0   | Spring Washer    |                 | X       | X       | X       | X       | B 16                |
| 35      | 280.005.4   | Gearbox Complete |                 | X       | X       | X       | X       | Includes Items 5-28 |
|         | 926.101.0   | Gearbox Oil      |                 | X       | X       | X       | X       | SAE 90              |




447 023 0

**Dog Clutch**

## Dog Clutch

| Item | Part Number | Description    | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes           |
|------|-------------|----------------|-----------------|---------|---------|---------|---------|-----------------|
| 1    | 908.711.1   | Hex Nut        |                 | X       | X       | X       | X       | NM12            |
| 2    | 280.149.2   | Roller         |                 | X       | X       | X       | X       |                 |
| 3    | 275.253.1   | Lock Plate     |                 | X       | X       | X       | X       |                 |
| 4    | 280.164.0   | Spacer Bushing |                 | X       | X       | X       | X       |                 |
| 5    | 922.322.0   | Sprocket       |                 | X       | X       | X       | X       | 1" X 12 Tooth   |
| 6    | 917.505.1   | Cable Eye      |                 | X       | X       | X       | X       | A 4             |
| 7    | 917.602.0   | Cable Clamp    |                 | X       | X       | X       | X       | 5               |
| 8    | 900.257.0   | Hex Head Bolt  |                 | X       | X       | X       | X       | M8 X 20         |
| 9    | 275.467.0   | Pulley         |                 | X       | X       | X       | X       |                 |
| 10   | 908.010.0   | Hex Nut        |                 | X       | X       | X       | X       | M8              |
| 11   | 918.310.0   | Eye Bolt       |                 | X       | X       | X       | X       | M8 X 80         |
| 12   | 910.352.0   | Washer         |                 | X       | X       | X       | X       | 9 X 28 X 3      |
| 13   | 908.706.0   | Hex Nut        |                 | X       | X       | X       | X       | NM8             |
| 14   | 275.498.0   | Cable          |                 | X       | X       |         |         | 5 X 2050        |
|      | 275.496.0   | Cable          |                 |         |         | X       | X       | 5 X 2300        |
| 15   | 927.110.0   | Clevis         |                 | X       | X       | X       | X       |                 |
| 16   | 908.758.0   | Hex Nut        |                 | X       | X       | X       | X       | NM10            |
| 17   | 275.457.0   | Plate          |                 | X       | X       | X       | X       |                 |
| 18   | 901.081.0   | Hex Head Bolt  |                 | X       | X       | X       | X       | M12 X 50        |
| 19   | 900.281.0   | Hex Head Bolt  |                 | X       | X       | X       | X       | M10 X 30        |
| 20   | 270.468.0   | Bushing        |                 | X       | X       | X       | X       |                 |
| 21   | 937.952.0   | Roller         |                 | X       | X       | X       | X       |                 |
| 22   | 275.460.0   | Pivot Arm      |                 | X       | X       | X       | X       |                 |
| 23   | 910.826.0   | Shim           |                 | X       | X       | X       | X       | 20 X 28 X 1.0   |
| 24   | 911.522.0   | Circlip        |                 | X       | X       | X       | X       | 20 X 1.2        |
| 25   | 919.003.0   | Grease Fitting |                 | X       | X       | X       | X       | H1/S M8 X 1     |
| 26   | 340.439.1   | Tension Spring |                 | X       | X       | X       | X       |                 |
| 27   | 905.338.0   | Eye Bolt       |                 | X       | X       | X       | X       | M10 X 110       |
| 28   | 908.212.0   | Hex Nut        |                 | X       | X       | X       | X       | M10             |
| 29   | 905.933.0   | Set Screw      |                 | X       | X       | X       | X       | M10 X 12        |
| 30   | 274.679.0   | Sprocket       |                 | X       | X       | X       | X       | 1" X 18 Tooth   |
| 31   | 900.279.0   | Hex Head Bolt  |                 | X       | X       | X       | X       | M10 X 25        |
| 32   | 934.017.0   | Flange Bearing |                 | X       | X       | X       | X       | RA 35           |
| 33   | 901.207.0   | Hex Head Bolt  |                 | X       | X       | X       | X       | M20 X 90        |
| 34   | 910.016.0   | Spring Washer  |                 | X       | X       | X       | X       | B 20            |
| 35   | 915.122.0   | Key            |                 | X       | X       | X       | X       | A 10 X 8 X 40   |
| 36   | 910.648.0   | Washer         |                 | X       | X       | X       | X       | 20.5 X 50 X 2.5 |
| 37   | 275.038.0   | Drive Shaft    |                 | X       | X       | X       | X       | 535mm Long      |




447 023 0

**Dog Clutch**

## Dog Clutch

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                       |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|-----------------------------|
| 38   | 910.826.0   | Shim               |                 | X       | X       | X       | X       | 20 X 28 X 1.0               |
| 39   | 920.602.0   | Roller Chain       |                 | X       | X       | X       | X       | 1" X 78 - Includes Item 40  |
| 40   | 921.985.0   | Chain Lock         |                 | X       | X       | X       | X       | 1"                          |
| 41   | 912.648.0   | Roll Pin           |                 | X       | X       | X       | X       | 6 X 60                      |
| 42   | 910.663.0   | Washer             |                 | X       | X       | X       | X       | 45 X 59 X 7.0               |
| 43   | 035.195.1   | Pressure Spring    |                 | X       | X       | X       | X       |                             |
| 44   | 280.166.1   | Dog Clutch         |                 | X       | X       | X       | X       |                             |
| 45   | 911.659.0   | Circlip            |                 | X       | X       | X       | X       | 1 62 X 2.0                  |
| 46   | 930.536.1   | Bearing            |                 | X       | X       | X       | X       | 6206 2RS                    |
| 47   | 910.904.0   | Shim               |                 | X       | X       | X       | X       | 50 X 62 X 1                 |
| 48   | 280.165.1   | Dog Clutch         |                 | X       | X       | X       | X       |                             |
| 49   | 908.512.0   | Hex Nut            |                 | X       | X       | X       | X       | M10                         |
| 50   | 902.434.1   | Hex Head Bolt      |                 | X       | X       | X       | X       | BM10 X 35                   |
| 51   | 903.137.0   | Allen Screw        |                 | X       | X       | X       | X       | M12 X 25                    |
| 52   | 912.584.0   | Roll Pin           |                 | X       | X       | X       | X       | 4 X 30                      |
| 53   | 280.316.0   | Release Lever      |                 | X       | X       | X       | X       |                             |
| 55   | 275.495.1   | Pivot Arm Complete |                 | X       | X       | X       | X       | Includes Items 1, 18, 20-22 |




445 667 4

**Roller Drive**

## Roller Drive


| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                      |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|--------------------------------------------|
| 1    | 280.414.1   | Sprocket            |                 | X       | X       | X       | X       | 3/4" - 15 Teeth                            |
| 2    | 934.017.0   | Flanged Bearing     |                 | X       | X       | X       | X       | RA 35                                      |
| 3    | 922.410.1   | Roller Chain        |                 | X       | X       | X       | X       | 3/4" - 150 Rollers - Includes Items 4 & 27 |
| 4    | 921.980.0   | Chain Lock          |                 | X       | X       | X       | X       | 3/4"                                       |
| 5    | 901.203.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M20 X 70                                   |
| 6    | 910.016.0   | Spring Washer       |                 | X       | X       | X       | X       | B 20                                       |
| 7    | 910.826.0   | Shim                |                 | X       | X       | X       | X       | 20 X 28 X 1                                |
| 8    | 280.363.1   | Tensioning Sprocket |                 | X       | X       | X       | X       |                                            |
| 9    | 910.648.0   | Washer              |                 | X       | X       | X       | X       | 20.5 X 50 X 2.5                            |
| 10   | 908.015.0   | Hex Nut             |                 | X       | X       | X       | X       | M12                                        |
| 11   | 274.303.0   | Tensioning Strip    |                 | X       | X       | X       | X       |                                            |
| 12   | 908.706.0   | Hex Nut             |                 | X       | X       | X       | X       | NM8                                        |
| 13   | 280.349.1   | Chain Guide         |                 | X       | X       | X       | X       |                                            |
| 14   | 901.046.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M8 X 55                                    |
| 15   | 949.218.1   | Ratchet Clutch      |                 | X       | X       | X       | X       |                                            |
| 16   | 912.777.0   | Dowel Sleeve        |                 | X       | X       | X       | X       | 13 X 55                                    |
| 17   | 275.033.4   | Drive Shaft         |                 | X       | X       | X       | X       | 35 X 495                                   |
| 18   | 912.676.0   | Dowel Sleeve        |                 | X       | X       | X       | X       | 8 X 50                                     |
| 19   | 915.112.0   | Flat Key            |                 | X       | X       | X       | X       | A10 X 8 X 32                               |
| 20   | 900.279.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M10 X 25                                   |
| 21   | 908.758.0   | Hex Nut             |                 | X       | X       | X       | X       | NM10                                       |
| 22   | 905.922.0   | Threaded Pin        |                 | X       | X       | X       | X       | M8 X 10                                    |
| 23   | 275.245.1   | Spacer Plate        |                 | X       | X       | X       | X       |                                            |
| 24   | 275.388.0   | Sheet Metal Plate   |                 | X       | X       | X       | X       |                                            |
| 25   | 908.012.0   | Hex Nut             |                 | X       | X       | X       | X       | M10                                        |
| 26   | 901.048.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M8 X 65                                    |
| 27   | 921.992.0   | Offset Link         |                 | X       | X       | X       | X       | 3/4"                                       |
| 28   | 274.589.1   | Protection          |                 | X       | X       | X       | X       |                                            |
| 29   | 274.590.0   | Cover               |                 | X       | X       | X       | X       |                                            |



Lower Roller

## Lower Roller

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes           |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|-----------------|
| 1    | 274.680.0   | Sprocket            |                 | X       | X       | X       | X       | 3/4" X 33 Tooth |
| 2    | 911.659.0   | Circlip             |                 | X       | X       | X       | X       | 1 62 X 2.0      |
| 3    | 930.536.1   | Bearing             |                 | X       | X       | X       | X       | 6206 2RS        |
| 4    | 910.864.0   | Shim                |                 | X       | X       | X       | X       | 30 X 42 X 1.0   |
| 5    | 274.280.3   | Shaft               |                 | X       | X       | X       | X       |                 |
| 6    | 915.116.0   | Key                 |                 | X       | X       | X       | X       | A 10 X 8 X 36   |
| 7    | 274.562.0   | Lower Roller        |                 | X       | X       | X       | X       |                 |
| 8    | 274.265.2   | Sprocket            |                 | X       | X       | X       | X       | 3/4" X 19 Tooth |
| 9    | 911.570.0   | Circlip             |                 | X       | X       | X       | X       | 75 X 2.5        |
| 10   | 910.516.0   | Washer              |                 | X       | X       | X       | X       | 33 X 56 X 4     |
| 11   | 274.608.0   | Roller Support      |                 | X       | X       | X       | X       |                 |
| 12   | 908.025.0   | Hex Nut             |                 | X       | X       | X       | X       | M20             |
| 13   | 910.014.0   | Spring Washer       |                 | X       | X       | X       | X       | B 16            |
| 14   | 900.334.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M16 X 25        |
| 15   | 910.016.0   | Spring Washer       |                 | X       | X       | X       | X       | B 20            |
| 16   | 900.281.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M10 X 30        |
| 17   | 274.388.4   | Anti-Wrap Plate L/H |                 | X       | X       |         |         |                 |
|      | 274.389.3   | Anti-Wrap Plate R/H |                 | X       | X       |         |         |                 |
|      | 275.297.4   | Anti-Wrap Plate L/H |                 |         |         | X       | X       |                 |
|      | 275.298.4   | Anti-Wrap Plate R/H |                 |         |         | X       | X       |                 |
| 18   | 910.414.0   | Washer              |                 | X       | X       | X       | X       | A 10.5          |
| 19   | 910.111.1   | Spring Washer       |                 | X       | X       | X       | X       | B 10            |
| 20   | 908.012.0   | Hex Nut             |                 | X       | X       | X       | X       | M10             |
| 21   | 900.279.0   | Hex Head Bolt       |                 | X       | X       | X       | X       | M10 X 25        |
| 22   | 274.476.1   | Input Plate L/H     |                 | X       | X       | X       | X       |                 |
|      | 274.477.1   | Input Plate R/H     |                 | X       | X       | X       | X       |                 |




447 028 1

Pickup Mounting

## Pickup Mounting

| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                      |
|------|-------------|----------------------|-----------------|---------|---------|---------|---------|--------------------------------------------|
| 1    | 910.352.0   | Washer               |                 | X       | X       | X       | X       | 9 X 28 X 3                                 |
| 2    | 908.706.0   | Hex Nut              |                 | X       | X       | X       | X       | NM8                                        |
| 3    | 274.523.1   | Pickup Support R/H   |                 | X       | X       | X       | X       |                                            |
| 4    | 274.563.2   | Pickup Drum Complete |                 | X       | X       | X       | X       | KR-130/160                                 |
| 5    | 910.414.0   | Washer               |                 | X       | X       | X       | X       | A 10.5                                     |
| 6    | 910.111.1   | Spring Washer        |                 | X       | X       | X       | X       | B 10                                       |
| 7    | 900.279.0   | Hex Head Bolt        |                 | X       | X       | X       | X       | M10 X 25                                   |
| 8    | 908.015.0   | Hex Nut              |                 | X       | X       | X       | X       | M12                                        |
| 9    | 274.580.0   | Input Plate R/H      |                 | X       | X       | X       | X       |                                            |
| 10   | 274.579.0   | Input Plate L/H      |                 | X       | X       | X       | X       |                                            |
| 11   | 900.612.0   | Hex Head Bolt        |                 | X       | X       | X       | X       | M8 X 16                                    |
| 12   | 910.352.0   | Washer               |                 | X       | X       | X       | X       | 9 X 28 X 3                                 |
| 13   | 274.683.0   | Pickup Guard         |                 | X       | X       | X       | X       |                                            |
| 14   | 900.257.0   | Hex Head Bolt        |                 | X       | X       | X       | X       | M8 X 20                                    |
| 15   | 274.517.0   | Cylinder Support L/H |                 | X       | X       |         |         |                                            |
|      | 274.518.0   | Cylinder Support R/H |                 | X       | X       |         |         |                                            |
|      | 274.480.0   | Cylinder Support L/H |                 |         |         | X       | X       |                                            |
|      | 274.485.0   | Cylinder Support R/H |                 |         |         | X       | X       |                                            |
| 16   | 908.212.0   | Hex Nut              |                 | X       | X       | X       | X       | M10                                        |
| 17   | 912.613.0   | Dowel Sleeve         |                 | X       | X       | X       | X       | 5 X 30                                     |
| 18   | 910.714.0   | Supporting Ring      |                 | X       | X       | X       | X       | S 16 X 22                                  |
| 19   | 905.338.0   | Eye Bolt             |                 | X       | X       | X       | X       | M10 X 110                                  |
| 21   | 274.483.1   | Tension Spring       |                 | X       | X       | X       | X       | 4.5 X 31.5 X 400                           |
| 22   | 901.060.0   | Hex Head Bolt        |                 | X       | X       | X       | X       | M10 X 40                                   |
| 23   | 910.353.0   | Washer               |                 | X       | X       | X       | X       | B 11                                       |
| 24   | 908.707.0   | Hex Nut              |                 | X       | X       | X       | X       | M8                                         |
| 25   | 910.413.0   | Washer               |                 | X       | X       | X       | X       | A 8.4                                      |
| 26   | 905.131.0   | Round Head Screw     |                 | X       | X       | X       | X       | M8 X 20                                    |
| 27   | 274.559.0   | Tensioning Strip     |                 | X       | X       | X       | X       | 25 X 6 X 370                               |
| 28   | 908.025.0   | Hex Nut              |                 | X       | X       | X       | X       | M20                                        |
| 29   | 908.758.0   | Hex Nut              |                 | X       | X       | X       | X       | NM10                                       |
| 30   | 337.746.1   | Threaded Piece       |                 | X       | X       | X       | X       |                                            |
| 31   | 921.980.0   | Chain Lock           |                 | X       | X       | X       | X       | 3/4"                                       |
| 32   | 921.992.0   | Offset Link          |                 | X       | X       | X       | X       | 3/4"                                       |
| 33   | 921.804.0   | Roller Chain         |                 | X       | X       | X       | X       | 3/4" X 59 Rollers - Includes Items 31 & 32 |
| 34   | 344.527.0   | Spacer Tube          |                 | X       | X       | X       | X       |                                            |
| 35   | 915.542.0   | Gib-Head Key         |                 | X       | X       | X       | X       | 10 X 5 X 40                                |
| 36   | 346.180.5   | Sprocket             |                 | X       | X       | X       | X       | 3/4" X 19 Teeth                            |




447 028 1

## Pickup Mounting

## Pickup Mounting

| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                                               |
|------|-------------|----------------------|-----------------|---------|---------|---------|---------|---------------------------------------------------------------------|
| 37   | 908.512.0   | Hex Nut              |                 | X       | X       | X       | X       | BM 10<br>M10 X 35<br>30 d. 126<br><br>3.5                           |
| 38   | 900.282.0   | Hex Head Bolt        |                 | X       | X       | X       | X       |                                                                     |
| 39   | 910.515.0   | Washer               |                 | X       | X       | X       | X       |                                                                     |
| 40   | 274.522.2   | Pickup Support L/H   |                 | X       | X       | X       | X       |                                                                     |
| 41   | 917.203.0   | Pin                  |                 | X       | X       | X       | X       |                                                                     |
| 42   | 910.414.0   | Washer               |                 | X       | X       | X       | X       | A 10.5<br><br><br><br>M10 X 30                                      |
| 43   | 274.596.0   | Holder               |                 | X       | X       | X       | X       |                                                                     |
| 44   | 274.592.0   | Hook Left            |                 | X       | X       | X       | X       |                                                                     |
|      | 274.511.0   | Hook Right           |                 | X       | X       | X       | X       |                                                                     |
| 45   | 900.281.0   | Hex Head Bolt        |                 | X       | X       | X       | X       |                                                                     |
| 46   | 275.418.1   | Guard                |                 | X       | X       | X       | X       | M12 X 60                                                            |
| 47   | 900.304.1   | Hex Head Bolt        |                 | X       | X       | X       | X       |                                                                     |
| 48   | 274.569.0   | Bracket Left         |                 | X       | X       | X       | X       |                                                                     |
| 49   | 917.802.1   | Spring Hook          |                 | X       | X       | X       | X       |                                                                     |
| 50   | 919.003.0   | Grease Fitting       |                 | X       | X       | X       | X       |                                                                     |
| 51   | 905.922.0   | Threaded Pin         |                 | X       | X       | X       | X       | M8 X 10<br>A 30<br><br>320 X 80                                     |
| 52   | 911.317.0   | Lock Collar          |                 | X       | X       | X       | X       |                                                                     |
| 53   | 954.031.0   | Plastic Bushing      |                 | X       | X       | X       | X       |                                                                     |
| 54   | 954.027.0   | Steel Gauge Wheel    |                 | X       | X       | X       | X       |                                                                     |
| 55   | 274.482.0   | Gauge Wheel Support  |                 | X       | X       | X       | X       |                                                                     |
| 56   | 905.237.0   | Flat Round Bolt      |                 | X       | X       | X       | X       | M8 X 50<br>Includes Items 1, 2, 56<br><br><br>40 X 8 X 80           |
| 57   | 274.599.0   | Compression Rake     |                 | X       | X       | X       | X       |                                                                     |
| 58   | 274.570.0   | Bracket Right        |                 | X       | X       | X       | X       |                                                                     |
| 59   | 274.598.1   | Tine                 |                 | 4       | 4       | 4       | 4       |                                                                     |
| 60   | 274.565.0   | Strap                |                 | X       | X       | X       | X       |                                                                     |
| 61   | 900.655.0   | Hex Head Bolt        |                 | X       | X       | X       | X       | M12 X 25<br>B 12<br>17 X 40 X 6<br>M16 X 30<br>Includes Items 50-55 |
| 62   | 910.035.0   | Spring Washer        |                 | X       | X       | X       | X       |                                                                     |
| 63   | 910.362.0   | Washer               |                 | X       | X       | X       | X       |                                                                     |
| 64   | 900.335.0   | Hex Head Bolt        |                 | X       | X       | X       | X       |                                                                     |
| 65   | 274.567.0   | Gauge Wheel Complete |                 | X       | X       | X       | X       |                                                                     |



447 029 1

Pickup Drum


## Pickup Drum

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                  |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|------------------------|
| 1    | 938.107.1   | Spacer Tube        |                 | X       | X       | X       | X       | 34 X 1 X 63<br>M8 X 16 |
| 2    | 900.255.1   | Hex Head Bolt      |                 | X       | X       | X       | X       |                        |
| 4    | 938.142.1   | Bearing Plate      |                 | X       | X       | X       | X       |                        |
| 5    | 938.158.0   | Spring Tine        |                 | 36      | 36      | 36      | 36      |                        |
| 6    | 938.159.0   | Tine Holder        |                 | 36      | 36      | 36      | 36      |                        |
| 7    | 908.706.0   | Hex Nut            |                 | 36      | 36      | 36      | 36      |                        |
| 8    | 908.512.0   | Hex Nut            |                 | X       | X       | X       | X       | NM8                    |
| 9    | 910.414.0   | Washer             |                 | X       | X       | X       | X       | M10                    |
| 10   | 937.928.0   | Protecting Cap     |                 | X       | X       | X       | X       | A 10.5                 |
| 11   | 908.212.0   | Hex Nut            |                 | X       | X       | X       | X       | M10                    |
| 12   | 910.111.1   | Spring Washer      |                 | X       | X       | X       | X       | B 10                   |
| 13   | 938.160.0   | End Plate R/H      |                 | X       | X       | X       | X       | AELPFL 206             |
| 14   | 934.006.1   | Flange Bearing     |                 | X       | X       | X       | X       |                        |
| 15   | 938.161.0   | Scraper Bar        |                 | X       | X       | X       | X       |                        |
| 16   | 900.638.0   | Hex Head Bolt      |                 | X       | X       | X       | X       |                        |
| 17   | 938.131.1   | Washer             |                 | 4       | 4       | 4       | 4       | 15.5 X 23 X 3          |
| 19   | 938.162.0   | End Plate L/H      |                 | X       | X       | X       | X       | 8 X 45                 |
| 22   | 912.452.0   | Roll Pin           |                 | 4       | 4       | 4       | 4       |                        |
| 23   | 938.080.1   | Bolt               |                 | 4       | 4       | 4       | 4       | LR 5202                |
| 24   | 938.081.0   | Bearing            |                 | 4       | 4       | 4       | 4       |                        |
| 25   | 938.136.1   | Eccentric Arm      |                 | 4       | 4       | 4       | 4       | 14.5<br>M14            |
| 26   | 909.850.0   | Serrated Washer    |                 | 4       | 4       | 4       | 4       |                        |
| 27   | 908.518.1   | Hex Nut            |                 | 4       | 4       | 4       | 4       |                        |
| 29   | 938.083.0   | Clamping Bushing   |                 | 4       | 4       | 4       | 4       |                        |
| 30   | 935.900.0   | Tensioning Bushing |                 | 8       | 8       | 8       | 8       |                        |
| 31   | 938.156.0   | Tine Carrier       |                 | 4       | 4       | 4       | 4       | M8 X 55                |
| 32   | 938.137.1   | Drive Shaft        |                 | X       | X       | X       | X       |                        |
| 33   | 901.424.0   | Hex Head Bolt      |                 | 36      | 36      | 36      | 36      |                        |
| 34   | 937.960.3   | Spring Saddle      |                 | 36      | 36      | 36      | 36      |                        |
| 36   | 938.157.0   | Scraper            |                 | 15      | 15      | 15      | 15      |                        |
|      | 938.163.0   | Scraper L/H        |                 | 1       | 1       | 1       | 1       | Includes Items 1-37    |
|      | 938.164.0   | Scraper R/H        |                 | 1       | 1       | 1       | 1       |                        |
| 37   | 938.068.0   | Collar Bushing     |                 | 4       | 4       | 4       | 4       |                        |
| 40   | 274.563.2   | Pickup Complete    |                 | X       | X       | X       | X       |                        |



## Single Twine Tying Mechanism


| Item | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                                                                        |
|------|-------------|-------------------------------|-----------------|---------|---------|---------|---------|----------------------------------------------------------------------------------------------|
| 1    | 280.579.0   | Pulley                        |                 | X       | X       | X       | X       | A 6 X 6 X 28<br><br>6004 2RS<br>I 42 X 1.75                                                  |
| 2    | 915.047.0   | Key                           |                 | X       | X       | X       | X       |                                                                                              |
| 3    | 274.686.0   | Pinion Shaft                  |                 | X       | X       | X       | X       |                                                                                              |
| 4    | 930.504.0   | Bearing                       |                 | X       | X       | X       | X       |                                                                                              |
| 5    | 911.642.0   | Circlip                       |                 | X       | X       | X       | X       |                                                                                              |
| 6    | 900.257.0   | Hex Head Bolt                 |                 | X       | X       | X       | X       | M8 X 20<br><br>A 20 X 1.2<br><br>NM8                                                         |
| 7    | 280.052.1   | Bearing Housing               |                 | X       | X       | X       | X       |                                                                                              |
| 8    | 911.522.0   | Circlip                       |                 | X       | X       | X       | X       |                                                                                              |
| 9    | 274.693.0   | Twine Mechanism Housing       |                 | X       | X       | X       | X       |                                                                                              |
| 10   | 908.706.0   | Hex Nut                       |                 | X       | X       | X       | X       |                                                                                              |
| 11   | 280.051.0   | Guide Piece                   |                 | X       | X       | X       | X       | A 8.4<br>M8                                                                                  |
| 12   | 910.413.0   | Washer                        |                 | X       | X       | X       | X       |                                                                                              |
| 13   | 908.010.0   | Hex Nut                       |                 | X       | X       | X       | X       |                                                                                              |
| 14   | 280.054.1   | Sprocket Shaft                |                 | X       | X       | X       | X       |                                                                                              |
| 15   | 280.056.0   | Gear                          |                 | X       | X       | X       | X       |                                                                                              |
| 16   | 915.043.0   | Key                           |                 | X       | X       | X       | X       | A 6 X 6 X 14<br><br>B 8<br>M8 X 20<br>A 8.4                                                  |
| 18   | 280.457.1   | Sprocket Shaft                |                 | X       | X       | X       | X       |                                                                                              |
| 19   | 910.010.0   | Spring Washer                 |                 | X       | X       | X       | X       |                                                                                              |
| 20   | 900.257.0   | Hex Head Bolt                 |                 | X       | X       | X       | X       |                                                                                              |
| 21   | 910.603.0   | Washer                        |                 | X       | X       | X       | X       |                                                                                              |
| 22   | 901.045.0   | Hex Head Bolt                 |                 | X       | X       | X       | X       | M8 X 50<br><br>M8 X 16                                                                       |
| 23   | 280.423.0   | Twine Limiter                 |                 | X       | X       | X       | X       |                                                                                              |
| 24   | 906.132.0   | Wing Bolt                     |                 | X       | X       | X       | X       |                                                                                              |
| 25   | 052.053.0   | Pressure Spring               |                 | X       | X       | X       | X       |                                                                                              |
| 26   | 274.676.0   | Guard                         |                 | X       | X       | X       | X       |                                                                                              |
| *    | 274.433.2   | Single Tie Mechanism Complete |                 | X       | X       | X       | X       | Includes Items 1-26 on this page,<br>except 1, 2, 15, 16<br>Includes Items 1-17 on next page |



447 022 1

**Single Twine Drive & Cutting Mechanism**


| Single Twine Drive & Cutting Mechanism                                                        |             |                               |                 |         |         |         |         |            |
|-----------------------------------------------------------------------------------------------|-------------|-------------------------------|-----------------|---------|---------|---------|---------|------------|
| Item                                                                                          | Part Number | Description                   | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes      |
| 1                                                                                             | 921.983.0   | Chain Lock                    |                 | X       | X       | X       | X       | 5/8"       |
| 2                                                                                             | 280.098.0   | Bushing                       |                 | X       | X       | X       | X       |            |
| 3                                                                                             | 280.103.1   | Guide Block                   |                 | X       | X       | X       | X       |            |
| 4                                                                                             | 274.307.0   | Plate                         |                 | X       | X       | X       | X       |            |
| 5                                                                                             | 910.411.1   | Washer                        |                 | X       | X       | X       | X       |            |
| 6                                                                                             | 910.008.0   | Spring Washer                 |                 | X       | X       | X       | X       | A 6.4      |
| 7                                                                                             | 900.239.0   | Hex Head Bolt                 |                 | X       | X       | X       | X       | B 6        |
| 8                                                                                             | 905.232.0   | Flat Round Bolt               |                 | X       | X       | X       | X       | M6 X 25    |
| 9                                                                                             | 900.261.0   | Hex Head Bolt                 |                 | X       | X       | X       | X       | M8 X 25    |
| 10                                                                                            | 908.210.0   | Hex Nut                       |                 | X       | X       | X       | X       | M8 X 30    |
| 11                                                                                            | 908.706.0   | Hex Nut                       |                 | X       | X       | X       | X       | M8         |
| 12                                                                                            | 280.221.3   | Knife                         |                 | X       | X       | X       | X       | NM8        |
| 13                                                                                            | 280.234.1   | Knife Holder                  |                 | X       | X       | X       | X       |            |
| 14                                                                                            | 280.321.2   | Twine Guide Plate             |                 | X       | X       | X       | X       |            |
| 15                                                                                            | 910.010.0   | Spring Washer                 |                 | X       | X       | X       | X       |            |
| 16                                                                                            | 921.943.0   | Roller Chain                  |                 | X       | X       | X       | X       | B 8        |
| 17                                                                                            | 921.999.0   | Link w/Pin                    |                 | X       | X       | X       | X       | 5/8" X 130 |
| 20                                                                                            | 274.433.2   | Single Tie Mechanism Complete |                 | X       | X       | X       | X       | 5/8"       |
| Includes Items 1-17 on this page<br>Includes Items 1-26 on previous page, except 1, 2, 15, 16 |             |                               |                 |         |         |         |         |            |



# Single Twine Manual Starter

## Single Twine Manual Starter

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|---------------|
| 1    | 901.421.1   | Hex Head Bolt      |                 | X       | X       | X       | X       | M8 X 40       |
| 2    | 910.603.0   | Washer             |                 | X       | X       | X       | X       | A 8.4         |
| 3    | 052.053.0   | Compression Spring |                 | X       | X       | X       | X       |               |
| 4    | 930.100.0   | Bearing            |                 | X       | X       | X       | X       | 6001 2RS      |
| 5    | 910.807.0   | Shim               |                 | X       | X       | X       | X       | 12 X 18 X .3  |
|      | 910.802.0   | Shim               |                 | X       | X       | X       | X       | 12 X 18 X .5  |
|      | 910.803.0   | Shim               |                 | X       | X       | X       | X       | 12 X 18 X 1.0 |
| 6    | 910.033.0   | Spring Washer      |                 | X       | X       | X       | X       | B 8           |
| 7    | 900.610.0   | Hex Head Bolt      |                 | X       | X       | X       | X       | M8 X 10       |
| 8    | 938.974.1   | Guide              |                 | X       | X       | X       | X       |               |
| 9    | 275.408.4   | Starter Housing    |                 | X       | X       | X       | X       |               |
| 10   | 911.522.0   | Circlip            |                 | X       | X       | X       | X       | 20 X 1.2      |
| 11   | 275.432.3   | Drive Shaft        |                 | X       | X       | X       | X       |               |
| 12   | 930.101.0   | Bearing            |                 | X       | X       | X       | X       | 6002 2RS      |
| 13   | 910.804.0   | Shim               |                 | X       | X       | X       | X       | 15 X 21 X .3  |
|      | 910.805.0   | Shim               |                 | X       | X       | X       | X       | 15 X 21 X .5  |
|      | 910.806.0   | Shim               |                 | X       | X       | X       | X       | 15 X 21 X 1.0 |
| 14   | 911.513.0   | Circlip            |                 | X       | X       | X       | X       | 15 X 1.0      |
| 15   | 275.437.1   | Starter Roller     |                 | X       | X       | X       | X       |               |
| 16   | 910.506.0   | Washer             |                 | X       | X       | X       | X       | 14            |
| 17   | 908.711.1   | Hex Nut            |                 | X       | X       | X       | X       | NM12          |
| 18   | 905.130.0   | Flat Round Bolt    |                 | X       | X       | X       | X       | M8 X 16       |
| 19   | 911.541.0   | Circlip            |                 | X       | X       | X       | X       | 35 X 1.5      |
| 20   | 930.507.0   | Bearing            |                 | X       | X       | X       | X       | 6007 2RS      |
| 21   | 911.659.0   | Circlip            |                 | X       | X       | X       | X       | I 62 X 2.0    |
| 22   | 280.405.2   | Roller             |                 | X       | X       | X       | X       |               |
| 23   | 275.435.1   | Roller Mount       |                 | X       | X       | X       | X       |               |
| 24   | 918.307.0   | Eye Bolt           |                 | X       | X       | X       | X       | M8 X 160      |
| 25   | 937.504.0   | O-Ring             |                 | X       | X       | X       | X       | 70.0 X 10     |
| 26   | 275.436.1   | Wheel              |                 | X       | X       | X       | X       |               |
| 27   | 912.582.0   | Roll Pin           |                 | X       | X       | X       | X       | 4 X 26        |
| 28   | 911.500.0   | Circlip            |                 | X       | X       | X       | X       | 12 X 1.0      |
| 29   | 275.433.2   | Shaft              |                 | X       | X       | X       | X       |               |
| 30   | 908.706.0   | Hex Nut            |                 | X       | X       | X       | X       | NM8           |
| 31   | 015.296.1   | Compression Spring |                 | X       | X       | X       | X       |               |
| 32   | 275.430.0   | Bevel Gear         |                 | X       | X       | X       | X       | Z=16          |
| 33   | 271.262.1   | Bushing            |                 | X       | X       | X       | X       |               |
| 34   | 910.352.0   | Washer             |                 | X       | X       | X       | X       | R9            |




447 189 0 5

Single Twine Manual Starter

## Single Twine Manual Starter


| Item | Part Number | Description       | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                   |
|------|-------------|-------------------|-----------------|---------|---------|---------|---------|-----------------------------------------|
| 35   | 900.262.0   | Hex Head Bolt     |                 | X       | X       | X       | X       | M8 X 35                                 |
| 36   | 275.438.2   | Starter Lever     |                 | X       | X       | X       | X       |                                         |
| 37   | 910.808.0   | Shim              |                 | X       | X       | X       | X       | 20 X 28 X .3                            |
| 38   | 911.600.0   | Circlip           |                 | X       | X       | X       | X       | 1 28 X 1.2                              |
| 39   | 917.506.0   | Cable Guide       |                 | X       | X       | X       | X       | A 6                                     |
| 40   | 917.603.0   | Clamp             |                 | X       | X       | X       | X       | 6.5                                     |
| 41   | 275.450.1   | Cable             |                 | X       | X       | X       | X       | 6 X 750                                 |
| 42   | 917.901.0   | Hook              |                 | X       | X       | X       | X       |                                         |
| 43   | 280.353.2   | Rope              |                 | X       | X       | X       | X       | 6 X 3500                                |
| 44   | 939.063.0   | Handle            |                 | X       | X       | X       | X       |                                         |
| 45   | 911.132.0   | Shim              |                 | X       | X       | X       | X       | 35 X 45 X .3                            |
|      | 911.133.0   | Shim              |                 | X       | X       | X       | X       | 35 X 45 X .5                            |
|      | 911.134.0   | Shim              |                 | X       | X       | X       | X       | 35 X 45 X 1.0                           |
| 46   | 908.010.0   | Hex Nut           |                 | X       | X       | X       | X       | M8                                      |
| 47   | 274.621.0   | Twine Guide Plate |                 | X       | X       | X       | X       |                                         |
| 50   | 275.440.1   | Starter Complete  |                 | X       | X       | X       | X       | Excludes Items 1-3, 6, 7, 39, 40-44, 47 |



Net Wrap Unit

## Net Wrap Unit


| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
|------|-------------|----------------------|-----------------|---------|---------|---------|---------|---------------|
| 1    | 275.239.1   | Knife Carrier        |                 |         | X       |         | X       |               |
| 2    | 275.211.2   | Knife Carrier Holder |                 |         | X       |         | X       |               |
| 3    | 912.641.0   | Roll Pin             |                 |         | X       |         | X       | 6 X 30        |
| 4    | 900.616.0   | Hex Head Bolt        |                 |         | X       |         | X       | M8 X 25       |
| 5    | 275.223.2   | Aluminum Roller      |                 |         | X       |         | X       |               |
| 6    | 930.533.0   | Bearing              |                 |         | X       |         | X       | 6203 2RS      |
| 7    | 275.222.1   | Shackle              |                 |         | X       |         | X       |               |
| 8    | 910.826.0   | Shim                 |                 |         | X       |         | X       | 20 X 28 X 1.0 |
| 9    | 908.210.0   | Hex Nut              |                 |         | X       |         | X       | M8            |
| 10   | 910.512.1   | Washer               |                 |         | X       |         | X       | B 21          |
| 11   | 905.000.1   | Flat Round Bolt      |                 |         | X       |         | X       | M6 X 12       |
| 12   | 908.010.0   | Hex Nut              |                 |         | X       |         | X       | M8            |
| 13   | 275.214.1   | Angle Bracket        |                 |         | X       |         | X       |               |
| 14   | 910.010.0   | Spring Washer        |                 |         | X       |         | X       | B 8           |
| 15   | 900.257.0   | Hex Head Bolt        |                 |         | X       |         | X       | M8 X 20       |
| 16   | 901.045.0   | Hex Head Bolt        |                 |         | X       |         | X       | M8 X 50       |
| 17   | 015.296.1   | Compression Spring   |                 |         | X       |         | X       |               |
| 18   | 275.417.0   | Angle Bolt           |                 |         | X       |         | X       |               |
| 19   | 275.213.1   | Spring Bar           |                 |         | X       |         | X       |               |
| 20   | 910.603.0   | Washer               |                 |         | X       |         | X       | A 8.4         |
| 21   | 275.228.1   | Locking Piece        |                 |         | X       |         | X       |               |
| 22   | 908.706.0   | Hex Nut              |                 |         | X       |         | X       | NM8           |
| 23   | 275.212.3   | Pivot Arm            |                 |         | X       |         | X       |               |
| 24   | 908.208.0   | Hex Nut              |                 |         | X       |         | X       | M6            |
| 25   | 910.411.1   | Washer               |                 |         | X       |         | X       | A 6.4         |
| 26   | 275.177.2   | Catch                |                 |         | X       |         | X       |               |
| 27   | 911.529.0   | Circlip              |                 |         | X       |         | X       | A 25          |
| 28   | 910.844.0   | Shim                 |                 |         | X       |         | X       | 25 X 35 X 1.0 |
| 29   | 275.207.2   | Wheel                |                 |         | X       |         | X       |               |
| 30   | 905.932.0   | Set Screw            |                 |         | X       |         | X       | M10 X 10      |
| 31   | 908.523.0   | Hex Nut              |                 |         | X       |         | X       | M16           |
| 32   | 905.712.0   | Set Screw            |                 |         | X       |         | X       | M16 X 90      |
| 33   | 275.231.3   | Friction Wheel       |                 |         | X       |         | X       |               |
| 34   | 930.505.0   | Bearing              |                 |         | X       |         | X       | 6005 2RS      |
| 35   | 925.003.0   | Plug                 |                 |         | X       |         | X       |               |
| 36   | 939.737.0   | Compression Spring   |                 |         | X       |         | X       |               |
| 37   | 275.402.0   | Locking Pin          |                 |         | X       |         | X       |               |
| 38   | 275.401.0   | Lock Collar          |                 |         | X       |         | X       |               |



Net Wrap Unit

## Net Wrap Unit


| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                       |
|------|-------------|------------------------|-----------------|---------|---------|---------|---------|-----------------------------|
| 39   | 900.607.0   | Hex Head Bolt          |                 |         | X       |         | X       | M6 X 16                     |
| 40   | 934.000.0   | Flange Bearing         |                 |         | X       |         | X       | CSPFL 205 LLU               |
| 41   | 900.259.0   | Hex Head Bolt          |                 |         | X       |         | X       | M8 X 25                     |
| 42   | 934.603.0   | Bearing                |                 |         | X       |         | X       | CS 205 LLU                  |
| 43   | 275.224.3   | Rubber Roller          |                 |         | X       |         | X       |                             |
| 44   | 275.216.3   | Knife Beam Shaft       |                 |         | X       |         | X       |                             |
| 45   | 275.258.2   | Chain w/Hook           |                 |         | 6       |         | 6       |                             |
| 46   | 275.230.2   | Guide Strap            |                 |         | X       |         | X       |                             |
| 47   | 903.745.0   | Allen Screw            |                 |         | X       |         | X       | AM 5 X 16                   |
| 48   | 275.233.4   | Netwrap Support        |                 |         | X       |         | X       |                             |
| 49   | 275.229.3   | Strap                  |                 |         | X       |         | X       |                             |
| 50   | 939.634.1   | Tension Spring         |                 |         | X       |         | X       |                             |
| 51   | 275.159.1   | Knife                  |                 |         | 34      |         | 34      |                             |
| 52   | 908.207.0   | Hex Nut                |                 |         | X       |         | X       | M5                          |
| 53   | 910.031.0   | Spring Washer          |                 |         | X       |         | X       | B 5                         |
| 54   | 912.673.0   | Roll Pin               |                 |         | X       |         | X       | 8 X 36                      |
|      | 912.615.0   | Roll Pin               |                 |         | X       |         | X       | 5 X 36                      |
| 55   | 274.684.0   | Cover                  |                 |         | X       |         | X       |                             |
| 60   | 275.241.2   | Net Wrap Unit Complete |                 |         | X       |         | X       | Excludes Items 13-18, 30-33 |



Net Wrap Brake

## Net Wrap Brake

| Item | Part Number | Description          | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                                                          |
|------|-------------|----------------------|-----------------|---------|---------|---------|---------|--------------------------------------------------------------------------------|
| 1    | 274.201.0   | Brake Lever          |                 |         | X       |         | X       | 3 X 20<br><br>M8 X 20                                                          |
| 2    | 912.539.1   | Roll Pin             |                 |         | X       |         | X       |                                                                                |
| 3    | 274.209.0   | Snap Ring            |                 |         | X       |         | X       |                                                                                |
| 4    | 900.257.0   | Hex Head Bolt        |                 |         | X       |         | X       |                                                                                |
| 5    | 275.246.0   | Reinforcing Strip    |                 |         | X       |         | X       |                                                                                |
| 6    | 908.210.0   | Hex Nut              |                 |         | X       |         | X       | M8<br>2000m Long                                                               |
| 7    | 924.918.0   | Net Wrap             |                 |         | X       |         | X       |                                                                                |
| 8    | 274.211.0   | Net Wrap Roll Holder |                 |         | X       |         | X       |                                                                                |
| 9    | 917.901.0   | Hook                 |                 |         | X       |         | X       |                                                                                |
| 10   | 922.926.0   | Cable                |                 |         | X       |         | X       |                                                                                |
| 11   | 909.920.0   | Spring Washer        |                 |         | X       |         | X       | B 31.5<br>B 8<br><br>M10                                                       |
| 12   | 910.010.0   | Spring Washer        |                 |         | X       |         | X       |                                                                                |
| 13   | 274.215.0   | Angle Bracket        |                 |         | X       |         | X       |                                                                                |
| 14   | 274.198.0   | Roll Holder Left     |                 |         | X       |         | X       |                                                                                |
| 15   | 908.212.0   | Hex Nut              |                 |         | X       |         | X       |                                                                                |
| 16   | 927.110.0   | Clevis               |                 |         | X       |         | X       | M8 X 30<br>A 8.4                                                               |
| 17   | 274.327.0   | Tension Spring       |                 |         | X       |         | X       |                                                                                |
| 18   | 900.261.0   | Hex Head Bolt        |                 |         | X       |         | X       |                                                                                |
| 19   | 910.413.0   | Washer               |                 |         | X       |         | X       |                                                                                |
| 20   | 274.205.1   | Swing Arm            |                 |         | X       |         | X       |                                                                                |
| 21   | 274.363.1   | Pulley               |                 |         | X       |         | X       | NM10                                                                           |
| 23   | 274.204.0   | Brake Linkage        |                 |         | X       |         | X       |                                                                                |
| 24   | 274.200.0   | Roll Holder Right    |                 |         | X       |         | X       |                                                                                |
| 25   | 274.210.1   | Locking Bolt         |                 |         | X       |         | X       |                                                                                |
| 26   | 908.758.0   | Hex Nut              |                 |         | X       |         | X       |                                                                                |
| 27   | 910.603.0   | Washer               |                 |         | X       |         | X       | A 8.4<br><br>M8 X 25<br>M10 X 50<br>Includes Items 1-30 & Items on Prev. Pages |
| 28   | 275.424.1   | Pulley Bracket       |                 |         | X       |         | X       |                                                                                |
| 29   | 900.616.0   | Hex Head Bolt        |                 |         | X       |         | X       |                                                                                |
| 30   | 901.433.0   | Hex Head Bolt        |                 |         | X       |         | X       |                                                                                |
| 35   | 274.675.0   | Netwrap Complete     |                 |         | X       |         | X       |                                                                                |




447 036 1

## Hydraulics

## Hydraulics


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes         |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|---------------|
| 1    | 908.758.0   | Hex Nut            |                 | X       | X       | X       | X       | NM10          |
| 2    | 910.361.0   | Washer             |                 | X       | X       | X       | X       | 10.5 X 25 X 4 |
| 3    | 339.698.1   | Mounting Plate     |                 | X       | X       | X       | X       |               |
| 4    |             | Hydraulic Tube     |                 | X       | X       | X       | X       | 12 X 1.5      |
| 5    | 903.056.1   | Allen Screw        |                 | X       | X       | X       | X       | M6 X 70       |
| 6    | 921.042.0   | Union Nut          |                 | X       | X       | X       | X       | AL 12         |
| 7    | 921.046.0   | Cutting Ring       |                 | X       | X       | X       | X       | L 12          |
| 8    | 921.003.0   | Hydraulic Hose     |                 | X       | X       | X       | X       | 620mm Long    |
| 9    | 921.058.0   | Connector          |                 | X       | X       | X       | X       | L 12          |
| 10   | 921.347.1   | Hydraulic Cylinder |                 | X       | X       |         |         | Tailgate      |
| 11   | 921.467.0   | Seal Kit           |                 | X       | X       |         |         |               |
|      | 921.348.1   | Hydraulic Cylinder |                 |         |         | X       | X       | Tailgate      |
|      | 921.467.0   | Seal Kit           |                 |         |         | X       | X       |               |
|      | 921.303.1   | Hydraulic Cylinder |                 | X       | X       | X       | X       | Pickup        |
|      | 921.423.0   | Seal Kit           |                 | X       | X       | X       | X       |               |
| 12   | 921.071.0   | T Connector        |                 | X       | X       | X       | X       | L 12          |
| 13   | 912.615.0   | Roll Pin           |                 | X       | X       | X       | X       | 5 X 36        |
| 14   | 280.161.0   | Pin                |                 | X       | X       | X       | X       | 25 X 55       |
| 15   | 921.116.0   | Hand Lever         |                 | X       | X       | X       | X       |               |
| 16   | 274.321.0   | 3-Way Valve        |                 | X       | X       | X       | X       |               |
| 17   | 274.109.0   | Pin                |                 | X       | X       | X       | X       | 25 X 70       |
| 18   | 906.802.0   | Self-Tapping Screw |                 | X       | X       | X       | X       | B 4.8 X 38    |
| 19   | 908.208.0   | Hex Nut            |                 | X       | X       | X       | X       | M6            |
| 20   | 925.107.1   | Clamp              |                 | X       | X       | X       | X       | Bo.=12        |
| 21   | 910.351.0   | Washer             |                 | X       | X       | X       | X       | r.6.6 d.448   |
| 22   | 925.105.0   | Clamp              |                 | X       | X       | X       | X       | Bo.=12/12     |
| 23   | 921.038.0   | Hydraulic Hose     |                 | X       | X       | X       | X       | 3000mm Long   |
| 24   | 921.054.0   | Connector          |                 | X       | X       | X       | X       | L 12          |
| 25   | 921.084.0   | Plug Holder        |                 | X       | X       | X       | X       |               |
| 26   | 921.145.0   | Hydraulic Coupling |                 | X       | X       | X       | X       | M18 X 1.5     |
| 27   | 921.030.0   | Hydraulic Hose     |                 | X       | X       | X       | X       | 1600mm Long   |
| 28   | 921.067.0   | Elbow Connector    |                 | X       | X       | X       | X       | L 12          |
| 29   | 344.524.0   | 3-Way Valve        |                 | X       | X       | X       | X       |               |
| 30   | 274.612.0   | Angle Bracket      |                 | X       | X       | X       | X       |               |
| 31   | 900.279.0   | Hex Head Bolt      |                 | X       | X       | X       | X       | M10 X 25      |



Hydraulic Starter

## Hydraulic Starter

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                  |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|----------------------------------------|
| 1    | 921.084.0   | Plug Holder        |                 |         | X       |         | X       | 3000mm Long<br>12 X 1.5<br>M8 X 160    |
| 2    | 921.038.0   | Hydraulic Hose     |                 |         | X       |         | X       |                                        |
| 3    |             | Hydraulic Tube     |                 |         | X       |         | X       |                                        |
| 4    | 918.307.0   | Eye Bolt           |                 |         | X       |         | X       |                                        |
| 5    | 274.363.1   | Pulley             |                 |         | X       |         | X       |                                        |
| 6    | 908.758.0   | Hex Nut            |                 |         | X       |         | X       | NM10<br>M6<br>Bo.=12<br>AM 6 X 28      |
| 7    | 908.208.0   | Hex Nut            |                 |         | X       |         | X       |                                        |
| 8    | 925.107.1   | Clamp              |                 |         | X       |         | X       |                                        |
| 9    | 903.755.0   | Allen Screw        |                 |         | X       |         | X       |                                        |
| 11   | 274.586.0   | Pulley Bracket     |                 |         | X       |         | X       |                                        |
| 12   | 904.730.0   | Flat Round Bolt    |                 |         | X       |         | X       | M8 X 16<br><br>A 10.5<br>M10 X 20      |
| 13   | 274.588.0   | Tensioner Rod      |                 |         | X       |         | X       |                                        |
| 14   | 910.414.0   | Washer             |                 |         | X       |         | X       |                                        |
| 15   | 900.277.0   | Hex Head Bolt      |                 |         | X       |         | X       |                                        |
| 16   | 274.483.1   | Tension Spring     |                 |         | X       |         | X       |                                        |
| 17   | 280.400.1   | Eye Bolt           |                 |         | X       |         | X       | M8 X 30<br>M8<br>AL 12<br>L 12         |
| 18   | 908.010.0   | Hex Nut            |                 |         | X       |         | X       |                                        |
| 19   | 921.206.0   | Union Nut          |                 |         | X       |         | X       |                                        |
| 20   | 921.046.0   | Cutting Ring       |                 |         | X       |         | X       |                                        |
| 21   | 921.090.1   | Hydraulic Elbow    |                 |         | X       |         | X       |                                        |
| 22   | 921.304.1   | Hydraulic Cylinder |                 |         | X       |         | X       | M8<br>9 X 28 X 3                       |
|      | 921.416.0   | Seal Kit           |                 |         | X       |         | X       |                                        |
| 23   | 939.732.0   | Pressure Spring    |                 |         | X       |         | X       |                                        |
| 24   | 908.210.0   | Hex Nut            |                 |         | X       |         | X       |                                        |
| 25   | 910.352.0   | Washer             |                 |         | X       |         | X       |                                        |
| 26   | 274.585.0   | Angle Bracket      |                 |         | X       |         | X       | S 16 X 22<br><br>M10 X 50<br>M18 X 1.5 |
| 27   | 910.714.0   | Support Washer     |                 |         | X       |         | X       |                                        |
| 28   | 939.634.1   | Tension Spring     |                 |         | X       |         | X       |                                        |
| 29   | 901.433.0   | Hex Head Bolt      |                 |         | X       |         | X       |                                        |
| 30   | 921.145.0   | Hydraulic Coupling |                 |         | X       |         | X       |                                        |
|      | 921.200.0   | Screw Socket       |                 |         | X       |         | X       | 3/8" NPT AKL-12 NPT - Not for USA      |




447 039 1

**Tailgate Lock & Filling Indicators**

## Tailgate Lock & Filling Indicators


| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes       |
|------|-------------|-------------------------|-----------------|---------|---------|---------|---------|-------------|
| 1    | 274.076.0   | Spring Hook             |                 | X       | X       | X       | X       |             |
| 2    | 274.078.0   | Pin                     |                 | X       | X       | X       | X       |             |
| 3    | 900.306.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M12 X 70    |
| 4    | 908.015.0   | Hex Nut                 |                 | X       | X       | X       | X       | M12         |
| 5    | 912.780.1   | Roll Pin                |                 | X       | X       | X       | X       | 13 X 75     |
| 6    | 912.681.1   | Roll Pin                |                 | X       | X       | X       | X       | 8 X 75      |
| 7    | 274.078.0   | Threaded Pin            |                 | X       | X       | X       | X       | Rd. 20 X 42 |
| 8    | 910.506.0   | Washer                  |                 | X       | X       | X       | X       | 14          |
| 9    | 939.732.0   | Pressure Spring         |                 | X       | X       | X       | X       |             |
| 10   | 908.010.0   | Hex Nut                 |                 | X       | X       | X       | X       | M8          |
| 11   | 274.336.1   | Guide Strap             |                 | X       | X       | X       | X       |             |
| 12   | 912.579.1   | Roll Pin                |                 | X       | X       | X       | X       | 4 X 20      |
| 13   | 900.264.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 45     |
| 14   | 900.261.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 30     |
| 15   | 275.353.0   | Strap                   |                 | X       | X       | X       | X       |             |
| 16   | 910.413.0   | Washer                  |                 | X       | X       | X       | X       | A 8.4       |
| 17   | 908.706.0   | Hex Nut                 |                 | X       | X       | X       | X       | NM8         |
| 18   | 908.704.1   | Hex Nut                 |                 | X       | X       | X       | X       | NM6         |
| 19   | 900.237.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M6 X 20     |
| 20   | 912.130.0   | Cotter Pin              |                 | X       | X       | X       | X       | 8 X 45      |
| 21   | 275.352.0   | Pin                     |                 | X       | X       | X       | X       |             |
| 22   | 275.357.0   | Stop                    |                 | X       | X       | X       | X       |             |
| 23   | 275.363.0   | Rod L/H                 |                 | X       | X       |         |         |             |
|      | 275.301.1   | Rod L/H                 |                 |         |         | X       | X       |             |
| 24   | 275.365.0   | Cable for Indicator L/H |                 | X       | X       |         |         |             |
|      | 275.358.0   | Cable for Indicator L/H |                 |         |         | X       | X       |             |
| 25   | 274.287.1   | Angle Lever L/H         |                 | X       | X       | X       | X       |             |
| 26   | 270.283.0   | Tension Spring          |                 | X       | X       | X       | X       |             |
| 27   | 908.012.0   | Hex Nut                 |                 | X       | X       | X       | X       | M10         |
| 28   | 900.257.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 20     |
| 29   | 909.410.1   | Wing Nut                |                 | X       | X       | X       | X       | M8          |
| 30   | 274.512.1   | Support                 |                 | X       | X       | X       | X       |             |
| 31   | 274.582.0   | Pointer                 |                 | X       | X       | X       | X       |             |
| 32   | 274.610.0   | Pointer                 |                 | X       | X       | X       | X       |             |
| 33   | 344.565.0   | Spacer Tube             |                 | X       | X       | X       | X       |             |
| 34   | 274.286.1   | Angle Lever R/H         |                 | X       | X       | X       | X       |             |
| 35   | 345.432.1   | Tension Spring          |                 | X       | X       | X       | X       |             |
| 36   | 274.491.0   | Guide Plate for Pointer |                 | X       | X       | X       | X       |             |



**Tailgate Lock & Filling Indicators**

## Tailgate Lock & Filling Indicators

| Item | Part Number | Description             | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes       |
|------|-------------|-------------------------|-----------------|---------|---------|---------|---------|-------------|
| 37   | 912.579.1   | Roll Pin                |                 | X       | X       | X       | X       | 4 X 20      |
| 38   | 275.362.1   | Rod R/H                 |                 | X       | X       |         |         |             |
|      | 275.302.1   | Rod L/H                 |                 |         |         | X       | X       |             |
| 39   | 900.622.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M8 X 70     |
| 40   | 275.364.0   | Cable for Indicator R/H |                 | X       | X       |         |         |             |
|      | 275.359.0   | Cable for Indicator R/H |                 |         |         | X       | X       |             |
| 41   | 274.136.1   | Feeler                  |                 | X       | X       | X       | X       |             |
| 42   | 274.059.2   | Tailgate Latch          |                 | X       | X       | X       | X       |             |
| 43   | 280.159.1   | Pin                     |                 | X       | X       | X       | X       | Rd. 25 X 78 |
| 44   | 912.145.0   | Cotter Pin              |                 | X       | X       | X       | X       | 10 X 50     |
| 46   | 274.109.0   | Pin                     |                 | X       | X       | X       | X       | Rd. 25 X 70 |
| 47   | 912.615.0   | Roll Pin                |                 | X       | X       | X       | X       | 5 X 36      |
| 48   | 274.066.0   | Pin                     |                 | X       | X       | X       | X       | Rd. 25 X 70 |
| 49   | 185.523.1   | Rubber Pad              |                 | X       | X       | X       | X       |             |
| 50   | 274.447.1   | Washer                  |                 | X       | X       | X       | X       | 11 X 45 X 2 |
| 51   | 274.410.0   | Pivot Arm               |                 | X       | X       |         |         |             |
|      | 275.141.1   | Pivot Arm               |                 |         |         | X       | X       |             |
| 52   | 908.758.0   | Hex Nut                 |                 | X       | X       | X       | X       | NM10        |
| 53   | 939.629.1   | Tension Spring          |                 | X       | X       | X       | X       |             |
| 54   | 910.512.1   | Washer                  |                 | X       | X       | X       | X       | B 21        |
| 55   | 274.077.0   | Pin                     |                 | X       | X       | X       | X       |             |
| 56   | 912.613.0   | Roll Pin                |                 | X       | X       | X       | X       | 5 X 30      |
| 57   | 274.514.1   | Angle Bracket           |                 | X       | X       | X       | X       |             |
| 58   | 908.008.0   | Hex Nut                 |                 | X       | X       | X       | X       | M6          |
| 59   | 910.352.0   | Washer                  |                 | X       | X       | X       | X       | 9 X 28 X 3  |
| 60   | 901.061.0   | Hex Head Bolt           |                 | X       | X       | X       | X       | M10 X 45    |




447 043 1

Bale Monitor

## Bale Monitor

| Item | Part Number | Description                 | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                   |
|------|-------------|-----------------------------|-----------------|---------|---------|---------|---------|-------------------------|
| 1    | 301.010.0   | Indicator Housing Complete  |                 | X       | X       | X       | X       | Includes Items 2, 3, 10 |
| 2    | 301.005.0   | Lamp w/Base                 |                 | X       | X       | X       | X       |                         |
| 3    | 301.004.0   | Signal Light w/Socket - Red |                 | X       | X       | X       | X       |                         |
| 4    | 301.067.0   | Protecting Cap              |                 | X       | X       | X       | X       |                         |
| 5    | 301.023.0   | Sensor                      |                 | X       | X       | X       | X       |                         |
| 6    | 301.130.0   | Housing                     |                 | X       | X       | X       | X       |                         |
| 7    | 301.012.1   | Plug                        |                 | X       | X       | X       | X       |                         |
| 8    | 301.131.0   | Cable Protector             |                 | X       | X       | X       | X       |                         |
| 9    | 301.015.0   | Power Supply Cable          |                 | X       | X       | X       | X       |                         |
| 10   | 301.020.2   | Circuit Board               |                 | X       | X       | X       | X       |                         |
| 11   | 924.207.0   | Cable Bushing               |                 | X       | X       | X       | X       | Includes Items 1-12     |
| 12   | 301.003.1   | Buzzer                      |                 | X       | X       | X       | X       |                         |
| 15   | 301.000.0   | Bale Monitor Complete       |                 | X       | X       | X       | X       |                         |




447 032 1

**Front & Rear Guards - KR-130**

## Front & Rear Guards - KR-130

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                                                               |
|------|-------------|------------------------|-----------------|---------|---------|---------|---------|-------------------------------------------------------------------------------------|
| 1    | 274.576.0   | Cover Plate            |                 | X       | X       |         |         | NM8<br>9 X 28 X 3<br>M8 X 16<br>M8 X 20                                             |
| 2    | 908.706.0   | Hex Nut                |                 | X       | X       |         |         |                                                                                     |
| 3    | 910.352.0   | Washer                 |                 | X       | X       |         |         |                                                                                     |
| 4    | 900.612.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 5    | 900.257.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 6    | 910.010.0   | Spring Washer          |                 | X       | X       |         |         | B 8<br><br><br>M8                                                                   |
| 7    | 274.371.0   | Top Guard Holder Left  |                 | X       | X       |         |         |                                                                                     |
|      | 274.372.0   | Top Guard Holder Right |                 | X       | X       |         |         |                                                                                     |
| 8    | 908.010.0   | Hex Nut                |                 | X       | X       |         |         |                                                                                     |
| 9    | 924.251.0   | Retaining Washer       |                 | X       | X       |         |         |                                                                                     |
| 10   | 275.180.5   | Side Guard L/H         |                 | X       | X       |         |         | Includes Items 24, 25, 27, 32<br>Includes Items 24, 25, 27, 32<br>R 14<br>M10 X 130 |
|      | 275.368.5   | Side Guard R/H         |                 | X       | X       |         |         |                                                                                     |
| 11   | 910.643.0   | Washer                 |                 | X       | X       |         |         |                                                                                     |
| 12   | 901.446.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 13   | 924.249.0   | Knob                   |                 | X       | X       |         |         |                                                                                     |
| 14   | 910.353.0   | Washer                 |                 | X       | X       |         |         | R 11<br><br>M10<br>M10 X 20                                                         |
| 15   | 274.297.0   | Spacer Tube            |                 | X       | X       |         |         |                                                                                     |
| 16   | 908.212.0   | Hex Nut                |                 | X       | X       |         |         |                                                                                     |
| 17   | 900.634.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 18   | 924.208.0   | Cable Bushing          |                 | X       | X       |         |         |                                                                                     |
| 19   | 910.603.0   | Washer                 |                 | X       | X       |         |         | A 8.4<br>M8 X 20                                                                    |
| 20   | 900.614.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 21   | 275.270.1   | Top Rear Guard         |                 | X       | X       |         |         |                                                                                     |
| 22   | 274.641.0   | Bottom Rear Guard      |                 | X       | X       |         |         |                                                                                     |
| 23   | 275.181.5   | Side Guard L/H         |                 | X       | X       |         |         |                                                                                     |
|      | 275.369.5   | Side Guard R/H         |                 | X       | X       |         |         | M6<br>A 6.4                                                                         |
| 24   | 908.208.0   | Hex Nut                |                 | X       | X       |         |         |                                                                                     |
| 25   | 910.411.1   | Washer                 |                 | X       | X       |         |         |                                                                                     |
| 26   | 275.370.2   | Lower Side Guard L/H   |                 | X       | X       |         |         |                                                                                     |
|      | 275.371.2   | Lower Side Guard R/H   |                 | X       | X       |         |         | M6 X 16<br>A 8.4<br>M8 X 30<br>M8 X 30                                              |
| 27   | 900.607.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 28   | 910.413.0   | Washer                 |                 | X       | X       |         |         |                                                                                     |
| 29   | 900.261.0   | Hex Head Bolt          |                 | X       | X       |         |         |                                                                                     |
| 30   | 280.400.1   | Bolt                   |                 | X       | X       |         |         |                                                                                     |
| 31   | 274.367.1   | Bottom Guard Holder    |                 | X       | X       |         |         |                                                                                     |
| 32   | 274.375.1   | Hinge                  |                 | X       | X       |         |         | Includes Items 24, 25, 27, 32<br>Includes Items 24, 25, 27, 32                      |
| 33   | 275.162.5   | Front Guard L/H        |                 | X       | X       |         |         |                                                                                     |
|      | 275.163.5   | Front Guard R/H        |                 | X       | X       |         |         |                                                                                     |




447 032 1

**Front & Rear Guards - KR-130**

## Front & Rear Guards - KR-130

| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes   |
|------|-------------|-----------------|-----------------|---------|---------|---------|---------|---------|
| 34   | 908.210.0   | Hex Nut         |                 | X       | X       |         |         | M8      |
| 35   | 905.210.0   | Flat Round Bolt |                 | X       | X       |         |         | M6 X 16 |
| 36   | 274.611.0   | Hinge Plate     |                 | X       | X       |         |         |         |
| 37   | 274.609.0   | Gas Strut       |                 | X       | X       |         |         |         |
| 39   | 274.584.1   | Twine Box Cover |                 | X       | X       |         |         |         |




447 033 1

Front & Rear Guards - KR-160

## Front & Rear Guards - KR-160

| Item | Part Number | Description            | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                    |
|------|-------------|------------------------|-----------------|---------|---------|---------|---------|--------------------------|
| 1    | 274.576.0   | Cover Plate            |                 |         |         | X       | X       |                          |
| 2    | 908.706.0   | Hex Nut                |                 |         |         | X       | X       | NM8                      |
| 3    | 910.352.0   | Washer                 |                 |         |         | X       | X       | 9 X 28 X 3               |
| 4    | 900.612.0   | Hex Head Bolt          |                 |         |         | X       | X       | M8 X 16                  |
| 5    | 900.257.0   | Hex Head Bolt          |                 |         |         | X       | X       | M8 X 20                  |
| 6    | 910.010.0   | Spring Washer          |                 |         |         | X       | X       | B 8                      |
| 7    | 274.371.0   | Top Guard Holder Left  |                 |         |         | X       | X       |                          |
|      | 274.372.0   | Top Guard Holder Right |                 |         |         | X       | X       |                          |
| 8    | 908.010.0   | Hex Nut                |                 |         |         | X       | X       | M8                       |
| 9    | 924.251.0   | Retaining Washer       |                 |         |         | X       | X       |                          |
| 10   | 275.182.4   | Side Guard L/H         |                 |         |         | X       | X       | Includes Items 25-27, 32 |
|      | 275.347.4   | Side Guard R/H         |                 |         |         | X       | X       | Includes Items 25-27, 32 |
| 11   | 910.643.0   | Washer                 |                 |         |         | X       | X       | R 14                     |
| 12   | 901.446.0   | Hex Head Bolt          |                 |         |         | X       | X       | M10 X 130                |
| 13   | 924.249.0   | Knob                   |                 |         |         | X       | X       |                          |
| 14   | 910.353.0   | Washer                 |                 |         |         | X       | X       | R 11                     |
| 15   | 274.297.0   | Spacer Tube            |                 |         |         | X       | X       |                          |
| 16   | 908.212.0   | Hex Nut                |                 |         |         | X       | X       | M10                      |
| 17   | 900.634.0   | Hex Head Bolt          |                 |         |         | X       | X       | M10 X 20                 |
| 18   | 924.208.0   | Cable Bushing          |                 |         |         | X       | X       |                          |
| 19   | 910.603.0   | Washer                 |                 |         |         | X       | X       | A 8.4                    |
| 20   | 900.614.0   | Hex Head Bolt          |                 |         |         | X       | X       | M8 X 20                  |
| 21   | 275.269.1   | Top Rear Guard         |                 |         |         | X       | X       |                          |
| 22   | 274.640.0   | Bottom Rear Guard      |                 |         |         | X       | X       |                          |
| 23   | 275.183.5   | Side Guard L/H         |                 |         |         | X       | X       |                          |
|      | 275.348.5   | Side Guard R/H         |                 |         |         | X       | X       |                          |
| 24   | 275.366.0   | Guard L/H              |                 |         |         | X       | X       |                          |
|      | 275.367.0   | Guard R/H              |                 |         |         | X       | X       |                          |
| 25   | 908.208.0   | Hex Nut                |                 |         |         | X       | X       | M6                       |
| 26   | 910.411.1   | Washer                 |                 |         |         | X       | X       | A 6.4                    |
| 27   | 900.607.0   | Hex Head Bolt          |                 |         |         | X       | X       | M6 X 16                  |
| 28   | 910.413.0   | Washer                 |                 |         |         | X       | X       | A 8.4                    |
| 29   | 900.261.0   | Hex Head Bolt          |                 |         |         | X       | X       | M8 X 30                  |
| 30   | 280.400.1   | Bolt                   |                 |         |         | X       | X       | M8 X 30                  |
| 31   | 274.367.1   | Bottom Guard Holder    |                 |         |         | X       | X       |                          |
| 32   | 274.375.1   | Hinge                  |                 |         |         | X       | X       |                          |
| 33   | 900.614.0   | Hex Head Bolt          |                 |         |         | X       | X       | M8 X 20                  |
| 34   | 275.162.5   | Front Guard L/H        |                 |         |         | X       | X       | Includes Items 25-27, 32 |




447 033 1

Front & Rear Guards - KR-160

## Front & Rear Guards - KR-160

| Item | Part Number | Description     | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                     |
|------|-------------|-----------------|-----------------|---------|---------|---------|---------|-------------------------------------------|
| 34   | 275.163.5   | Front Guard R/H |                 |         |         | X       | X       | Includes Items 25-27, 32<br>M8<br>M6 X 16 |
| 35   | 908.210.0   | Hex Nut         |                 |         |         | X       | X       |                                           |
| 36   | 905.210.0   | Flat Round Bolt |                 |         |         | X       | X       |                                           |
| 37   | 274.611.0   | Hinge Plate     |                 |         |         | X       | X       |                                           |
| 38   | 274.609.0   | Gas Strut       |                 |         |         | X       | X       |                                           |
| 40   | 274.584.1   | Twine Box Cover |                 |         |         | X       | X       |                                           |




445 612 0

## Lighting

## Lighting

| Item | Part Number | Description           | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                          |
|------|-------------|-----------------------|-----------------|---------|---------|---------|---------|--------------------------------|
| 1    | 924.612.0   | Cable                 |                 | X       | X       | X       | X       | 7 Pin Outlet - 8 Pin Connector |
| 2    | 908.207.0   | Hex Nut               |                 | X       | X       | X       | X       | M5                             |
| 3    | 910.007.0   | Spring Washer         |                 | X       | X       | X       | X       | B 5                            |
| 4    | 924.671.0   | Light w/Cable L/H     |                 | X       | X       | X       | X       | 4 Pin                          |
| 5    | 924.670.0   | Light w/Cable R/H     |                 | X       | X       | X       | X       | 4 Pin                          |
| 6    | 924.699.0   | Lens                  |                 | X       | X       | X       | X       |                                |
| 7    | 904.345.1   | Countersunk Screw     |                 | X       | X       | X       | X       | M5 X 16                        |
| 8    | 924.535.0   | Rear Reflector Red    |                 | X       | X       | X       | X       |                                |
| 9    | 903.652.0   | Allen Screw           |                 | X       | X       | X       | X       | AM5 X 12                       |
| 10   | 200.286.0   | License Plate Bracket |                 | X       | X       | X       | X       |                                |
| 11   | 924.536.0   | Side Reflector Yellow |                 | X       | X       | X       | X       |                                |
| 12   | 924.610.0   | Connection Cable      |                 | X       | X       | X       | X       | 7 Pin                          |
| 13   | 903.661.0   | Allen Screw           |                 | X       | X       | X       | X       | AM5 X 30                       |
| 16   | 275.086.3   | Lighting Complete     |                 | X       | X       | X       | X       | Excludes Items 7, 8, 11        |




445 462 1

**Standard Walterscheid PTO Shaft - KR-130**

## Standard Walterscheid PTO Shaft - KR-130

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|----------------------|
| 1    | 949.066.0   | PTO Shaft Complete  |                 | X       | X       |         |         | W2200-SC14-K92-650NM |
| 5    | 949.945.0   | Outer Guard Tube    |                 | X       | X       |         |         | 1040mm Long          |
| 6    | 949.934.0   | Inner Guard Tube    |                 | X       | X       |         |         | 1040mm Long          |
| 11   | 949.403.0   | Outer Yoke Complete |                 | X       | X       |         |         |                      |
| 12   | 955.338.0   | Locking Pin         |                 | X       | X       |         |         |                      |
| 13   | 955.339.0   | Compression Spring  |                 | X       | X       |         |         |                      |
| 14   | 955.336.0   | Washer              |                 | X       | X       |         |         |                      |
| 15   | 949.558.0   | Friction Clutch     |                 | X       | X       |         |         | K92-650NM            |
|      | 949.568.0   | Friction Disc       |                 | 2       | 2       |         |         |                      |
| 21   | 956.560.0   | Cross Kit           |                 | X       | X       |         |         |                      |
| 22   | 949.409.0   | Circlip             |                 | X       | X       |         |         |                      |
| 23   | 949.627.0   | Grease Fitting      |                 | X       | X       |         |         |                      |
| 24   | 949.410.0   | Inner Yoke          |                 | X       | X       |         |         |                      |
| 25   | 912.719.0   | Roll Pin            |                 | X       | X       |         |         | 10 X 65              |
| 26   | 949.674.0   | Inner Profile Tube  |                 | X       | X       |         |         | 1100mm Long          |
| 27   | 949.717.0   | Outer Profile Tube  |                 | X       | X       |         |         | 1095mm Long          |
| 28   | 949.428.0   | Inner Yoke          |                 | X       | X       |         |         |                      |
| 52   | 949.863.0   | Ring                |                 | X       | X       |         |         |                      |
| 55   | 949.852.0   | Chain               |                 | X       | X       |         |         |                      |
| 56   | 949.202.0   | Packet              |                 | X       | X       |         |         |                      |




445 400 2

**Wide Angle Walterscheid PTO Shaft - KR-130**

## Wide Angle Walterscheid PTO Shaft - KR-130


| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                  |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|------------------------|
| 1    | 949.067.0   | PTO Shaft Complete |                 | X       | X       |         |         | WWE2200-SC14-K92-650NM |
| 5    | 949.949.0   | Outer Guard Tube   |                 | X       | X       |         |         | 965mm Long             |
| 6    | 949.934.0   | Inner Guard Tube   |                 | X       | X       |         |         | 960mm Long             |
| 11   | 949.559.0   | Outer CV Yoke      |                 | X       | X       |         |         |                        |
| 12   | 955.338.0   | Locking Pin        |                 | X       | X       |         |         |                        |
| 13   | 955.339.0   | Pressure Spring    |                 | X       | X       |         |         |                        |
| 14   | 955.336.0   | Washer             |                 | X       | X       |         |         |                        |
| 15   | 949.558.0   | Friction Clutch    |                 | X       | X       |         |         | K92-650NM              |
|      | 949.568.0   | Friction Disc      |                 | 2       | 2       |         |         |                        |
| 21   | 956.560.0   | Cross Kit          |                 | X       | X       |         |         |                        |
| 22   | 949.409.0   | Circlip            |                 | X       | X       |         |         |                        |
| 23   | 949.627.0   | Grease Fitting     |                 | X       | X       |         |         |                        |
| 24   | 949.597.0   | CV Yoke            |                 | X       | X       |         |         |                        |
| 25   | 949.607.0   | Washer             |                 | X       | X       |         |         |                        |
| 26   | 949.608.0   | Hub                |                 | X       | X       |         |         |                        |
| 27   | 949.609.0   | CV Yoke            |                 | X       | X       |         |         |                        |
| 28   | 900.241.0   | Hex Head Bolt      |                 | X       | X       |         |         | M6 X 30                |
| 29   | 908.008.0   | Hex Nut            |                 | X       | X       |         |         | M6                     |
| 30   | 949.610.0   | Inner CV Yoke      |                 | X       | X       |         |         |                        |
| 31   | 912.719.0   | Roll Pin           |                 | X       | X       |         |         | 10 X 65                |
| 32   | 949.693.0   | Inner Profile Tube |                 | X       | X       |         |         | 1020mm Long            |
| 33   | 949.735.0   | Outer Profile Tube |                 | X       | X       |         |         | 1030mm Long            |
| 34   | 949.428.0   | Inner Yoke         |                 | X       | X       |         |         |                        |
| 52   | 949.863.0   | Ring               |                 | X       | X       |         |         |                        |
| 56   | 949.852.0   | Chain              |                 | X       | X       |         |         |                        |
| 57   | 949.204.0   | Packet             |                 | X       | X       |         |         |                        |



Standard Walterscheid PTO Shaft - KR-160

## Standard Walterscheid PTO Shaft - KR-160

| Item | Part Number | Description         | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                |
|------|-------------|---------------------|-----------------|---------|---------|---------|---------|----------------------|
| 1    | 949.040.1   | PTO Shaft Complete  |                 |         |         | X       | X       | W2300-SC14-K92-900NM |
| 5    | 949.948.0   | Outer Guard Tube    |                 |         |         | X       | X       |                      |
| 6    | 949.936.0   | Inner Guard Tube    |                 |         |         | X       | X       |                      |
| 11   | 949.463.0   | Outer Yoke Complete |                 |         |         | X       | X       | 1 3/8" - 6 Spline    |
| 12   | 955.338.0   | Locking Pin         |                 |         |         | X       | X       |                      |
| 13   | 955.339.0   | Pressure Spring     |                 |         |         | X       | X       |                      |
| 14   | 955.336.0   | Washer              |                 |         |         | X       | X       |                      |
| 15   | 949.429.0   | Friction Clutch     |                 |         |         | X       | X       | K92-900NM            |
|      | 949.568.0   | Friction Disc       |                 |         |         | 2       | 2       |                      |
| 21   | 949.462.0   | Cross Kit           |                 |         |         | X       | X       |                      |
| 22   | 949.617.0   | Circlip             |                 |         |         | X       | X       |                      |
| 23   | 949.629.0   | Grease Fitting      |                 |         |         | X       | X       |                      |
| 24   | 949.465.0   | Inner Yoke          |                 |         |         | X       | X       |                      |
| 25   | 912.719.0   | Roll Pin            |                 |         |         | X       | X       | 10 X 65              |
| 26   | 949.674.0   | Inner Profile Tube  |                 |         |         | X       | X       |                      |
| 27   | 949.717.0   | Outer Profile Tube  |                 |         |         | X       | X       |                      |
| 28   | 949.467.0   | Inner Yoke          |                 |         |         | X       | X       |                      |
| 52   | 949.863.0   | Ring                |                 |         |         | X       | X       |                      |
| 56   | 949.852.0   | Chain               |                 |         |         | X       | X       |                      |
| 57   | 949.202.0   | Packet              |                 |         |         | X       | X       |                      |




445 400 2

Wide Angle Walterscheid PTO Shaft - KR-160

## Wide Angle Walterscheid PTO Shaft - KR-160

| Item | Part Number | Description        | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                   |
|------|-------------|--------------------|-----------------|---------|---------|---------|---------|-------------------------|
| 1    | 949.041.1   | PTO Shaft Complete |                 |         |         | X       | X       | WWE2300-SC14-K92-9000NM |
| 5    | 949.949.0   | Outer Guard Tube   |                 |         |         | X       | X       | 935mm Long              |
| 6    | 949.950.0   | Inner Guard Tube   |                 |         |         | X       | X       | 920mm Long              |
| 11   | 949.464.0   | Outer CV Yoke      |                 |         |         | X       | X       | 1 3/8" - 6 Spline       |
| 12   | 955.338.0   | Locking Pin        |                 |         |         | X       | X       |                         |
| 13   | 955.339.0   | Pressure Spring    |                 |         |         | X       | X       |                         |
| 14   | 955.336.0   | Washer             |                 |         |         | X       | X       |                         |
| 15   | 949.429.0   | Friction Clutch    |                 |         |         | X       | X       | K92-900NM               |
|      | 949.568.0   | Friction Disc      |                 |         |         | 2       | 2       |                         |
| 21   | 949.462.0   | Cross Kit          |                 |         |         | X       | X       |                         |
| 22   | 949.617.0   | Circlip            |                 |         |         | X       | X       |                         |
| 23   | 949.629.0   | Grease Fitting     |                 |         |         | X       | X       |                         |
| 24   | 949.480.0   | CV Yoke            |                 |         |         | X       | X       |                         |
| 25   | 949.605.0   | Washer             |                 |         |         | X       | X       |                         |
| 26   | 955.261.0   | Hub                |                 |         |         | X       | X       |                         |
| 27   | 949.481.0   | CV Yoke            |                 |         |         | X       | X       |                         |
| 28   | 900.261.0   | Hex Head Bolt      |                 |         |         | X       | X       | M8 X 30                 |
| 29   | 908.010.0   | Hex Nut            |                 |         |         | X       | X       | M8                      |
| 30   | 949.466.0   | Inner CV Yoke      |                 |         |         | X       | X       |                         |
| 31   | 912.719.0   | Roll Pin           |                 |         |         | X       | X       | 10 X 65                 |
| 32   | 949.693.0   | Inner Profile Tube |                 |         |         | X       | X       | 1020mm Long             |
| 33   | 949.735.0   | Outer Profile Tube |                 |         |         | X       | X       | 1030mm Long             |
| 34   | 949.467.0   | Inner Yoke         |                 |         |         | X       | X       |                         |
| 52   | 949.863.0   | Ring               |                 |         |         | X       | X       |                         |
| 56   | 949.852.0   | Chain              |                 |         |         | X       | X       |                         |
| 57   | 949.204.0   | Packet             |                 |         |         | X       | X       |                         |




445 924 0

## Standard Bondioli PTO Shaft - KR-130

## Standard Bondioli PTO Shaft - KR-130

| Item | Part Number | Description                  | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes                                          |
|------|-------------|------------------------------|-----------------|---------|---------|---------|---------|------------------------------------------------|
| 1    | 956.111.0   | Locking Pin with Spring      |                 | X       | X       |         |         | 1 3/8"                                         |
| 2    | 956.153.0   | Outer Yoke                   |                 | X       | X       |         |         |                                                |
| 3    | 956.560.0   | Cross Kit                    |                 | X       | X       |         |         |                                                |
| 4    | 949.409.0   | Circlip                      |                 | X       | X       |         |         |                                                |
| 5    | 919.003.0   | Grease Fitting               |                 | X       | X       |         |         |                                                |
| 6    | 956.126.0   | Inner Yoke for Female Tube   |                 | X       | X       |         |         | 8 X 55<br>1085mm Long<br>1085mm Long<br>8 X 45 |
| 7    | 912.677.0   | Roll Pin                     |                 | X       | X       |         |         |                                                |
| 8    | 956.125.0   | Female Tube                  |                 | X       | X       |         |         |                                                |
| 9    | 956.154.0   | Male Tube                    |                 | X       | X       |         |         |                                                |
| 10   | 912.675.0   | Roll Pin                     |                 | X       | X       |         |         |                                                |
| 11   | 956.129.0   | Inner Yoke for Male Tube     |                 | X       | X       |         |         |                                                |
| 22   | 956.130.0   | Bearing Ring for Female Tube |                 | X       | X       |         |         |                                                |
| 23   | 956.131.0   | Bearing Ring for Male Tube   |                 | X       | X       |         |         |                                                |
| 26   | 949.852.0   | Chain                        |                 | X       | X       |         |         |                                                |
| 29   | 956.155.0   | Female Guard Tube            |                 | X       | X       |         |         |                                                |
| 30   | 956.156.0   | Male Guard Tube              |                 | X       | X       |         |         | 650 NM                                         |
| 36   | 956.150.0   | Friction Clutch Complete     |                 | X       | X       |         |         |                                                |
|      | 956.162.0   | Friction Disc                |                 | X       | X       |         |         |                                                |
| 50   | 949.066.0   | PTO Shaft                    |                 | X       | X       |         |         |                                                |




445 925 0

## Wide Angle Bondioli PTO Shaft - KR-130

## Wide Angle Bondioli PTO Shaft - KR-130

| Item | Part Number | Description               | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes      |
|------|-------------|---------------------------|-----------------|---------|---------|---------|---------|------------|
| 1    | 956.111.0   | Locking Pin w/Spring      |                 | X       | X       |         |         |            |
| 2    | 956.144.0   | Outer Yoke                |                 | X       | X       |         |         |            |
| 3    | 949.409.0   | Circlip                   |                 | X       | X       |         |         |            |
| 4    | 956.145.0   | Cross Assembly            |                 | X       | X       |         |         |            |
| 5    | 919.102.0   | Grease Fitting            |                 | X       | X       |         |         |            |
| 6    | 956.146.0   | CV Joint                  |                 | X       | X       |         |         |            |
| 7    | 956.147.0   | Inner Yoke                |                 | X       | X       |         |         |            |
| 8    | 912.677.0   | Roll Pin                  |                 | X       | X       |         |         |            |
| 9    | 956.148.0   | Outer Profile Tube        |                 | X       | X       |         |         | 985mm Long |
| 10   | 956.149.0   | Inner Profile Tube        |                 | X       | X       |         |         |            |
| 11   | 912.675.0   | Roll Pin                  |                 | X       | X       |         |         |            |
| 12   | 956.129.0   | Yoke for Inner Tube       |                 | X       | X       |         |         |            |
| 13   | 956.560.0   | Cross Assembly            |                 | X       | X       |         |         |            |
| 14   | 919.003.0   | Grease Fitting            |                 | X       | X       |         |         |            |
| 15   | 956.150.0   | Friction Clutch           |                 | X       | X       |         |         | 650NM      |
|      | 956.162.0   | Friction Disc             |                 | 2       | 2       |         |         |            |
| 26   | 956.130.0   | Ring for Outer Tube       |                 | X       | X       |         |         |            |
| 27   | 956.131.0   | Ring for Inner Tube       |                 | X       | X       |         |         |            |
| 30   | 949.852.0   | Chain                     |                 | X       | X       |         |         |            |
| 33   | 956.151.0   | Outer Guard Tube Complete |                 | X       | X       |         |         |            |
| 34   | 956.152.0   | Inner Guard Tube Complete |                 | X       | X       |         |         |            |
| 50   | 949.067.0   | PTO Shaft Complete        |                 | X       | X       |         |         |            |




445 924 0

## Standard Bondioli PTO Shaft - KR-160

## Standard Bondioli PTO Shaft - KR-160

| Item | Part Number | Description              | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes       |
|------|-------------|--------------------------|-----------------|---------|---------|---------|---------|-------------|
| 1    | 956.111.0   | Locking Pin w/Spring     |                 |         |         | X       | X       |             |
| 2    | 956.113.0   | Outer Yoke               |                 |         |         | X       | X       |             |
| 3    | 956.426.0   | Cross Assembly           |                 |         |         | X       | X       |             |
| 4    | 956.430.0   | Circlip                  |                 |         |         | X       | X       |             |
| 5    | 919.003.0   | Grease Fitting           |                 |         |         | X       | X       |             |
| 6    | 956.114.0   | Yoke for Outer Tube      |                 |         |         | X       | X       |             |
| 7    | 912.678.0   | Roll Pin                 |                 |         |         | X       | X       |             |
| 8    | 956.157.0   | Outer Tube               |                 |         |         | X       | X       | 1070mm Long |
| 9    | 956.158.0   | Inner Tube               |                 |         |         | X       | X       | 1070mm Long |
| 10   | 912.677.0   | Roll Pin                 |                 |         |         | X       | X       |             |
| 11   | 956.439.0   | Yoke for Inner Tube      |                 |         |         | X       | X       |             |
| 22   | 956.119.0   | Ring for Outer Tube      |                 |         |         | X       | X       |             |
| 23   | 956.120.0   | Ring for Inner Tube      |                 |         |         | X       | X       |             |
| 26   | 949.852.0   | Chain                    |                 |         |         | X       | X       |             |
| 29   | 956.159.0   | Outer Guard Tube         |                 |         |         | X       | X       |             |
| 30   | 956.160.0   | Inner Guard Tube         |                 |         |         | X       | X       |             |
| 36   | 956.141.0   | Friction Clutch Complete |                 |         |         | X       | X       | 900NM       |
|      | 956.161.0   | Friction Disc            |                 |         |         | 2       | 2       |             |
| 50   | 949.040.1   | PTO Shaft Complete       |                 |         |         | X       | X       |             |




445 925 0

## Wide Angle Bondioli PTO Shaft - KR-160

## Wide Angle Bondioli PTO Shaft - KR-160

| Item | Part Number | Description               | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes      |
|------|-------------|---------------------------|-----------------|---------|---------|---------|---------|------------|
| 1    | 956.111.0   | Locking Pin w/Spring      |                 |         |         | X       | X       |            |
| 2    | 956.135.0   | Outer Yoke                |                 |         |         | X       | X       |            |
| 3    | 956.430.0   | Circlip                   |                 |         |         | X       | X       |            |
| 4    | 956.136.0   | Cross Assembly            |                 |         |         | X       | X       |            |
| 5    | 919.102.0   | Grease Fitting            |                 |         |         | X       | X       |            |
| 6    | 956.137.0   | CV Joint                  |                 |         |         | X       | X       |            |
| 7    | 956.138.0   | Inner Yoke                |                 |         |         | X       | X       |            |
| 8    | 912.678.0   | Roll Pin                  |                 |         |         | X       | X       | 8 X 60     |
| 9    | 956.139.0   | Outer Tube                |                 |         |         | X       | X       | 970mm Long |
| 10   | 956.140.0   | Inner Tube                |                 |         |         | X       | X       | 970mm Long |
| 11   | 912.677.0   | Roll Pin                  |                 |         |         | X       | X       | 8 X 55     |
| 12   | 956.439.0   | Yoke for Inner Tube       |                 |         |         | X       | X       |            |
| 13   | 956.426.0   | Cross Assembly            |                 |         |         | X       | X       |            |
| 14   | 919.003.0   | Grease Fitting            |                 |         |         | X       | X       |            |
| 15   | 956.141.0   | Friction Clutch           |                 |         |         | X       | X       | 900NM      |
|      | 956.161.0   | Friction Disc             |                 |         |         | 2       | 2       |            |
| 26   | 956.119.0   | Ring for Outer Tube       |                 |         |         | X       | X       |            |
| 27   | 956.120.0   | Ring for Inner Tube       |                 |         |         | X       | X       |            |
| 30   | 949.852.0   | Chain                     |                 |         |         | X       | X       |            |
| 33   | 956.142.0   | Outer Guard Tube Complete |                 |         |         | X       | X       |            |
| 34   | 956.143.0   | Inner Guard Tube Complete |                 |         |         | X       | X       |            |
| 50   | 949.041.1   | PTO Shaft Complete        |                 |         |         | X       | X       |            |



447 191 0

## Decals

| Decals |             |             |                 |         |         |         |         |            |
|--------|-------------|-------------|-----------------|---------|---------|---------|---------|------------|
| Item   | Part Number | Description | Serial # Ranges | KR-130B | KR-130D | KR-160B | KR-160D | Notes      |
| 1      | 939.155.0   | Decal       |                 | X       | X       | X       | X       | France     |
| 2      | 939.160.0   | Decal       |                 | X       | X       | X       | X       |            |
| 3      | 939.147.0   | Decal       |                 | X       | X       | X       | X       |            |
| 4      | 939.140.0   | Decal       |                 | X       | X       | X       | X       |            |
| 5      | 939.100.0   | Decal       |                 | X       | X       | X       | X       |            |
| 6      | 939.283.0   | Decal       |                 | X       | X       | X       | X       |            |
| 7      | 939.217.1   | Decal       |                 | X       | X       | X       | X       |            |
| 8      | 939.209.0   | Decal       |                 | X       | X       | X       | X       |            |
| 9      | 939.327.0   | Decal       |                 | X       | X       | X       | X       |            |
| 10     | 939.450.0   | Decal       |                 | X       | X       | X       | X       |            |
| 11     | 939.258.0   | Decal       |                 | X       | X       | X       | X       | USA<br>USA |
| 12     | 939.451.0   | Decal       |                 | X       | X       | X       | X       |            |
| 13     | 939.273.3   | Decal       |                 | X       | X       | X       | X       |            |
| 14     | 949.228.0   | Decal       |                 | X       | X       | X       | X       |            |
| 15     | 949.229.0   | Decal       |                 | X       | X       | X       | X       |            |
| 16     | 939.461.0   | Decal       |                 | X       | X       | X       | X       |            |
| 18     | 942.011.0   | Decal       |                 | X       | X       | X       | X       |            |

KRONE Hay & Forage Technology

85

KR-130/160 Parts Manual