


Table Of Contents


Headstock & Hydraulic Cylinder	2
Headstock & Hydraulic Cylinder	4
Carrier Beam.....	6
Main Gearbox	8
Main Gearbox	10
Cutterbar	12
Cutterbar	14
Safety Frames.....	16
Conditioner Gearbox	18
Conditioner Gearbox	20
V-Belt Guards.....	22
Conditioner Housing.....	24
Conditioner Housing.....	26
Conditioner Rollers & Drive Pulleys.....	28
Conditioner Rollers & Drive Pulleys.....	30
Conditioner Belt Tensioner	32
Conditioner Roller Bearings	34
Conditioner Belt Guards	36
Main PTO Shaft - Bondioli	38
Conditioner PTO Shaft - Bondioli - AM-202C.....	40
Conditioner PTO Shaft - Bondioli - AM-242C.....	42
Main PTO Shaft - Walterscheid.....	44
Conditioner PTO Shaft - Walterscheid - AM-202C.....	46
Conditioner PTO Shaft - Walterscheid - AM-242C.....	48



Headstock & Hydraulic Cylinder

Headstock & Hydraulic Cylinder


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	145.155.2	Tension Spring		X		10 X 51 X 600
	145.156.2	Tension Spring			X	598mm Long
2	145.266.1	Pin		X	X	35 X 172
3	143.158.3	Spindle w/Handle		X	X	
4	145.643.2	Adjusting Rod		X	X	35 X 172
5	910.512.2	Washer		X	X	B 21
6	917.006.0	Lynch Pin		X	X	6 X 42
7	139.054.0	Ratchet		X	X	35 X 172
8	145.405.3	Breakaway Bar Complete		X	X	Includes Items 7, 43-45
9	910.514.1	Washer		X	X	26
10	921.234.0	Adjustable Restrictor		X	X	
13	144.553.1	Shaft		X	X	50 X 380
14	145.267.3	Pin		X	X	30 X 140
15	917.104.0	Spring Clip		X	X	4
16	912.287.1	Cotter Pin		X	X	5 X 32
17	144.141.2	Top Link Pin		X	X	Cat. I & II
18	922.650.0	Chain		X	X	1.8 X 14 Links
19	912.673.0	Roll Pin		X	X	8 X 36
20	139.321.0	Three Point Headstock		X	X	
21	144.802.2	Lower Link Pin		X	X	35 X 193
22	912.744.0	Tension Pin		X	X	12 X 40
23	145.108.1	Spacer		X	X	
24	145.107.2	Spacer Ring		X	X	
27	145.098.1	Lower Link Pin		X	X	Cat. I & II
28	912.681.1	Roll Pin		X	X	8 X 75
29	912.780.1	Roll Pin		X	X	13 X 75
30	144.555.3	Pivot Base		X	X	
31	921.200.0	Hydraulic Adapter		X	X	L 12
32	921.171.0	Dust Cap		X	X	
33	921.145.0	Hydraulic Coupling		X	X	
34	145.830.0	Slide Bar Complete		X	X	
35	920.989.0	Hydraulic Hose		X	X	2000mm Long
36	921.054.1	Hydraulic Adapter		X	X	L 12
37	912.641.0	Roll Pin		X	X	6 X 30
38	145.828.0	Pin		X	X	
39	145.925.0	Hydraulic Cylinder		X	X	
	921.424.1	Seal Kit		X	X	
40	921.046.1	Cutting Ring		X	X	L 12



Headstock & Hydraulic Cylinder

Headstock & Hydraulic Cylinder

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
41	921.206.0	Union Nut		X	X	AL 12
42	145.641.2	Adjuster		X	X	
43	910.649.0	Washer		X	X	21 X 50 X 8
44	908.721.0	Hex Nut		X	X	NM 20
45	139.178.0	Pressure Spring		X	X	
46	144.550.3	Top Piece		X	X	
47		Not Used on These Models				
48	145.597.2	Headstock		X	X	
49	901.122.0	Hex Head Bolt		X	X	M 12 X 70
50	908.711.1	Hex Nut		X	X	NM 12




447 269 3

Carrier Beam

Carrier Beam

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	145.356.1	For Machines without Conditioner		X	X	
2		For Machines without Conditioner				
3		Strap w/Tapped Hole				
4		For Machines without Conditioner				
5		For Machines without Conditioner				
6	146.620.0 912.670.0 910.512.2	For Machines without Conditioner		X	X	8 X 40 B 21
7		For Machines without Conditioner				
8		Pressure Spring				
9		Roll Pin				
10	910.225.0 145.258.0 145.256.1 908.212.0	Washer		X	X	A 18 X 1.5 35 X 62 M 10
11		Nut				
12		Pin				
13		Adjusting Screw				
14		For Machines without Conditioner				
15	910.111.1 270.193.2 910.353.0 900.636.0	Hex Nut		X	X	B 10 B 11 M 10 X 25
16		Spring Washer				
17		Protecting Cup				
18		Washer				
19		Hex Head Bolt				
20	145.904.1 145.974.2 144.588.1 145.135.5	For Machines without Conditioner		X	X	
21		Axle				
22		Conditioner Gearbox				
23		Safety Pin w/Chain Complete				
24		Carrier Beam				
25	145.562.0 145.274.3 144.891.2 924.007.0 910.250.0	Main Gearbox Complete		X	X	M 18 X 1.5 X 57
26		Rear Hinge Plate				
27		Guard				
28		Clamp				
29		Wheel Pin				
30	910.865.0 145.389.0 912.714.0 145.917.0 145.918.0	Shim		X	X	30 X 42 X 2 10 X 40 1481
31		Spacer				
32		Tension Pin				
33		Spring Support				
34		Spring Support				
35	143.607.4 910.892.0 912.672.0	Jack Stand Tube		X	X	40 X 50 X 2.0 8 X 50
36		Shim				
37		Roll Pin				




447 265 5

Main Gearbox

Main Gearbox

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	144.514.0	V-Belt Pulley		X		3 Belt
	151.211.3	V-Belt Pulley			X	4 Belt
2	145.274.3	Rear Hinge Plate		X	X	
3	911.136.1	Shim		X	X	35 X 45 X 2.0 a3g
4	936.300.0	Radial Seal		X	X	B2 50 X 50 X 10
5	144.567.1	Spacer Bushing		X	X	50 X 23.5
6	911.673.0	Circlip		X	X	J 80 X 2.5
7	910.960.0	Shim		X	X	63 X 80 X .1
	910.962.0	Shim		X	X	63 X 80 X .3
	910.963.0	Shim		X	X	63 X 80 X .5
	910.964.0	Shim		X	X	63 X 80 X 1.0
8	932.136.0	Tapered Roller Bearing		X	X	30307 A
9	919.811.0	Breather		X	X	M 18 X 1.5
10	925.202.2	Cap		X	X	62
11	906.040.1	Screw Plug		X	X	M 18 X 1.5
12	145.097.5	Spring Support		X	X	
13	145.209.1	Spacer Tube		X	X	1 1/4" X 92.5
14	145.205.1	Bevel Gear		X	X	20 Teeth
15	145.207.0	Input Shaft		X	X	42 X 249
16	932.137.0	Tapered Roller Bearing		X	X	30308 A
17	910.970.0	Shim		X	X	70 X 90 X .1
	910.972.0	Shim		X	X	70 X 90 X .3
	910.973.0	Shim		X	X	70 X 90 X .5
	910.974.0	Shim		X	X	70 X 90 X 1.0
18	911.680.0	Protective Ring		X	X	90 X 3.0
19	925.200.0	Core Plug		X	X	
20	915.105.0	Flat Key		X	X	10 X 8 X 25
21	915.123.0	Flat Key		X	X	B 10 X 8 X 40
22	932.153.0	Tapered Roller Bearing		X	X	32208 A
23	930.567.0	Grooved Ball Bearing		X	X	6307 2RS
24	144.339.3	Spur Gear		X	X	59 Teeth
25	911.132.0	Shim		X	X	35 X 45 X .3
	911.133.0	Shim		X	X	35 X 45 X .5
26	911.541.0	Circlip		X	X	A 35 X 1.5
27	936.352.1	Radial Seal		X	X	40 X 65 X 10
28	145.208.0	Spacer Bushing		X	X	85 X 36
29	937.516.1	O-Ring		X	X	78 X 2
30	145.206.2	Shaft		X	X	




447 265 5

Main Gearbox

Main Gearbox


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
32	145.134.1	Collar Gear		X	X	
33	910.639.1	Washer		X	X	11 X 48 X 5
34	910.111.1	Spring Washer		X	X	B 10
35	900.636.0	Hex Head Bolt		X	X	M 10 X 25
36	937.510.0	O-Ring		X	X	196.45 X 3.53
37	910.014.0	Spring Washer		X	X	B 16
38	900.674.0	Hex Head Bolt		X	X	M 16 X 35
39	937.525.0	O-Ring		X	X	30 X 2
40	906.039.0	Magnetic Plug		X	X	
41	900.335.1	Hex Head Bolt		X	X	M 16 X 30
50	145.562.0	Main Gearbox Complete		X	X	



447 271 3

Cutterbar


Cutterbar						
Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	146.691.1	Blade R/H		X	X	
	146.690.1	Blade L/H		X	X	
2	144.947.1	Mower Drum		X	X	
3	909.602.1	Lock Nut		X	X	M 12
4	906.948.0	Self-Tapping Screw		X	X	B 6.3 X 13
5	144.943.2	Mower Drum Cover		X	X	
6	145.095.3	Clamping Piece		X	X	
7	909.605.0	Lock Nut		X	X	M 14 X 1.5
8	900.634.0	Hex Head Bolt		X	X	M 10 X 20
9	910.111.1	Spring Washer		X	X	B 10
10	908.758.0	Hex Nut		X	X	NM 10
11	144.059.4	Mower Disc		X	X	
12	908.536.0	Lock Nut		X	X	M 27 X 1.5
13	144.138.4	Disc Hub		X	X	
14	909.935.0	Cup Spring		X	X	30.5 X 60 X 1
15	904.045.1	Countersunk Screw		X	X	
	904.046.0	Countersunk Screw		X	X	M 10 X 30
16	936.150.2	Radial Seal		X	X	40 X 55 X 7
17	930.536.1	Grooved Ball Bearing		X	X	6260 2RS
18	144.495.5	Bearing Housing		X	X	
19	144.140.3	Spacer Ring		X	X	45 X 9
20	937.525.0	O-Ring		X	X	30 X 2
21	145.120.8	Cutterbar Shell		X		
	145.121.8	Cutterbar Shell			X	
22	144.346.2	Stop Bar		X	X	
23	144.935.2	Wear Skid		X	X	
	139.299.0	Wear Skid - Optional		X	X	
24	144.946.2	Round Head Screw		X	X	14 X 1.5 X 46
25	144.938.3	Skid		X	X	
	139.294.0	Long Skid		X	X	For Rocky Ground
26	144.937.2	Round Head Screw		X	X	M 14 X 1.5 X 41
27	937.553.0	O-Ring		X	X	78.5 X 6
28	144.325.2	Skid Holder		X	X	6 Hole
29	144.139.7	Pinion Shaft		X	X	16 Teeth
30	937.523.1	O-Ring		X	X	28 X 3
31	937.511.0	O-Ring		X	X	45 X 4
32	145.483.0	Skid Holder		X	X	10 Hole
34	904.044.0	Countersunk Screw		X	X	M 10 X 20



447 271 3

Cutterbar

Cutterbar						
Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
35	145.635.1	Cover		X	X	
36	937.510.0	O-Ring		X	X	196.45 X 3.53
37	144.238.4	Washer		X	X	54 X 8 X 4.5
41	141.053.4	Blade Bolt		X	X	M 12 X 24
42	937.721.0	Sealing Ring		X	X	16 X 22 X 1.5
43	906.007.0	Screw Plug		X	X	M 16 X 1.5
44	925.303.1	Wrench		X	X	SW 16
46	915.105.0	Flat Key		X	X	10 X 8 X 25
48	910.863.0	Shim		X	X	30 X 42 X .5
49	937.004.0	O-Ring		X	X	10.0 X 1.25
50	919.811.0	Breather		X	X	M 18 X 1.5
60	145.566.0	Cutterbar Complete		X		
	145.567.0	Cutterbar Complete			X	
61	144.533.0	Bearing Housing Complete		X	X	
62	144.237.3	Spur Gear Complete w/Bearing		X	X	59 Teeth - Thin Gear
	139.190.0	Spur Gear Complete w/Bearing		X	X	59 Teeth - Thick Gear




447 276 3

Safety Frames


Safety Frames

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	145.169.4	Plastic Cloth		X		
	139.109.1	Plastic Cloth			X	
3	900.636.0	Hex Head Bolt		X	X	M 10 X 25
4	908.758.0	Hex Nut		X	X	NM 10
5	145.153.5	Rear Safety Frame		X		
	139.120.0	Rear Safety Frame			X	
6	145.325.0	Elbow		X	X	
7	908.706.0	Hex Nut		X	X	NM 8
8	901.423.0	Hex Head Bolt		X	X	M 8 X 50
9	910.506.0	Washer		X	X	14 X 24 X 2.5
10	910.512.2	Washer		X	X	B 21
11	912.670.0	Roll Pin		X	X	8 X 40
12	145.643.2	Adjusting Rod		X	X	
13	145.260.3	Ratchet		X	X	
14	901.622.3	Hex Head Bolt		X	X	M 10 X 70
15	145.263.4	Connecting Link		X	X	
16	901.421.1	Hex Head Bolt		X	X	M 8 X 40
17	909.502.0	Annular Nut		X	X	M 10
18	145.441.1	Pin		X	X	
19	145.180.2	Pin		X	X	
20	904.882.1	Round Head Screw		X	X	M 12 X 25
21	910.035.0	Spring Washer		X	X	B 12
22	908.215.0	Hex Nut		X	X	M 12
23	145.307.3	Front Safety Frame		X		
	145.293.3	Front Safety Frame			X	
24	900.675.0	Hex Head Bolt		X	X	M 16 X 40
25	145.323.0	Safety Frame		X	X	
26	908.716.1	Hex Nut		X	X	NM 16
27	910.621.0	Washer		X	X	17.5 X 35 X 2
28	144.415.1	Plastic Cable		X	X	
29	139.316.0	Decal Holder		X	X	
30	910.413.0	Washer		X	X	A 8.4
31	908.706.0	Hex Nut		X	X	NM 8




Conditioner Gearbox

Conditioner Gearbox						
Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	915.123.0	Flat Key		X	X	B 10 X 8 X 40
2	910.910.0	Shim		X	X	56 X 72 X .1
	910.912.0	Shim		X	X	56 X 72 X .3
	910.913.0	Shim		X	X	56 X 72 X .5
	910.914.0	Shim		X	X	56 X 72 X 1.0
3	930.537.0	Ball Bearing		X	X	6207 2RS
4	936.352.1	Radial Seal		X	X	40 X 65 X 10
5	145.477.0	Shaft		X	X	42 X 585
6	915.122.0	Flat Key		X	X	A 10 X 8 X 40
7	932.155.0	Tapered Roller Bearing		X	X	32210 A
8	910.900.0	Shim		X	X	50 X 62 X .1
	910.902.0	Shim		X	X	50 X 62 X .3
	910.903.0	Shim		X	X	50 X 62 X .5
	910.904.0	Shim		X	X	50 X 62 X 1
9	146.984.0	Gear		X	X	16 Teeth
10	911.132.0	Shim		X	X	35 X 45 X .3
	911.133.0	Shim		X	X	35 X 45 X .5
	911.134.0	Shim		X	X	35 X 45 X 1
11	911.541.0	Circlip		X	X	A 35 X 1.5
12	145.973.2	Gearbox Housing		X	X	
13	919.811.0	Breather		X	X	M 18 X 1.5
14	906.040.1	Screw Plug		X	X	M 18 X 1.5
15	930.167.0	Grooved Ball Bearing		X	X	6307
16	911.022.0	Shim		X	X	70 X 80 X .1
	911.023.0	Shim		X	X	70 X 80 X .2
	911.024.0	Shim		X	X	70 X 80 X 1.0
17	910.741.0	Supporting Ring		X	X	63 X 80 X 3
18	911.673.0	Circlip		X	X	J 80 X 2.5
19	936.339.0	Sealing Ring		X	X	35 X 80 X 13 B2
20	145.478.0	Spacer Bushing		X	X	
21	146.985.0	Gear		X	X	22 Teeth
22	910.900.0	Shim		X	X	50 X 62 X .1
	910.902.0	Shim		X	X	50 X 62 X .3
	910.903.0	Shim		X	X	50 X 62 X .5
	910.904.0	Shim		X	X	50 X 62 X 1.0
23	932.177.0	Tapered Roller Bearing		X	X	32010 X 720
24	930.137.0	Grooved Ball Bearing		X	X	6207
25	910.727.0	Washer		X	X	



Conditioner Gearbox

Conditioner Gearbox						
Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
26	936.337.0	Radial Seal		X	X	35 X 72 X 12 b2
27	145.215.1	Drive Shaft		X	X	42 X 198
28	900.655.0	Hex Head Bolt		X	X	M 12 X 25
29	910.035.0	Spring Washer		X	X	B 12
30	146.976.2	Gearbox Cover		X	X	
31	145.212.0	Gearbox Seal		X	X	.5mm Thick
32	143.523.1	V-Belt Pulley		X		3 Belts
	151.329.2	V-Belt Pulley			X	4 Belts
33	911.134.0	Shim		X	X	35 X 45 X 1
34	145.216.0	Spacer Bushing		X	X	
35	911.668.0	Circlip		X	X	72 X 2.5
36	911.541.0	Circlip		X	X	A 35 X 1.5
37	910.727.0	Washer		X	X	
38	911.132.0	Shim		X	X	35 X 45 X .3
	911.133.0	Shim		X	X	35 X 45 X .5
	911.134.0	Shim		X	X	35 X 45 X 1.0
39	934.908.0	Bearing Bushing		X	X	4012 DU
40	145.972.2	Conditioner Gearbox Complete		X	X	
	926.101.0	Oil		X	X	SAE 90 - 1 Liter




V-Belt Guards

447 282 1

V-Belt Guards


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	901.460.0	Hex Head Bolt		X		M 12 X 100
	901.462.0	Hex Head Bolt			X	M 12 X 120
2	908.210.0	Hex Nut		X	X	M 8
3	910.033.0	Spring Washer		X	X	B 8
4	910.506.0	Washer		X	X	14 X 24 X 2.5
5	145.912.1	Light Support		X	X	
6	145.175.2	Rear V-Belt Guard		X		
	145.379.2	Rear V-Belt Guard			X	
7	145.357.1	Front V-Belt Guard		X		
	145.358.2	Front V-Belt Guard			X	
8	910.353.0	Washer		X	X	B 11
9	910.111.1	Spring Washer		X	X	B 10
10	908.212.0	Hex Nut		X	X	M 10
11	908.215.0	Hex Nut		X	X	M 12
12	912.672.0	Roll Pin		X	X	8 X 50
13	145.907.0	Jack Stand		X	X	
14	917.000.1	Lynch Pin		X	X	8
15	921.522.1	V-Belt Set		X		Set of 3
	921.523.2	V-Belt Set				Set of 4
16	910.035.0	Spring Washer		X	X	B 12
17	904.730.0	Round Head Bolt		X	X	M 8 X 16



447 520 2

Conditioner Housing

Conditioner Housing						
Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	900.634.0	Hex Head Bolt		X	X	M 10 X 20
2	910.111.1	Spring Washer		X	X	B 10
3	910.414.0	Washer		X	X	A 10.5 X 21 X 2
4	145.742.1	Cover		X		
	145.741.1	Cover			X	
5	903.135.0	Bolt		X	X	M 12 X 20
6	909.503.1	Annular Nut		X	X	M 12
7	910.609.0	Washer		X	X	13 X 40 X 3
8	900.608.0	Hex Head Bolt		X	X	M 6 X 20
9	145.842.0	Conditioner Housing		X		
	145.796.0	Conditioner Housing			X	
10	900.636.0	Hex Head Bolt		X	X	M 10 X 25
11	145.752.0	Deflector Plate		X		
	145.753.0	Deflector Plate			X	
12	900.636.0	Hex Head Bolt		X	X	M 10 X 25
13	908.758.0	Hex Nut		X	X	NM 10
14	145.729.0	Side Plate R/H		X	X	
15	910.506.0	Washer		X	X	14 X 24 X 2.5
16	145.951.0	Feed Plate R/H		X		
	145.942.0	Feed Plate R/H			X	
17	145.640.1	Strut		X	X	
18	145.748.0	Swath Board R/H		X	X	
19	145.989.0	Cloth		X		
	145.990.0	Cloth			X	
20	145.987.0	Clamping Strap		X		
	145.988.0	Clamping Strap			X	
21	908.704.1	Hex Nut		X	X	NM 6
22	910.607.0	Washer		X	X	
23	145.746.0	Swath Board L/H		X		
	145.722.0	Swath Board L/H			X	
24	145.749.0	Swath Board L/H		X	X	
25	903.207.0	Allen Screw		X	X	M 16 X 25
27	145.957.0	Feed Plate L/H		X	X	
28	900.655.0	Hex Head Bolt		X	X	M 12 X 25
29	908.711.1	Hex Nut		X	X	NM 12
30	908.220.0	Hex Nut		X	X	M 16
31	910.014.0	Spring Washer		X	X	B 16
32	145.240.1	Yoke		X	X	




447 520 2

Conditioner Housing

Conditioner Housing


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
33	139.169.0	Rubber Cover		X	X	



Conditioner Rollers & Drive Pulleys

Conditioner Rollers & Drive Pulleys

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	906.203.0	Ring Bolt		X	X	M 12 DIN 580
2	145.780.0	Limit Stop		X	X	
3	185.523.1	Rubber Pad		X	X	
4	274.447.1	Slotted Washer		X	X	
5	910.014.0	Spring Washer		X	X	B 16
6	908.220.0	Hex Nut		X	X	M 16
7	912.507.0	Roll Pin		X	X	16 X 20
8	912.579.1	Roll Pin		X	X	4 X 20
9	910.506.0	Washer		X	X	14 X 24 X 2.5
10	908.758.0	Hex Nut		X	X	NM 10
11	908.716.1	Hex Nut		X	X	NM 16
12	145.858.0	Threaded Rod		X	X	
13	908.714.0	Hex Nut		X	X	NM 14
14	910.303.0	Washer		X	X	18 X 30 X 3
15	093.023.0	Pressure Spring		X	X	
16	915.122.0	Flat Key		X	X	A 10 X 8 X 40
17	145.710.0	Rubber Roller		X		
	145.709.0	Rubber Roller			X	
18	912.716.1	Roll Pin		X	X	10 X 50
19	145.851.0	Pulley Arm Bearing		X	X	
20	441.085.0	Bearing Bushing		X	X	30 X 36 X 50
21	919.003.0	Grease Fitting		X	X	
22	145.708.0	Ribbed Roller		X		
	145.707.0	Ribbed Roller			X	
23	145.848.0	Tensioning Pulley Arm		X	X	
24	910.822.0	Shim		X	X	16 X 35 X .5
25	345.458.4	Flange Bearing		X	X	
26	934.617.0	Grooved Ball Bearing		X	X	GEM 207
27	145.783.0	V-Belt Pulley		X	X	
28	910.643.0	Washer		X	X	14 X 40 X 4 st 37
29	910.035.0	Spring Washer		X	X	B 12
30	900.655.0	Hex Head Bolt		X	X	M 12 X 25
31	145.784.0	Tensioning Roller		X	X	
32	934.608.0	Grooved Ball Bearing		X	X	EN 208
33	200.777.1	Flange Bearing		X	X	
34	930.506.0	Grooved Ball Bearing		X	X	6006 2RS
35	145.782.0	V-Belt Pulley		X	X	
36	916.015.2	Bolt		X	X	12 X 30/25




447 525 0

Conditioner Rollers & Drive Pulleys

Conditioner Rollers & Drive Pulleys


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
37	910.863.0	Shim		X	X	30 X 42 X .5



Conditioner Belt Tensioner

Conditioner Belt Tensioner

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	145.798.0	Drive Shaft		X	X	
2	915.123.0	Flat Key		X	X	B 10 X 8 X 40
3	911.541.0	Circlip		X	X	A 35 X 1.5
4	911.136.1	Shim		X	X	35 X 45 X 2.0 a3g
5	911.134.0	Shim		X	X	35 X 45 X 1.0
6	145.785.0	V-Belt Pulley		X	X	
7	925.001.0	Plastic Cap		X	X	PVCF 40
8	909.114.1	Nut		X	X	M 16
9	908.220.0	Hex Nut		X	X	M 16
10	921.503.0	Set of V-Belts		X	X	3 Belts
11	900.636.0	Hex Head Bolt		X	X	M 10 X 25
12	910.111.1	Spring Washer		X	X	B 10
13	910.639.1	Washer		X	X	11 X 48 X 5
14	930.537.0	Ball Bearing		X	X	6207 2RS
15	145.731.0	V-Belt Tensioner		X	X	
16	145.941.0	V-Belt Tensioner		X	X	
17	900.675.0	Hex Head Bolt		X	X	M 16 X 40
18	910.303.0	Washer		X	X	18 X 30 X 3
19	912.673.0	Roll Pin		X	X	8 X 36
21	901.493.0	Hex Head Bolt		X	X	16 X 150 DIN 931
25	145.800.0	V-Belt Tensioner Complete		X	X	




447 529 0

Conditioner Roller Bearings

Conditioner Roller Bearings

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	093.023.0	Pressure Spring		X	X	
2	910.303.0	Washer		X	X	18 X 30 X 3
3	908.716.1	Hex Nut		X	X	NM 16
4	912.716.1	Roll Pin		X	X	10 X 50
5	912.714.0	Tension Pin		X	X	10 X 40 1481
6	274.447.1	Slotted Washer		X	X	
7	908.758.0	Hex Nut		X	X	NM 10
8	345.458.4	Flange Bearing		X	X	
9	934.617.0	Grooved Ball Bearing		X	X	GEM 207
10	908.220.0	Hex Nut		X	X	M 16
11	185.523.1	Rubber Pad		X	X	
12	910.643.0	Washer		X	X	14 X 40 X 4 st 37
13	910.035.0	Spring Washer		X	X	B 12
14	900.655.0	Hex Head Bolt		X	X	M 12 X 25
15	145.780.0	Limit Stop		X	X	
16	910.014.0	Spring Washer		X	X	B 16
17	906.203.0	Ring Bolt		X	X	M 12 DIN 580
18	912.579.1	Roll Pin		X	X	4 X 20
19	912.507.0	Roll Pin		X	X	16 X 20
20	916.015.2	Bolt		X	X	12 X 30/25
21	910.506.0	Washer		X	X	14 X 24 X 2.5
22	919.003.0	Grease Fitting		X	X	
23	145.850.0	Tensioning Pulley Arm R/H		X	X	
24	910.865.0	Shim		X	X	30 X 42 X 2
25	441.085.0	Bearing Bushing		X	X	30 X 36 X 50
26	145.858.0	Threaded Rod		X	X	
27	910.822.0	Shim		X	X	16 X 35 X .5
28	145.849.0	Pulley Arm Bearing		X	X	




447 534 0

Conditioner Belt Guards

Conditioner Belt Guards

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	910.111.1	Spring Washer		X	X	B 10
2	900.632.0	Hex Head Bolt		X	X	M 10 X 16
3	910.414.0	Washer		X	X	A 10.5 X 21 X 2
4	145.738.0	Strip		X	X	
5	145.779.0	V-Belt Guard		X	X	
6	910.353.0	Washer		X	X	R 11
7	908.212.0	Hex Nut		X	X	M 10
8	145.966.0	Protective Cup		X	X	
9	905.251.0	Round Head Screw		X	X	




445 916 0

Main PTO Shaft - Bondioli

Main PTO Shaft - Bondioli


Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.111.0	Locking Pin w/Spring		X	X	
2	956.100.0	Outer Yoke		X	X	
3	956.101.0	Cross Kit		X	X	
4	911.603.0	Circlip		X	X	
5	919.003.0	Grease Fitting		X	X	
6	956.102.0	Inner Yoke for Female Tube		X	X	
7	912.720.0	Roll Pin		X	X	10 X 70
8	956.103.1	Female Tube		X	X	
9	956.104.1	Male Tube		X	X	
10	912.718.0	Tension Pin		X	X	10 X 60
11	956.105.0	Inner Yoke for Male Tube		X	X	
12	956.106.0	Overrunning Clutch		X	X	
23	956.112.0	Bearing Ring for Female Tube		X	X	
24	956.108.0	Bearing Ring for Male Tube		X	X	
27	949.852.0	Chain		X	X	
30	956.109.1	Female Guard Tube Complete		X	X	
31	956.222.0	Male Guard Tube Complete		X	X	
50	956.017.1	PTO Shaft Complete		X	X	



Conditioner PTO Shaft - Bondioli - AM-202C

Conditioner PTO Shaft - Bondioli - AM-202C

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.202.0	Outer Yoke		X		
2	956.217.0	Cross Kit		X		
3	956.430.0	Circlip		X		
4	919.003.0	Grease Fitting		X		
5	956.218.0	Inner Yoke for Female Tube		X		
11	912.678.0	Roll Pin		X		8 X 60
12	956.219.0	Female Tube		X		620mm Long
13	956.127.1	Female Tube		X		325mm Long
14	912.677.0	Roll Pin		X		8 X 55
21	956.221.0	Inner Yoke for Male Tube		X		
31	956.119.0	Ring for Female Tube		X		
36	956.120.0	Ring for Male Tube		X		
37	949.852.0	Chain		X		
51	956.111.0	Locking Pin with Spring		X		
52	956.121.1	Female Guard Tube Complete		X		
53	956.143.1	Male Guard Tube		X		
55	956.019.1	PTO Shaft Complete		X		




445 924 0

Conditioner PTO Shaft - Bondioli - AM-242C

Conditioner PTO Shaft - Bondioli - AM-242C

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.111.0	Locking Pin with Spring			X	
2	956.202.0	Outer Yoke			X	
3	949.412.0	Cross Kit			X	
4	956.430.0	Circlip			X	
5	919.103.0	Grease Fitting			X	
6	956.218.0	Inner Yoke for Female Tube			X	
7	912.678.0	Roll Pin			X	8 X 60
8	956.219.0	Female Tube			X	620mm Long
9	956.127.1	Male Tube			X	325mm Long
10	912.677.0	Roll Pin			X	8 X 55
11	956.221.0	Inner Yoke for Male Tube			X	
22	956.119.0	Ring for Female Tube			X	
23	956.120.0	Ring for Male Tube			X	
26	949.852.0	Chain			X	
29	956.241.0	Female Guard Tube Complete			X	
30	956.242.0	Male Guard Tube Complete			X	
36	956.224.0	Friction Clutch			X	FD 2 - 900NM
	956.162.1	Friction Disc			X	
50	956.007.0	PTO Shaft Complete			X	




447 710 0

Main PTO Shaft - Walterscheid

Main PTO Shaft - Walterscheid

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.017.1	PTO Shaft Complete		X	X	W2300-SD25-710-F5/1R
4	949.230.0	Female Tube		X	X	
5	949.231.0	Male Tube		X	X	
11	949.463.0	Outer Yoke Complete		X	X	1 3/8"
12	949.630.0	Locking Pin		X	X	
13	949.351.0	Overrunning Clutch		X	X	F5/1R
21	949.462.0	Cross Kit		X	X	W2300
22	949.629.0	Grease Fitting		X	X	
23	949.430.0	Grooved Yoke		X	X	RG 2300
24	912.720.0	Roll Pin		X	X	10 X 70
25	949.353.0	Inner Profile Tube		X	X	
26	949.354.0	Outer Profile Tube		X	X	
27	949.436.0	Grooved Yoke		X	X	RG 2300
53	949.352.0	Ring		X	X	
54	949.861.0	Bearing Ring		X	X	
55	949.852.0	Chain		X	X	




447 713 0

Conditioner PTO Shaft - Walterscheid - AM-202C

Conditioner PTO Shaft - Walterscheid - AM-202C

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.019.1	PTO Shaft Complete		X		W2200-SC15-760
4	949.945.0	Outer Guard Tube		X		1040mm Long
5	949.934.0	Inner Guard Tube		X		1040mm Long
11	949.403.0	Outer Yoke Complete		X		
12	949.630.0	Locking Pin		X		
21	956.560.0	Cross Kit		X		
22	949.629.0	Grease Fitting		X		
23	949.410.0	Grooved Yoke		X		
24	912.719.0	Roll Pin		X		10 X 65
25	949.668.0	Inner Profile Tube		X		760mm Long
26	949.710.0	Outer Profile Tube		X		790mm Long
27	949.428.0	Grooved Yoke		X		
53	949.863.0	Bearing Ring		X		
55	949.852.0	Chain		X		



447 712 0

Conditioner PTO Shaft - Walterscheid - AM-242C

Conditioner PTO Shaft - Walterscheid - AM-242C

Item	Part Number	Description	Serial # Ranges	AM-202C	AM-242C	Notes
1	956.008.1	PTO Shaft Complete			X	W2300-SC15-760-K92E
4	949.226.0	Outer Guard Tube			X	
5	949.227.0	Inner Guard Tube			X	
11	949.343.0	Friction Clutch			X	K92E
	949.568.0	Friction Disc			X	
12	949.463.0	Outer Yoke			X	1 3/8"
13	949.630.0	Locking Pin			X	
21	949.462.0	Cross Kit			X	W 2300
22	949.629.0	Grease Fitting			X	
23	949.465.0	Inner Yoke			X	
24	912.719.0	Roll Pin			X	10 X 65
25	949.668.0	Inner Profile Tube			X	760mm Long
26	949.710.0	Outer Profile Tube			X	790mm Long
27	949.467.0	Grooved Yoke			X	
53	949.863.0	Bearing Ring			X	
55	949.852.0	Chain			X	